

# Yumi Sugawara

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2489408/publications.pdf>

Version: 2024-02-01

90  
papers

1,962  
citations

304701

22  
h-index

302107

39  
g-index

92  
all docs

92  
docs citations

92  
times ranked

2623  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Social Participation and Disability-free Life Expectancy in Japanese Older People: The Ohsaki Cohort 2006 Study. <i>Journal of Epidemiology</i> , 2022, 32, 456-463.	2.4	4
2	Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. <i>International Journal of Epidemiology</i> , 2022, 50, 2070-2081.	1.9	11
3	The 5-Year Course of Neck Pain Among Natural Disaster Survivors: The Association of Prior Neck Pain with New Episodes of Neck Pain. <i>Pain Medicine</i> , 2022, 23, 635-641.	1.9	2
4	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.	3.9	3
5	Association Between Long-term Weight Change Since Midlife and Risk of Incident Disabling Dementia Among Elderly Japanese: The Ohsaki Cohort 2006 Study. <i>Journal of Epidemiology</i> , 2022, 32, 237-243.	2.4	4
6	Association of dairy intake with all-cause, cancer, and cardiovascular disease mortality in Japanese adults: a 25-year population-based cohort. <i>European Journal of Nutrition</i> , 2022, 61, 1285-1297.	3.9	6
7	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	4.5	17
8	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	1.9	8
9	Dairy intake and incident functional disability among older Japanese adults: the Ohsaki Cohort 2006 Study. <i>European Journal of Nutrition</i> , 2022, 61, 2627-2637.	3.9	3
10	Time spent walking and disability-free survival in older Japanese: The Ohsaki Cohort 2006 Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 1153-1160.	2.9	2
11	Association between Prior and Later Occurrence of Shoulder Pain Episodes: A 5-Year Longitudinal Study after the Great East Japan Earthquake. <i>Tohoku Journal of Experimental Medicine</i> , 2022, , .	1.2	0
12	Review of Mental Health Consequences of the Great East Japan Earthquake through Long-Term Epidemiological Studies: The Shichigahama Health Promotion Project. <i>Tohoku Journal of Experimental Medicine</i> , 2022, 257, 85-95.	1.2	4
13	How long would you like to live? A 25-year prospective observation of the association between desired longevity and mortality. <i>Journal of Epidemiology</i> , 2022, , .	2.4	1
14	Sleep disturbance is associated with neck pain: a 3-year longitudinal study after the Great East Japan Earthquake. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 459.	1.9	0
15	Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six population-based cohorts in Japan. <i>International Journal of Cancer</i> , 2022, 151, 1068-1080.	5.1	10
16	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	3.2	7
17	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	5.1	10
18	Changes in a specific dietary pattern and incident dementia: A prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 3495-3502.	5.0	9

#	ARTICLE	IF	CITATIONS
19	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021, 148, 654-664.	5.1	21
20	OUP accepted manuscript. <i>International Journal of Epidemiology</i> , 2021, .	1.9	6
21	Association of musculoskeletal pain in other body parts with new-onset shoulder pain: a longitudinal study among survivors of the Great East Japan Earthquake. <i>BMJ Open</i> , 2021, 11, e041804.	1.9	1
22	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021, 10, 2153-2163.	2.8	2
23	Association of decreased physical activity due to the COVID-19 pandemic with new-onset neck pain in survivors of the Great East Japan Earthquake: a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e051751.	1.9	2
24	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	5.9	58
25	Subgroup characteristics of the association between volunteering and the risk of functional disability among older Japanese people: The Tsurugaya project. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104465.	3.0	1
26	Association Between Sleep Disturbance and Low Back Pain. <i>Spine</i> , 2021, Publish Ahead of Print, .	2.0	7
27	A 5-year Longitudinal Study of Low Back Pain in Survivors of the Great East Japan Earthquake. <i>Spine</i> , 2021, 46, 695-701.	2.0	6
28	Japanese diet and survival time: The Ohsaki Cohort 1994 study. <i>Clinical Nutrition</i> , 2020, 39, 298-303.	5.0	28
29	Association between improved adherence to the Japanese diet and incident functional disability in older people: The Ohsaki Cohort 2006 Study. <i>Clinical Nutrition</i> , 2020, 39, 2238-2245.	5.0	24
30	Mushroom consumption and incident risk of prostate cancer in Japan: A pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study. <i>International Journal of Cancer</i> , 2020, 146, 2712-2720.	5.1	25
31	Impact of the Great East Japan Earthquake on the Employment Status and Mental Health Conditions of Affected Coastal Communities. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8130.	2.6	8
32	Social trust predicts sleep disorder at 6 years after the Great East Japan earthquake: data from a prospective cohort study. <i>BMC Psychology</i> , 2020, 8, 69.	2.1	11
33	Smoking cessation and incident dementia in elderly Japanese: the Ohsaki Cohort 2006 Study. <i>European Journal of Epidemiology</i> , 2020, 35, 851-860.	5.7	15
34	Preceding Poor Physical Function Is Associated with New-Onset Musculoskeletal Pain among Older Natural Disaster Survivors: A Longitudinal Study after the Great East Japan Earthquake. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 251, 19-26.	1.2	3
35	Sleep Disturbance of Evacuees in Minamisanriku Town after Great East Japan Earthquake: Risk Factors and Treatment. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 251, 207-216.	1.2	4
36	The Impact of Health Consciousness on the Association Between Walking Durations and Mental Health Conditions After a Disaster: a Cross-Sectional Study. <i>Sports Medicine - Open</i> , 2020, 6, 30.	3.1	6

#	ARTICLE	IF	CITATIONS
37	Effect of a financial incentive (shopping point) on increasing the number of daily walking steps among community-dwelling adults in Japan: a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e037303.	1.9	0
38	Effect of a financial incentive (shopping point) on increasing the number of daily walking steps among community-dwelling adults in Japan: a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e037303.	1.9	2
39	Musculoskeletal Pain is Associated With New-Onset Psychological Distress in Survivors of the Great East Japan Earthquake. <i>Disaster Medicine and Public Health Preparedness</i> , 2019, 13, 295-300.	1.3	13
40	Weight change since age 20 and incident risk of obesity-related cancer in Japan: a pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study. <i>International Journal of Cancer</i> , 2019, 144, 967-980.	5.1	18
41	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019, 34, 917-926.	5.7	31
42	Combined Healthy Lifestyle Behaviors and Disability-Free Survival: the Ohsaki Cohort 2006 Study. <i>Journal of General Internal Medicine</i> , 2019, 34, 1724-1729.	2.6	13
43	Musculoskeletal pain and new-onset poor physical function in elderly survivors of a natural disaster: a longitudinal study after the great East Japan earthquake. <i>BMC Geriatrics</i> , 2019, 19, 274.	2.7	10
44	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 972-984.	1.3	18
45	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.	2.8	22
46	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019, 110, 3603-3614.	3.9	9
47	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1370-1378.	2.5	19
48	The Japanese Dietary Pattern Is Associated with Longer Disability-Free Survival Time in the General Elderly Population in the Ohsaki Cohort 2006 Study. <i>Journal of Nutrition</i> , 2019, 149, 1245-1251.	2.9	24
49	Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.	5.9	102
50	Coffee Consumption and All-Cause and Cardiovascular Mortality—Three-Prefecture Cohort in Japan. <i>Circulation Journal</i> , 2019, 83, 757-766.	1.6	10
51	Education level and incident functional disability in elderly Japanese: The Ohsaki Cohort 2006 study. <i>PLoS ONE</i> , 2019, 14, e0213386.	2.5	13
52	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019, 123, 270-277.	3.4	16
53	Moving from prefabricated temporary housing to public reconstruction housing and social isolation after the Great East Japan Earthquake: a longitudinal study using propensity score matching. <i>BMJ Open</i> , 2019, 9, e026354.	1.9	14
54	Association between continued residence in temporary prefabricated housing and musculoskeletal pain in survivors of the Great East Japan Earthquake: a longitudinal study. <i>BMJ Open</i> , 2019, 9, e030761.	1.9	6

#	ARTICLE	IF	CITATIONS
55	Randomised controlled trial of a financial incentive for increasing the number of daily walking steps: study protocol. <i>BMJ Open</i> , 2019, 9, e026086.	1.9	2
56	Reproductive and lifestyle factors related to breast cancer among Japanese women. <i>Medicine (United States)</i> , 2019, 98, 10.	1.9	10
57	Combined healthy lifestyle behaviours and incident disability in an elderly population: the Ohsaki Cohort 2006 Study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 679-684.	3.7	15
58	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018, 143, 307-316.	5.1	23
59	Association between sleep disturbance and new-onset subjective knee pain in Great East Japan Earthquake survivors: A prospective cohort study in the Miyagi prefecture. <i>Journal of Orthopaedic Science</i> , 2018, 23, 334-340.	1.1	10
60	The Impact of Psychological Distress on Incident Functional Disability in Elderly Japanese: The Ohsaki Cohort 2006 Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2502.	2.6	14
61	Dietary Inflammatory Index and Disability-Free Survival in Community-Dwelling Older Adults. <i>Nutrients</i> , 2018, 10, 1896.	4.1	16
62	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018, 28, 245-252.	2.4	30
63	Sleep Disturbance Is Associated with New Onset and Continuation of Lower Back Pain: A Longitudinal Study among Survivors of the Great East Japan Earthquake. <i>Tohoku Journal of Experimental Medicine</i> , 2018, 246, 9-14.	1.2	18
64	Higher Incidence of Sleep Disturbance among Survivors with Musculoskeletal Pain after the Great East Japan Earthquake: A Prospective Study. <i>Tohoku Journal of Experimental Medicine</i> , 2018, 244, 25-32.	1.2	18
65	Association between social participation and incident risk of functional disability in elderly Japanese: The Ohsaki Cohort 2006. <i>Journal of Psychosomatic Research</i> , 2018, 111, 36-41.	2.6	40
66	Influence of subjective economic hardship on new onset of neck pain (so-called: katakori) in the chronic phase of the Great East Japan Earthquake: A prospective cohort study. <i>Journal of Orthopaedic Science</i> , 2018, 23, 758-764.	1.1	12
67	Changes in sleep duration and the risk of incident dementia in the elderly Japanese: the Ohsaki Cohort 2006 Study. <i>Sleep</i> , 2018, 41, .	1.1	31
68	The association between coffee consumption and bladder cancer incidence in a pooled analysis of the Miyagi Cohort Study and Ohsaki Cohort Study. <i>European Journal of Cancer Prevention</i> , 2017, 26, 125-130.	1.3	23
69	Influence of living environment and subjective economic hardship on new-onset of low back pain for survivors of the Great East Japan Earthquake. <i>Journal of Orthopaedic Science</i> , 2017, 22, 43-49.	1.1	19
70	Living status, economic hardship and sleep disturbance were associated with subjective shoulder pain in survivors of the Great East Japan Earthquake: A cross sectional study. <i>Journal of Orthopaedic Science</i> , 2017, 22, 442-446.	1.1	13
71	Association between housing type and $\beta$ -GTP increase after the Great East Japan Earthquake. <i>Social Science and Medicine</i> , 2017, 189, 76-85.	3.8	12
72	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. <i>Cancer Epidemiology</i> , 2017, 51, 98-108.	1.9	20

#	ARTICLE	IF	CITATIONS
73	Association Between Sleep Disturbance and New-onset Subjective Shoulder Pain in Survivors of the Great East Japan Earthquake: A Prospective Cohort Study in Miyagi Prefecture. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 193-201.	1.2	20
74	Longitudinal association between time-varying social isolation and psychological distress after the Great East Japan Earthquake. <i>Social Science and Medicine</i> , 2016, 152, 96-101.	3.8	64
75	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 781-787.	1.3	22
76	Green Tea Consumption and the Risk of Incident Dementia in Elderly Japanese: The Ohsaki Cohort 2006 Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 881-889.	1.2	68
77	Dietary Patterns and Incident Dementia in Elderly Japanese: The Ohsaki Cohort 2006 Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1322-1328.	3.6	52
78	Housing type after the Great East Japan Earthquake and loss of motor function in elderly victims: a prospective observational study. <i>BMJ Open</i> , 2016, 6, e012760.	1.9	17
79	Body mass index and the risk of incident functional disability in elderly Japanese. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlock</i>	1.0	22
80	Influence of living environments and working status on low back pain for survivors of the Great East Japan Earthquake. <i>Journal of Orthopaedic Science</i> , 2016, 21, 138-142.	1.1	19
81	Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.	8.4	98
82	Dietary Patterns and Incident Functional Disability in Elderly Japanese: The Ohsaki Cohort 2006 Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 843-851.	3.6	70
83	Long sleep duration and cause-specific mortality according to physical function and self-rated health: the Ohsaki Cohort Study. <i>Journal of Sleep Research</i> , 2013, 22, 209-216.	3.2	70
84	Meat intake and cause-specific mortality: a pooled analysis of Asian prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1032-1041.	4.7	109
85	Lactation pattern and the risk for hormone-related female cancer in Japan. <i>European Journal of Cancer Prevention</i> , 2013, 22, 187-192.	1.3	13
86	Impact of alcohol intake on total mortality and mortality from major causes in Japan: a pooled analysis of six large-scale cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 448-456.	3.7	59
87	Body Mass Index and Mortality From All Causes and Major Causes in Japanese: Results of a Pooled Analysis of 7 Large-Scale Cohort Studies. <i>Journal of Epidemiology</i> , 2011, 21, 417-430.	2.4	100
88	The Ohsaki Cohort 2006 Study: Design of Study and Profile of Participants at Baseline. <i>Journal of Epidemiology</i> , 2010, 20, 253-258.	2.4	70
89	RELATIONSHIPS BETWEEN N-TERMAL PRO-B-TYPE NATRIURETIC PEPTIDE AND INCIDENT DISABILITY AND MORTALITY IN OLDER COMMUNITY-DWELLING ADULTS: THE TSURUGAYA STUDY. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2439-2441.	2.6	17
90	Participation in health check-ups and mortality using propensity score matched cohort analyses. <i>Preventive Medicine</i> , 2010, 51, 397-402.	3.4	43