

Nina Maggi Kelly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2489721/publications.pdf>

Version: 2024-02-01

119
papers

8,751
citations

53794

45
h-index

45317

90
g-index

120
all docs

120
docs citations

120
times ranked

9831
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping algal bloom dynamics in small reservoirs using Sentinel-2 imagery in Google Earth Engine. <i>Ecological Indicators</i> , 2022, 140, 109041.	6.3	15
2	Lidar Boosts 3D Ecological Observations and Modelings: A Review and Perspective. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2021, 9, 232-257.	9.6	62
3	A Review of Unoccupied Aerial Vehicle Use in Wetland Applications: Emerging Opportunities in Approach, Technology, and Data. <i>Drones</i> , 2021, 5, 45.	4.9	24
4	Modeling future climate suitability for the western blacklegged tick, <i>Ixodes pacificus</i> , in California with an emphasis on land access and ownership. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101789.	2.7	9
5	Development and Performance Evaluation of a Very Low-Cost UAV-Lidar System for Forestry Applications. <i>Remote Sensing</i> , 2021, 13, 77.	4.0	86
6	From savanna to suburb: Effects of 160 years of landscape change on carbon storage in Silicon Valley, California. <i>Landscape and Urban Planning</i> , 2020, 195, 103712.	7.5	6
7	Application of UAV Imagery to Detect and Quantify Submerged Filamentous Algae and Rooted Macrophytes in a Non-Wadeable River. <i>Remote Sensing</i> , 2020, 12, 3332.	4.0	16
8	Remotely Sensed Water Limitation in Vegetation: Insights from an Experiment with Unmanned Aerial Vehicles (UAVs). <i>Remote Sensing</i> , 2019, 11, 1853.	4.0	33
9	Time Series of Landsat Imagery Shows Vegetation Recovery in Two Fragile Karst Watersheds in Southwest China from 1988 to 2016. <i>Remote Sensing</i> , 2019, 11, 2044.	4.0	26
10	A simple and integrated approach for fire severity assessment using bi-temporal airborne LiDAR data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 78, 25-38.	2.8	21
11	Object-Based Time-Constrained Dynamic Time Warping Classification of Crops Using Sentinel-2. <i>Remote Sensing</i> , 2019, 11, 1257.	4.0	64
12	Differing Sensitivities to Fire Disturbance Result in Large Differences Among Remotely Sensed Products of Vegetation Disturbance. <i>Ecosystems</i> , 2019, 22, 1767-1786.	3.4	3
13	Differences in forest management practices in Primorsky Krai: Case study of certified and non-certified by Forest Stewardship Council forest concessions. <i>Journal of Sustainable Forestry</i> , 2019, 38, 471-485.	1.4	7
14	The Influence of Vegetation Characteristics on Individual Tree Segmentation Methods with Airborne LiDAR Data. <i>Remote Sensing</i> , 2019, 11, 2880.	4.0	35
15	Modeling Climate Suitability of the Western Blacklegged Tick in California. <i>Journal of Medical Entomology</i> , 2018, 55, 1133-1142.	1.8	18
16	From the Field to the Cloud: A Review of Three Approaches to Sharing Historical Data From Field Stations Using Principles From Data Science. <i>Frontiers in Environmental Science</i> , 2018, 6, .	3.3	6
17	Individual Tree Level Forest Fire Assessment Using Bi-temporal LiDAR Data. , 2018, , .		1
18	UAVs in Support of Algal Bloom Research: A Review of Current Applications and Future Opportunities. <i>Drones</i> , 2018, 2, 35.	4.9	96

#	ARTICLE	IF	CITATIONS
19	Identification of Citrus Trees from Unmanned Aerial Vehicle Imagery Using Convolutional Neural Networks. <i>Drones</i> , 2018, 2, 39.	4.9	150
20	Simple method for direct crown base height estimation of individual conifer trees using airborne LiDAR data. <i>Optics Express</i> , 2018, 26, A562.	3.4	47
21	Impact of Error in Lidar-Derived Canopy Height and Canopy Base Height on Modeled Wildfire Behavior in the Sierra Nevada, California, USA. <i>Remote Sensing</i> , 2018, 10, 10.	4.0	31
22	Evaluating the uncertainty of Landsat-derived vegetation indices in quantifying forest fuel treatments using bi-temporal LiDAR data. <i>Ecological Indicators</i> , 2018, 95, 298-310.	6.3	13
23	Land ownership and 20th century changes to forest structure in California. <i>Forest Ecology and Management</i> , 2018, 422, 137-146.	3.2	13
24	Vegetation change during 40 years of repeated managed wildfires in the Sierra Nevada, California. <i>Forest Ecology and Management</i> , 2017, 402, 241-252.	3.2	48
25	Improving the prediction of African savanna vegetation variables using time series of MODIS products. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 131, 77-91.	11.1	52
26	A review of the emergent ecosystem of collaborative geospatial tools for addressing environmental challenges. <i>Computers, Environment and Urban Systems</i> , 2017, 65, 79-92.	7.1	33
27	Unmanned aerial systems for agriculture and natural resources. <i>California Agriculture</i> , 2017, 71, 5-14.	0.8	38
28	Estimating Ladder Fuels: A New Approach Combining Field Photography with LiDAR. <i>Remote Sensing</i> , 2016, 8, 766.	4.0	27
29	Forest fuel treatment detection using multi-temporal airborne lidar data and high-resolution aerial imagery: a case study in the Sierra Nevada Mountains, California. <i>International Journal of Remote Sensing</i> , 2016, 37, 3322-3345.	2.9	19
30	Change detection of built-up land: A framework of combining pixel-based detection and object-based recognition. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 119, 402-414.	11.1	70
31	Police-Recorded Crime and Perceived Stress among Patients with Type 2 Diabetes: the Diabetes Study of Northern California (DISTANCE). <i>Journal of Urban Health</i> , 2016, 93, 745-757.	3.6	5
32	Accessible light detection and ranging: estimating large tree density for habitat identification. <i>Ecosphere</i> , 2016, 7, e01593.	2.2	5
33	Challenges and opportunities in synthesizing historical geospatial data using statistical models. <i>Ecological Informatics</i> , 2016, 31, 100-111.	5.2	11
34	A Vegetation Mapping Strategy for Conifer Forests by Combining Airborne LiDAR Data and Aerial Imagery. <i>Canadian Journal of Remote Sensing</i> , 2016, 42, 1-15.	2.4	43
35	Evaluating Collaborative Adaptive Management in Sierra Nevada Forests by Exploring Public Meeting Dialogues Using Self-Organizing Maps. <i>Society and Natural Resources</i> , 2015, 28, 873-890.	1.9	6
36	Evaluating short- and long-term impacts of fuels treatments and simulated wildfire on an old-growth forest species. <i>Ecosphere</i> , 2015, 6, 1-18.	2.2	50

#	ARTICLE	IF	CITATIONS
37	Land Use and Wildfire: A Review of Local Interactions and Teleconnections. <i>Land</i> , 2015, 4, 140-156.	2.9	47
38	A Hybrid Model for Mapping Relative Differences in Belowground Biomass and Root: Shoot Ratios Using Spectral Reflectance, Foliar N and Plant Biophysical Data within Coastal Marsh. <i>Remote Sensing</i> , 2015, 7, 16480-16503.	4.0	17
39	Twentieth-century shifts in forest structure in California: Denser forests, smaller trees, and increased dominance of oaks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1458-1463.	7.1	199
40	Mapping forests with Lidar provides flexible, accurate data with many uses. <i>California Agriculture</i> , 2015, 69, 14-20.	0.8	32
41	Monitoring the Impact of Grazing on Rangeland Conservation Easements Using MODIS Vegetation Indices. <i>Rangeland Ecology and Management</i> , 2015, 68, 173-185.	2.3	19
42	Prospective HypsIRI global observations of tidal wetlands. <i>Remote Sensing of Environment</i> , 2015, 167, 206-217.	11.0	37
43	Characterizing the Networks of Digital Information that Support Collaborative Adaptive Forest Management in Sierra Nevada Forests. <i>Environmental Management</i> , 2015, 56, 94-109.	2.7	4
44	Lidar with multi-temporal MODIS provide a means to upscale predictions of forest biomass. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 102, 198-208.	11.1	48
45	Fuzzy <sc>GIS</sc> based multi-criteria evaluation for US <i>Agave</i> production as a bioenergy feedstock. <i>GCB Bioenergy</i> , 2015, 7, 84-99.	5.6	25
46	Modeling Tidal Marsh Distribution with Sea-Level Rise: Evaluating the Role of Vegetation, Sediment, and Upland Habitat in Marsh Resiliency. <i>PLoS ONE</i> , 2014, 9, e88760.	2.5	156
47	Remotely-Sensed Indicators of N-Related Biomass Allocation in <i>Schoenoplectus acutus</i> . <i>PLoS ONE</i> , 2014, 9, e90870.	2.5	14
48	Quantifying Ladder Fuels: A New Approach Using LiDAR. <i>Forests</i> , 2014, 5, 1432-1453.	2.1	38
49	Mapping the Potential for Biofuel Production on Marginal Lands: Differences in Definitions, Data and Models across Scales. <i>ISPRS International Journal of Geo-Information</i> , 2014, 3, 430-459.	2.9	67
50	Sustaining Ecosystem Services From Private Lands in California: The Role of the Landowner. <i>Rangelands</i> , 2014, 36, 44-51.	1.9	5
51	A fuzzy logic-based spatial suitability model for drought-tolerant switchgrass in the United States. <i>Computers and Electronics in Agriculture</i> , 2014, 103, 39-47.	7.7	54
52	Evaluation of sensor types and environmental controls on mapping biomass of coastal marsh emergent vegetation. <i>Remote Sensing of Environment</i> , 2014, 149, 166-180.	11.0	95
53	Geographic Object-Based Image Analysis " Towards a new paradigm. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2014, 87, 180-191.	11.1	1,167
54	Which "public"? Sampling effects in public participation GIS (PPGIS) and volunteered geographic information (VGI) systems for public lands management. <i>Journal of Environmental Planning and Management</i> , 2014, 57, 190-214.	4.5	101

#	ARTICLE	IF	CITATIONS
55	Airborne Lidar-derived volume metrics for aboveground biomass estimation: A comparative assessment for conifer stands. <i>Agricultural and Forest Meteorology</i> , 2014, 198-199, 24-32.	4.8	55
56	Validating the Remotely Sensed Geography of Crime: A Review of Emerging Issues. <i>Remote Sensing</i> , 2014, 6, 12723-12751.	4.0	9
57	Tradeoffs between lidar pulse density and forest measurement accuracy. <i>Remote Sensing of Environment</i> , 2013, 130, 245-253.	11.0	202
58	Management Without Borders? A Survey of Landowner Practices and Attitudes toward Cross-Boundary Cooperation. <i>Society and Natural Resources</i> , 2013, 26, 1082-1100.	1.9	48
59	Accounting for non-photosynthetic vegetation in remote-sensing-based estimates of carbon flux in wetlands. <i>Remote Sensing Letters</i> , 2013, 4, 542-551.	1.4	19
60	Obesity and the Food Environment: Income and Ethnicity Differences Among People With Diabetes. <i>Diabetes Care</i> , 2013, 36, 2697-2705.	8.6	40
61	Predicting Surface Fuel Models and Fuel Metrics Using Lidar and CIR Imagery in a Dense, Mountainous Forest. <i>Photogrammetric Engineering and Remote Sensing</i> , 2013, 79, 37-49.	0.6	85
62	Weed Mapping in Early-Season Maize Fields Using Object-Based Analysis of Unmanned Aerial Vehicle (UAV) Images. <i>PLoS ONE</i> , 2013, 8, e77151.	2.5	282
63	Delineating Individual Trees from Lidar Data: A Comparison of Vector- and Raster-based Segmentation Approaches. <i>Remote Sensing</i> , 2013, 5, 4163-4186.	4.0	166
64	FUEGO " Fire Urgency Estimator in Geosynchronous Orbit " A Proposed Early-Warning Fire Detection System. <i>Remote Sensing</i> , 2013, 5, 5173-5192.	4.0	13
65	Recent Oak Woodland Dynamics: A Comparative Ecological Study at the Landscape Scale. <i>Landscape Series</i> , 2013, , 427-459.	0.2	4
66	A New Method for Segmenting Individual Trees from the Lidar Point Cloud. <i>Photogrammetric Engineering and Remote Sensing</i> , 2012, 78, 75-84.	0.6	484
67	Citizen Science in the Age of Neogeography: Utilizing Volunteered Geographic Information for Environmental Monitoring. <i>Annals of the American Association of Geographers</i> , 2012, 102, 1267-1289.	3.0	190
68	Expanding the table: The web as a tool for participatory adaptive management in California forests. <i>Journal of Environmental Management</i> , 2012, 109, 1-11.	7.8	34
69	Characterizing habitats associated with fisher den structures in the Southern Sierra Nevada, California using discrete return lidar. <i>Forest Ecology and Management</i> , 2012, 280, 112-119.	3.2	39
70	Allometric equation choice impacts lidar-based forest biomass estimates: A case study from the Sierra National Forest, CA. <i>Agricultural and Forest Meteorology</i> , 2012, 165, 64-72.	4.8	77
71	Appreciation, Use, and Management of Biodiversity and Ecosystem Services in California's Working Landscapes. <i>Environmental Management</i> , 2012, 50, 427-440.	2.7	59
72	Consider the source: The impact of media and authority in outreach to private forest and rangeland owners. <i>Journal of Environmental Management</i> , 2012, 97, 131-140.	7.8	23

#	ARTICLE	IF	CITATIONS
73	The Influence of Neighborhood Food Stores on Change in Young Girls' Body Mass Index. <i>American Journal of Preventive Medicine</i> , 2011, 41, 43-51.	3.0	90
74	Mapping changes to vegetation pattern in a restoring wetland: Finding pattern metrics that are consistent across spatial scale and time. <i>Ecological Indicators</i> , 2011, 11, 263-273.	6.3	65
75	Terrestrial Remotely Sensed Imagery in Support of Public Health: New Avenues of Research Using Object-Based Image Analysis. <i>Remote Sensing</i> , 2011, 3, 2321-2345.	4.0	22
76	Object-Based Image Analysis of Downed Logs in Disturbed Forested Landscapes Using Lidar. <i>Remote Sensing</i> , 2011, 3, 2420-2439.	4.0	55
77	Mapping changes in tidal wetland vegetation composition and pattern across a salinity gradient using high spatial resolution imagery. <i>Wetlands Ecology and Management</i> , 2011, 19, 141-157.	1.5	41
78	Large Greenhouse Gas Emissions from a Temperate Peatland Pasture. <i>Ecosystems</i> , 2011, 14, 311-325.	3.4	114
79	Forest and rangeland owners value land for natural amenities and as financial investment. <i>California Agriculture</i> , 2011, 65, 184-191.	0.8	26
80	Evaluating Tidal Marsh Sustainability in the Face of Sea-Level Rise: A Hybrid Modeling Approach Applied to San Francisco Bay. <i>PLoS ONE</i> , 2011, 6, e27388.	2.5	165
81	Predicting Avian Abundance Within and Across Tidal Marshes Using Fine-Scale Vegetation and Geomorphic Metrics. <i>Wetlands</i> , 2010, 30, 475-487.	1.5	10
82	Urban influence on changes in linear forest edge structure. <i>Landscape and Urban Planning</i> , 2010, 96, 12-18.	7.5	39
83	Responses of oaks and tanoaks to the sudden oak death pathogen after 8y of monitoring in two coastal California forests. <i>Forest Ecology and Management</i> , 2010, 259, 2248-2255.	3.2	61
84	Remote Sensing Support for Tidal Wetland Vegetation Research and Management. <i>Lecture Notes in Geoinformation and Cartography</i> , 2009, , 341-363.	1.0	11
85	Interactions Among Wildland Fires in a Long-Established Sierra Nevada Natural Fire Area. <i>Ecosystems</i> , 2009, 12, 114-128.	3.4	229
86	Individual Object Change Detection for Monitoring the Impact of a Forest Pathogen on a Hardwood Forest. <i>Photogrammetric Engineering and Remote Sensing</i> , 2009, 75, 1005-1013.	0.6	28
87	Spatial pattern dynamics of oak mortality and associated disease symptoms in a California hardwood forest affected by sudden oak death. <i>Journal of Forest Research</i> , 2008, 13, 312-319.	1.4	15
88	A framework of region-based spatial relations for non-overlapping features and its application in object based image analysis. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2008, 63, 461-475.	11.1	50
89	Classification of the wildland-urban interface: A comparison of pixel- and object-based classifications using high-resolution aerial photography. <i>Computers, Environment and Urban Systems</i> , 2008, 32, 317-326.	7.1	230
90	Vegetation Colonization in a Restoring Tidal Marsh: A Remote Sensing Approach. <i>Restoration Ecology</i> , 2008, 16, 313-323.	2.9	37

#	ARTICLE	IF	CITATIONS
91	Land use change: complexity and comparisons. <i>Journal of Land Use Science</i> , 2008, 3, 1-10.	2.2	94
92	Using CASI Hyperspectral Imagery to Detect Mortality and Vegetation Stress Associated with a New Hardwood Forest Disease. <i>Photogrammetric Engineering and Remote Sensing</i> , 2008, 74, 65-75.	0.6	48
93	Characterizing spatial-temporal tree mortality patterns associated with a new forest disease. <i>Forest Ecology and Management</i> , 2007, 253, 220-231.	3.2	42
94	An Object-Based Classification Approach in Mapping Tree Mortality Using High Spatial Resolution Imagery. <i>GIScience and Remote Sensing</i> , 2007, 44, 24-47.	5.9	78
95	Methods for facilitating web-based participatory research informatics. <i>Ecological Informatics</i> , 2007, 2, 33-42.	5.2	7
96	Integrated Agricultural Pest Management Through Remote Sensing And Spatial Analyses. , 2007, , 191-207.		6
97	Modeling the risk for a new invasive forest disease in the United States: An evaluation of five environmental niche models. <i>Computers, Environment and Urban Systems</i> , 2007, 31, 689-710.	7.1	40
98	Temporal and Spatial Relationships Between Watershed Land Use and Salt Marsh Disturbance in a Pacific Estuary. <i>Environmental Management</i> , 2007, 39, 98-112.	2.7	9
99	Spatial patterns of large natural fires in Sierra Nevada wilderness areas. <i>Landscape Ecology</i> , 2007, 22, 545-557.	4.2	196
100	Considerations for ecological reconstruction of historic vegetation: Analysis of the spatial uncertainties in the California Vegetation Type Map dataset. <i>Plant Ecology</i> , 2007, 194, 37-49.	1.6	14
101	Automatic Registration of Airborne Images with Complex Local Distortion. <i>Photogrammetric Engineering and Remote Sensing</i> , 2006, 72, 1049-1059.	0.6	24
102	Isolating Individual Trees in a Savanna Woodland Using Small Footprint Lidar Data. <i>Photogrammetric Engineering and Remote Sensing</i> , 2006, 72, 923-932.	0.6	431
103	Salt marsh vegetation response to edaphic and topographic changes from upland sedimentation in a Pacific estuary. <i>Wetlands</i> , 2006, 26, 813-829.	1.5	22
104	A spatial-temporal approach to monitoring forest disease spread using multi-temporal high spatial resolution imagery. <i>Remote Sensing of Environment</i> , 2006, 101, 167-180.	11.0	123
105	Scales of environmental justice: Combining GIS and spatial analysis for air toxics in West Oakland, California. <i>Health and Place</i> , 2006, 12, 701-714.	3.3	69
106	Object-based Detailed Vegetation Classification with Airborne High Spatial Resolution Remote Sensing Imagery. <i>Photogrammetric Engineering and Remote Sensing</i> , 2006, 72, 799-811.	0.6	632
107	Support vector machines for predicting distribution of Sudden Oak Death in California. <i>Ecological Modelling</i> , 2005, 182, 75-90.	2.5	251
108	DIGITIZATION OF A HISTORIC DATASET: THE WIESLANDER CALIFORNIA VEGETATION TYPE MAPPING PROJECT. <i>Madroño</i> , 2005, 52, 191-201.	0.4	30

#	ARTICLE	IF	CITATIONS
109	Separation of Dead Tree Crowns from the Oak Woodland Forest Mosaic by Integrating Spatial Information. <i>Geocarto International</i> , 2005, 20, 15-20.	3.5	4
110	Influence of land use on fine sediment in salmonid spawning gravels within the Russian River Basin, California. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2005, 62, 2740-2751.	1.4	34
111	Sudden oak death in California: Disease progression in oaks and tanoaks. <i>Forest Ecology and Management</i> , 2005, 213, 71-89.	3.2	62
112	A Comparison of Standard and Hybrid Classifier Methods for Mapping Hardwood Mortality in Areas Affected by "Sudden Oak Death". <i>Photogrammetric Engineering and Remote Sensing</i> , 2004, 70, 1229-1239.	0.6	48
113	Interpretation of scale in paired quadrat variance methods. <i>Journal of Vegetation Science</i> , 2004, 15, 763-770.	2.2	8
114	Mapping Diseased Oak Trees Using ADAR Imagery. <i>Geocarto International</i> , 2004, 19, 57-64.	3.5	6
115	Interpretation of scale in paired quadrat variance methods. <i>Journal of Vegetation Science</i> , 2004, 15, 763.	2.2	3
116	Everything happens somewhere: using webGIS as a tool for sustainable natural resource management. <i>Frontiers in Ecology and the Environment</i> , 2003, 1, 541-548.	4.0	21
117	Everything Happens Somewhere: Using WebGIS as a Tool for Sustainable Natural Resource Management. <i>Frontiers in Ecology and the Environment</i> , 2003, 1, 541.	4.0	1
118	Spatial Accuracy Assessment of Wetland Permit Data. <i>Cartography and Geographic Information Science</i> , 2000, 27, 117-127.	3.0	4
119	Rescuing and Sharing Historical Vegetation Data for Ecological Analysis: The California Vegetation Type Mapping Project. <i>Biodiversity Informatics</i> , 0, 11, .	3.0	7