Leopoldo Borrego

List of Publications by Citations

Source: https://exaly.com/author-pdf/2490176/leopoldo-borrego-publications-by-citations.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 808 15 24 g-index

102 967 1.8 3.87 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 89 | Office-based radiation therapy for cutaneous carcinoma: evaluation of 710 treatments. International Journal of Dermatology, 2007, 46, 453-9 | 1.7 | 53 |
| 88 | Dermatologists in hospital wards: an 8-year study of dermatology consultations. <i>Dermatology</i> , 2009 , 219, 225-31 | 4.4 | 52 |
| 87 | Dermatofibrosarcoma protuberans with fibrosarcomatous areas: a clinico-pathologic and immunohistochemic study in four cases. <i>American Journal of Dermatopathology</i> , 1997 , 19, 562-7 | 0.9 | 48 |
| 86 | Calcinosis cutis associated with amyopathic dermatomyositis: response to intravenous immunoglobulin. <i>Journal of the American Academy of Dermatology</i> , 2009 , 60, 1076-7 | 4.5 | 47 |
| 85 | Quantification of p-phenylenediamine and 2-hydroxy-1,4-naphthoquinone in henna tattoos. <i>Contact Dermatitis</i> , 2012 , 66, 33-7 | 2.7 | 44 |
| 84 | Histopathologic characteristics of neonatal cutaneous lupus erythematosus: description of five cases and literature review. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 660-7 | 1.7 | 35 |
| 83 | Patch testing in children with hand eczema. A 5-year multicentre study in Spain. <i>Contact Dermatitis</i> , 2011 , 65, 213-9 | 2.7 | 25 |
| 82 | Naevus spilus as a precursor of cutaneous melanoma: report of a case and literature review. <i>Clinical and Experimental Dermatology</i> , 1994 , 19, 515-7 | 1.8 | 24 |
| 81 | Patch testing with formaldehyde and formaldehyde-releasers: multicentre study in Spain (2005-2009). <i>Contact Dermatitis</i> , 2011 , 65, 286-92 | 2.7 | 23 |
| 80 | Plasma cell balanitis of Zoon treated successfully with topical tacrolimus. <i>Clinical and Experimental Dermatology</i> , 2005 , 30, 588-9 | 1.8 | 19 |
| 79 | Polymorphic eruption of pregnancy and herpes gestationis: comparison of granulated cell proteins in tissue and serum. <i>Clinical and Experimental Dermatology</i> , 1999 , 24, 213-25 | 1.8 | 19 |
| 78 | Centroblastic transformation of chronic lymphocytic leukaemia with primary skin involvementcutaneous presentation of Richter's syndrome. <i>Clinical and Experimental Dermatology</i> , 1993 , 18, 263-7 | 1.8 | 19 |
| 77 | Povidone-iodine induced post-surgical irritant contact dermatitis localized outside of the surgical incision area. Report of 27 cases and a literature review. <i>International Journal of Dermatology</i> , 2016 , 55, 540-5 | 1.7 | 18 |
| 76 | Pediatric dermatology consultations: a retrospective analysis of inpatient consultations referred to the dermatology service. <i>Pediatric Dermatology</i> , 2012 , 29, 115-8 | 1.9 | 16 |
| 75 | Giant cell fibroblastoma. New histological observations. <i>American Journal of Dermatopathology</i> , 1996 , 18, 403-8 | 0.9 | 16 |
| 74 | Neonatal lupus erythematosus related to maternal leukocytoclastic vasculitis. <i>Pediatric Dermatology</i> , 1997 , 14, 221-5 | 1.9 | 15 |
| 73 | Sensitization to para-phenylenediamine in a streetside temporary tattoo artisan. <i>Contact Dermatitis</i> , 2005 , 52, 288-9 | 2.7 | 15 |

| 72 | Comparison of p53 expression in dermatofibrosarcoma protuberans and dermatofibroma: lack of correlation with proliferation rate. <i>Journal of Cutaneous Pathology</i> , 1995 , 22, 304-9 | 1.7 | 15 |
|----|--|------|----|
| 71 | Sensitization to fragrances in Spain: A 5-year multicentre study (2011-2015). <i>Contact Dermatitis</i> , 2019 , 80, 94-100 | 2.7 | 15 |
| 7º | Prevalence and clinical features of psoriatic arthritis in psoriasis patients in Spain. Limitations of PASE as a screening tool. <i>European Journal of Dermatology</i> , 2015 , 25, 57-63 | 0.8 | 14 |
| 69 | The Role of Cleaning Products in Epidemic Allergic Contact Dermatitis to Methylchloroisothiazolinone/Methylisothiazolinone. <i>Dermatitis</i> , 2018 , 29, 77-80 | 2.6 | 14 |
| 68 | Age-related sensitization to p-phenylenediamine. Contact Dermatitis, 2011, 64, 172-4 | 2.7 | 14 |
| 67 | Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, S49-50 | 4.5 | 12 |
| 66 | Vulvar lichen planus treated with topical cyclosporine. Archives of Dermatology, 1993, 129, 794 | | 11 |
| 65 | Isothiazolinones in cleaning products: Analysis with liquid chromatography tandem mass spectrometry of samples from sensitized patients and market. <i>Contact Dermatitis</i> , 2020 , 82, 94-100 | 2.7 | 11 |
| 64 | Are the Spanish baseline series markers sufficient to detect contact allergy to corticosteroids in Spain? A GEIDAC prospective study. <i>Contact Dermatitis</i> , 2018 , 78, 76-82 | 2.7 | 10 |
| 63 | Correlation between lesion site and concentration of dimethyl fumarate in different parts of shoes in patients with contact dermatitis caused by dimethyl fumarate in footwear. <i>Contact Dermatitis</i> , 2011 , 65, 92-5 | 2.7 | 10 |
| 62 | Cutaneous loxoscelism due to Loxosceles rufescens. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1431-2 | 4.6 | 9 |
| 61 | Cholesterol embolism to the skin. <i>Clinical and Experimental Dermatology</i> , 1992 , 17, 424-6 | 1.8 | 9 |
| 60 | Bilateral areolar sebaceous hyperplasia in a female. International Journal of Dermatology, 2008, 47, 121 | 4157 | 8 |
| 59 | Linear Unilateral Basaloid Follicular Hamartoma Following Blaschko's Lines: Two Case Reports and Review of the Literature. <i>Pediatric Dermatology</i> , 2017 , 34, e196-e200 | 1.9 | 7 |
| 58 | Contact dermatitis caused by Tinosorb M: the importance of pach testing with pure methylene bis-benzotriazolyl tetramethylbutylphenol. <i>Contact Dermatitis</i> , 2015 , 73, 192-3 | 2.7 | 7 |
| 57 | Seguridad de azatioprina segfi los niveles de tiopurina metiltransferasa en el tratamiento de la dermatitis atfiica infantil. Experiencia en 7 casos. <i>Actas Dermo-sifiliogr</i> ∰icas, 2010 , 101, 415-420 | 0.5 | 7 |
| 56 | Leflunomide in the treatment of palmoplantar pustulosis. Archives of Dermatology, 2009, 145, 1224-6 | | 7 |
| 55 | Allergic contact dermatitis from diaminodiphenylmethane in an ostomy bag. <i>Contact Dermatitis</i> , 1992 , 27, 260-1 | 2.7 | 7 |

| 54 | Generalized erythematous-violaceous plaques in a patient with a history of dyslipidemia. Interstitial granulomatous drug reaction (IGDR). <i>International Journal of Dermatology</i> , 2013 , 52, 393-4 | 1.7 | 6 |
|----|--|-----|---|
| 53 | Connubial allergic contact dermatitis to Euxyl K 400. <i>Contact Dermatitis</i> , 2006 , 54, 122-3 | 2.7 | 6 |
| 52 | Malignant pleomorphic parotid adenoma with inflammatory cutaneous metastasis. <i>British Journal of Dermatology</i> , 1996 , 134, 190-2 | 4 | 6 |
| 51 | Infeccifi cutflea esporotricoide por Mycobacterium haemophilum en un paciente con sida. <i>Actas Dermo-sifiliogr ficas</i> , 2007 , 98, 188-193 | 0.5 | 5 |
| 50 | Treatment of Acyclovir-Resistant Perianal Herpetic Ulceration With Intramuscular Interferon Alfa. <i>Archives of Dermatology</i> , 1996 , 132, 1157 | | 5 |
| 49 | Occupational allergic contact dermatitis from epoxy varnishes. <i>Contact Dermatitis</i> , 1993 , 28, 297-8 | 2.7 | 5 |
| 48 | Patch Testing During the COVID-19 Pandemic: Recommendations of the AEDV's Spanish Contact Dermatitis and Skin Allergy Research Group (GEIDAC). <i>Actas Dermo-sifiliogr</i> (Eicas, 2020 , 111, 650-654 | 0.5 | 4 |
| 47 | Acute skin lesions after surgical procedures: a clinical approach. <i>Actas Dermo-sifiliogr</i> f <i>icas</i> , 2013 , 104, 776-81 | 0.5 | 4 |
| 46 | Follicular lesions in polymorphic eruption of pregnancy. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 146 | 4.5 | 4 |
| 45 | Subungual nodule as manifestation of multiple myeloma. <i>International Journal of Dermatology</i> , 1996 , 35, 661-2 | 1.7 | 4 |
| 44 | Behaviors, Attitudes, and Knowledge Related to Sun Exposure Among Medical Students at the Universidad de Las Palmas de Gran Canaria. <i>Actas Dermo-sifiliogr</i> (Eicas, 2019 , 110, 372-384) | 0.5 | 4 |
| 43 | Cutaneous Mastocytosis With Atypical Mast Cells in a 7-Year-Old Girl. <i>American Journal of Dermatopathology</i> , 2017 , 39, 310-312 | 0.9 | 3 |
| 42 | Allergic contact dermatitis to (meth)acrylates involving nail technicians and users: Prognosis and differential diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1386-1389 | 9.3 | 3 |
| 41 | Contact allergy to formaldehyde releasers. Prospective multicenter study. <i>Contact Dermatitis</i> , 2020 , 82, 173-175 | 2.7 | 3 |
| 40 | Should methyldibromo glutaronitrile continue to be used in the European baseline Series? A REIDAC national cross-sectional study. <i>Contact Dermatitis</i> , 2021 , 85, 572-577 | 2.7 | 3 |
| 39 | Treatment of acyclovir-resistant perianal herpetic ulceration with intramuscular interferon alfa. <i>Archives of Dermatology</i> , 1996 , 132, 1157-1158 | | 3 |
| 38 | Past, Present, and Future of Contact Dermatitis Registries in the Internet Era. <i>Current Treatment Options in Allergy</i> , 2020 , 7, 248-257 | 1 | 2 |
| 37 | Sulfasalazine-induced linear immunoglobulin A bullous dermatosis with DRESS. <i>Actas</i> Dermo-sifiliogr F icas, 2013 , 104, 343-6 | 0.5 | 2 |

(2021-2014)

| 36 | Increased sensitization to Kathon CG (methylchloroisothiazolinone plus methylisothiazolinone) in the south of Gran Canaria, Spain. <i>Actas Dermo-sifiliogr</i> (Ficas, 2014 , 105, 882-3 | 0.5 | 2 |
|----|---|----------------|---|
| 35 | Textile dye dermatitis: Spanish experience. <i>Journal of the American Academy of Dermatology</i> , 1996 , 34, 715-6 | 4.5 | 2 |
| 34 | European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20 - Joint results of the ESSCA and the EBS working groups of the ESCD, and the GEIDAC Contact Dermatitis, 2022, | 2.7 | 2 |
| 33 | Persistence of Isothiazolinones in Clothes After Machine Washing. <i>Dermatitis</i> , 2021 , 32, 298-300 | 2.6 | 2 |
| 32 | Behaviors, Attitudes, and Knowledge Related to Sun Exposure Among Medical Students at the Universidad de Las Palmas de Gran Canaria. <i>Actas Dermo-sifiliogr</i> (2019), 110, 372-384 | 0.5 | 1 |
| 31 | One-third of patients with therapy-resistant atopic dermatitis may benefit after patch testing. Journal of the European Academy of Dermatology and Venereology, 2019 , 33, e377-e378 | 4.6 | 1 |
| 30 | Hereditary benign telangiectasia in monozygotic twins with no family history. <i>International Journal of Dermatology</i> , 2015 , 54, e95-6 | 1.7 | 1 |
| 29 | Low educational attainment is still associated with late melanoma diagnosis: A cross-sectional study from a European setting with universal healthcare. <i>Cancer Epidemiology</i> , 2019 , 62, 101576 | 2.8 | 1 |
| 28 | Infiltrated perianal plaques. Perianal Crohn's disease. <i>International Journal of Dermatology</i> , 2013 , 52, 23-4 | 1.7 | 1 |
| 27 | Paradoxical response during antituberculosis therapy in a patient with tuberculosis verrucosa cutis. Journal of the American Academy of Dermatology, 2011 , 65, e53-e54 | 4.5 | 1 |
| 26 | Turpentine sensitization in a nonsteroidal anti-inflammatory solution user. <i>Dermatitis</i> , 2012 , 23, 182-3 | 2.6 | 1 |
| 25 | Candidate Allergens for Inclusion in the Spanish Standard Series Based on Data from the Spanish Contact Dermatitis Registry. <i>Actas Dermo-sifiliogr</i> (2021), 112, 798-798 | 0.5 | 1 |
| 24 | Frequency of sensitization to the individual fragrances of fragrance mix I and II according to the factors included in the MOAHLFA index. <i>Contact Dermatitis</i> , 2021 , 84, 395-406 | 2.7 | 1 |
| 23 | Arguments in favour of excluding MDBGN from the European baseline series. In response to "Comment on MDBGN/DBDCB, the European baseline series, and EU legislation". <i>Contact Dermatitis</i> , 2021 , 85, 611-613 | 2.7 | 1 |
| 22 | Intolerance to cosmetics as key to the diagnosis in a patient with allergic contact dermatitis caused by propylene glycol contained in a topical medication. <i>Contact Dermatitis</i> , 2017 , 76, 246-247 | 2.7 | 0 |
| 21 | Patch testing with formaldehyde 2% aq A multicenter study in Spain. <i>Contact Dermatitis</i> , 2019 , 81, 45 | 8 <u>24</u> 59 | 0 |
| 20 | Indications for Referral to a Skin Allergy Unit. <i>Actas Dermo-sifiliogr licas</i> , 2011 , 102, 417-422 | 0.5 | О |
| 19 | The incidence of skin melanoma in Gran Canaria (Canary Islands, Spain) is lower than expected in Southern Europe despite high-risk environmental conditions: an island-wide cross-sectional study. <i>Cancer Causes and Control</i> , 2021 , 32, 525-535 | 2.8 | O |

| 18 | Comparative study of formaldehyde 2% in aqueous solution vs TRUE Test in detecting formaldehyde sensitization. <i>Contact Dermatitis</i> , 2021 , 85, 358-359 | 2.7 | O |
|----|--|-------|---|
| 17 | Core Content for Undergraduate Medical Education in Spain: Recommendations of the Instructors Group of the Spanish Academy of Dermatology and Venereology (AEDV). <i>Actas Dermo-sifiliogr icas</i> , 2016 , 107, 125-132 | 0.5 | |
| 16 | Acute Skin Lesions After Surgical Procedures: A Clinical Approach. <i>Actas Dermo-sifiliogr licas</i> , 2013 , 104, 776-781 | 0.5 | |
| 15 | Erythematous Lesions on the Face and Papules on the Trunk of a Young Woman. <i>Actas Dermo-sifiliogr</i> 如cas, 2017 , 108, 941-942 | 0.5 | |
| 14 | Portfolios: A Tool for the Training and Assessment of Residents in Dermatology, Part 1. <i>Actas Dermo-sifiliogr</i> ()cas, 2011 , 102, 244-254 | 0.5 | |
| 13 | Portfolios: A Tool for the Training and Assessment of Residents in Dermatology, Part 2. <i>Actas Dermo-sifiliogr</i> [icas, 2011 , 102, 325-335 | 0.5 | |
| 12 | Scarring alopecia in a black patient. Actas Dermo-sifiliogr¶icas, 2010, 101, 85-86 | 0.5 | |
| 11 | Safety of Azathioprine Therapy Adjusted to Thiopurine Methyltransferase Activity in the Treatment of Infantile Atopic Dermatitis. Report on 7 Cases. <i>Actas Dermo-sifiliogr</i> (icas, 2010, 101, 415-420) | 0.5 | |
| 10 | Lesiones dermatolgicas importadas. <i>Medicine</i> , 2010 , 10, 3767-3770 | 0.1 | |
| 9 | Cytarabine-associated lymphoid dyscrasia with atypical T CD30+ infiltrate in a patient suffering from acute nonlymphoblastic leukaemia. <i>British Journal of Dermatology</i> , 2009 , 160, 1122-3 | 4 | |
| 8 | Lupus eritematoso cutīleo subagudo refractario con respuesta a efalizumab. <i>Actas Dermo-sifiliogr</i> īficas, 2009 , 100, 734-735 | 0.5 | |
| 7 | Use of Transparencies to Read Patch Tests. <i>Actas Dermo-sifiliogr</i> Jicas, 2008 , 99, 739-740 | 0.5 | |
| 6 | Ppulas costrosas generalizadas en una recib nacida. <i>Actas Dermo-sifiliogr</i> ∄icas, 2008 , 99, 567-568 | 0.5 | |
| 5 | Allergic Contact Dermatitis to a Urologic Lubricant. <i>Dermatitis</i> , 2005 , 16, 142-144 | 2.6 | |
| 4 | Epidemiological, Clinical, and Allergy Profile of Patients With Atopic Dermatitis and Hand Eczema: Evaluation of the Spanish Contact Dermatitis Registry (REIDAC) <i>Actas Dermo-sifiliogr (icas, 2022, 113, 236-243)</i> | 0.5 | |
| 3 | Eccema coxsackium en nib con dermatitis atpica. <i>Piel</i> , 2020 , 35, 432-433 | 0.1 | |
| 2 | Eccema de contacto corporal y anogenital: patrones clūicos y diagn\(\bar{a}\)tico diferencial. <i>Piel</i> , 2016 , 31, 631 | -6391 | |
| 1 | Contact dermatitis from glucose sensors in Spain: A multicentric approach. <i>Contact Dermatitis</i> , 2021 , 85, 554-562 | 2.7 | |