## Leopoldo Borrego

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2490176/leopoldo-borrego-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 89          | 808            | 15      | 24      |
|-------------|----------------|---------|---------|
| papers      | citations      | h-index | g-index |
| 102         | 967            | 1.8     | 3.87    |
| ext. papers | ext. citations | avg, IF | L-index |

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 89 | European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20 - Joint results of the ESSCA and the EBS working groups of the ESCD, and the GEIDAC Contact Dermatitis, 2022,                             | 2.7 | 2         |
| 88 | Epidemiological, Clinical, and Allergy Profile of Patients With Atopic Dermatitis and Hand Eczema: Evaluation of the Spanish Contact Dermatitis Registry (REIDAC) <i>Actas Dermo-sifiliogr (icas, 2022)</i> , 113, 236-243                                      | 0.5 |           |
| 87 | Persistence of Isothiazolinones in Clothes After Machine Washing. <i>Dermatitis</i> , <b>2021</b> , 32, 298-300   | 2.6 | 2         |
| 86 | The incidence of skin melanoma in Gran Canaria (Canary Islands, Spain) is lower than expected in Southern Europe despite high-risk environmental conditions: an island-wide cross-sectional study. <i>Cancer Causes and Control</i> , <b>2021</b> , 32, 525-535 | 2.8 | О         |
| 85 | Comparative study of formaldehyde 2% in aqueous solution vs TRUE Test in detecting formaldehyde sensitization. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 358-359  | 2.7 | O         |
| 84 | Should methyldibromo glutaronitrile continue to be used in the European baseline Series? A REIDAC national cross-sectional study. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 572-577   | 2.7 | 3         |
| 83 | Candidate Allergens for Inclusion in the Spanish Standard Series Based on Data from the Spanish Contact Dermatitis Registry. <i>Actas Dermo-sifiliogr</i> (2021), 112, 798-798  | 0.5 | 1         |
| 82 | Frequency of sensitization to the individual fragrances of fragrance mix I and II according to the factors included in the MOAHLFA index. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 395-406   | 2.7 | 1         |
| 81 | Contact dermatitis from glucose sensors in Spain: A multicentric approach. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 554-562  | 2.7 |           |
| 80 | Arguments in favour of excluding MDBGN from the European baseline series. In response to "Comment on MDBGN/DBDCB, the European baseline series, and EU legislation". <i>Contact Dermatitis</i> , <b>2021</b> , 85, 611-613                                      | 2.7 | 1         |
| 79 | Past, Present, and Future of Contact Dermatitis Registries in the Internet Era. <i>Current Treatment Options in Allergy</i> , <b>2020</b> , 7, 248-257  | 1   | 2         |
| 78 | Patch Testing During the COVID-19 Pandemic: Recommendations of the AEDV's Spanish Contact Dermatitis and Skin Allergy Research Group (GEIDAC). <i>Actas Dermo-sifiliogr (icas, 2020)</i> , 111, 650-654   | 0.5 | 4         |
| 77 | Eccema coxsackium en nib con dermatitis atpica. <i>Piel</i> , <b>2020</b> , 35, 432-433   | 0.1 |           |
| 76 | Isothiazolinones in cleaning products: Analysis with liquid chromatography tandem mass spectrometry of samples from sensitized patients and market. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 94-100  | 2.7 | 11        |
| 75 | Contact allergy to formaldehyde releasers. Prospective multicenter study. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 173-175   | 2.7 | 3         |
| 74 | Behaviors, Attitudes, and Knowledge Related to Sun Exposure Among Medical Students at the Universidad de Las Palmas de Gran Canaria. <i>Actas Dermo-sifiliogr</i> (Ficas, <b>2019</b> , 110, 372-384  | 0.5 | 1         |
| 73 | One-third of patients with therapy-resistant atopic dermatitis may benefit after patch testing.  Journal of the European Academy of Dermatology and Venereology, 2019, 33, e377-e378  | 4.6 | 1         |

| 72 | Allergic contact dermatitis to (meth)acrylates involving nail technicians and users: Prognosis and differential diagnosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2019</b> , 74, 1386-1389 <sup>9-3</sup> | ,  | 3  |  |
|----|---|----|----|--|
| 71 | Patch testing with formaldehyde 2% aq A multicenter study in Spain. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 458 <sub>2</sub> 47   | 59 | 0  |  |
| 70 | Low educational attainment is still associated with late melanoma diagnosis: A cross-sectional study from a European setting with universal healthcare. <i>Cancer Epidemiology</i> , <b>2019</b> , 62, 101576                               | }  | 1  |  |
| 69 | Behaviors, Attitudes, and Knowledge Related to Sun Exposure Among Medical Students at the Universidad de Las Palmas de Gran Canaria. <i>Actas Dermo-sifiliogr</i> (Ficas, <b>2019</b> , 110, 372-384  | 5  | 4  |  |
| 68 | Sensitization to fragrances in Spain: A 5-year multicentre study (2011-2015). <i>Contact Dermatitis</i> , <b>2019</b> , 80, 94-100  | 7  | 15 |  |
| 67 | The Role of Cleaning Products in Epidemic Allergic Contact Dermatitis to Methylchloroisothiazolinone/Methylisothiazolinone. <i>Dermatitis</i> , <b>2018</b> , 29, 77-80   | ó  | 14 |  |
| 66 | Are the Spanish baseline series markers sufficient to detect contact allergy to corticosteroids in Spain? A GEIDAC prospective study. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 76-82   | ,  | 10 |  |
| 65 | Intolerance to cosmetics as key to the diagnosis in a patient with allergic contact dermatitis caused by propylene glycol contained in a topical medication. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 246-247                          | ,  | 0  |  |
| 64 | Cutaneous Mastocytosis With Atypical Mast Cells in a 7-Year-Old Girl. <i>American Journal of Dermatopathology</i> , <b>2017</b> , 39, 310-312   | )  | 3  |  |
| 63 | Linear Unilateral Basaloid Follicular Hamartoma Following Blaschko's Lines: Two Case Reports and Review of the Literature. <i>Pediatric Dermatology</i> , <b>2017</b> , 34, e196-e200   | )  | 7  |  |
| 62 | Erythematous Lesions on the Face and Papules on the Trunk of a Young Woman. <i>Actas Dermo-sifiliogr (</i> 2017), 108, 941-942  | 5  |    |  |
| 61 | Cutaneous loxoscelism due to Loxosceles rufescens. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 1431-2   | ó  | 9  |  |
| 60 | Core Content for Undergraduate Medical Education in Spain: Recommendations of the Instructors Group of the Spanish Academy of Dermatology and Venereology (AEDV). <i>Actas Dermo-sifiliogr</i> 0.5, 2016, 107, 125-132                      | 5  |    |  |
| 59 | Povidone-iodine induced post-surgical irritant contact dermatitis localized outside of the surgical incision area. Report of 27 cases and a literature review. <i>International Journal of Dermatology</i> , <b>2016</b> , 1.7 55, 540-5    | ,  | 18 |  |
| 58 | Eccema de contacto corporal y anogenital: patrones clūicos y diagn\(\beta\)tico diferencial. <i>Piel</i> , <b>2016</b> , 31, 631-639  | Ĺ  |    |  |
| 57 | Prevalence and clinical features of psoriatic arthritis in psoriasis patients in Spain. Limitations of PASE as a screening tool. <i>European Journal of Dermatology</i> , <b>2015</b> , 25, 57-63   | 3  | 14 |  |
| 56 | Hereditary benign telangiectasia in monozygotic twins with no family history. <i>International Journal of Dermatology</i> , <b>2015</b> , 54, e95-6   | ,  | 1  |  |
| 55 | Contact dermatitis caused by Tinosorb M: the importance of pach testing with pure methylene bis-benzotriazolyl tetramethylbutylphenol. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 192-3  | ,  | 7  |  |

| 54 | Increased sensitization to Kathon CG (methylchloroisothiazolinone plus methylisothiazolinone) in the south of Gran Canaria, Spain. <i>Actas Dermo-sifiliogr</i> (Ficas, <b>2014</b> , 105, 882-3                                   | 0.5 | 2  |
|----|--|-----|----|
| 53 | Generalized erythematous-violaceous plaques in a patient with a history of dyslipidemia. Interstitial granulomatous drug reaction (IGDR). <i>International Journal of Dermatology</i> , <b>2013</b> , 52, 393-4                    | 1.7 | 6  |
| 52 | Sulfasalazine-induced linear immunoglobulin A bullous dermatosis with DRESS. <i>Actas Dermo-sifiliogr (icas, 2013)</i> , 104, 343-6  | 0.5 | 2  |
| 51 | Acute Skin Lesions After Surgical Procedures: A Clinical Approach. <i>Actas Dermo-sifiliogr</i> icas, <b>2013</b> , 104, 776-781   | 0.5 |    |
| 50 | Acute skin lesions after surgical procedures: a clinical approach. <i>Actas Dermo-sifiliogr (icas, 2013, 104, 776-81)</i>  | 0.5 | 4  |
| 49 | Infiltrated perianal plaques. Perianal Crohn's disease. <i>International Journal of Dermatology</i> , <b>2013</b> , 52, 23-4   | 1.7 | 1  |
| 48 | Pediatric dermatology consultations: a retrospective analysis of inpatient consultations referred to the dermatology service. <i>Pediatric Dermatology</i> , <b>2012</b> , 29, 115-8   | 1.9 | 16 |
| 47 | Quantification of p-phenylenediamine and 2-hydroxy-1,4-naphthoquinone in henna tattoos. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 33-7   | 2.7 | 44 |
| 46 | Turpentine sensitization in a nonsteroidal anti-inflammatory solution user. <i>Dermatitis</i> , <b>2012</b> , 23, 182-3  | 2.6 | 1  |
| 45 | Portfolios: A Tool for the Training and Assessment of Residents in Dermatology, Part 1. <i>Actas Dermo-sifiliogr</i> (Ecas, <b>2011</b> , 102, 244-254   | 0.5 |    |
| 44 | Portfolios: A Tool for the Training and Assessment of Residents in Dermatology, Part 2. <i>Actas Dermo-sifiliogr (Eicas,</i> <b>2011</b> , 102, 325-335  | 0.5 |    |
| 43 | Indications for Referral to a Skin Allergy Unit. <i>Actas Dermo-sifiliogr</i> icas, <b>2011</b> , 102, 417-422   | 0.5 | O  |
| 42 | Paradoxical response during antituberculosis therapy in a patient with tuberculosis verrucosa cutis.<br>Journal of the American Academy of Dermatology, <b>2011</b> , 65, e53-e54  | 4.5 | 1  |
| 41 | Age-related sensitization to p-phenylenediamine. Contact Dermatitis, 2011, 64, 172-4   | 2.7 | 14 |
| 40 | Correlation between lesion site and concentration of dimethyl fumarate in different parts of shoes in patients with contact dermatitis caused by dimethyl fumarate in footwear. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 92-5 | 2.7 | 10 |
| 39 | Patch testing in children with hand eczema. A 5-year multicentre study in Spain. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 213-9   | 2.7 | 25 |
| 38 | Patch testing with formaldehyde and formaldehyde-releasers: multicentre study in Spain (2005-2009). <i>Contact Dermatitis</i> , <b>2011</b> , 65, 286-92   | 2.7 | 23 |
| 37 | Scarring alopecia in a black patient. <i>Actas Dermo-sifiliogr (icas, 2010, 101, 85-86)</i>  | 0.5 |    |

## (2005-2010)

| 36 | Safety of Azathioprine Therapy Adjusted to Thiopurine Methyltransferase Activity in the Treatment of Infantile Atopic Dermatitis. Report on 7 Cases. <i>Actas Dermo-sifiliogr</i> (2010), 101, 415-420                 | 0.5  |    |  |
|----|--|------|----|--|
| 35 | Seguridad de azatioprina segfi los niveles de tiopurina metiltransferasa en el tratamiento de la<br>dermatitis atpica infantil. Experiencia en 7 casos. <i>Actas Dermo-sifiliogr</i> ficas, <b>2010</b> , 101, 415-420 | 0.5  | 7  |  |
| 34 | Lesiones dermatolgicas importadas. <i>Medicine</i> , <b>2010</b> , 10, 3767-3770   | 0.1  |    |  |
| 33 | Cytarabine-associated lymphoid dyscrasia with atypical T CD30+ infiltrate in a patient suffering from acute nonlymphoblastic leukaemia. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 1122-3              | 4    |    |  |
| 32 | Histopathologic characteristics of neonatal cutaneous lupus erythematosus: description of five cases and literature review. <i>Journal of Cutaneous Pathology</i> , <b>2009</b> , 36, 660-7                            | 1.7  | 35 |  |
| 31 | Dermatologists in hospital wards: an 8-year study of dermatology consultations. <i>Dermatology</i> , <b>2009</b> , 219, 225-31   | 4.4  | 52 |  |
| 30 | Lupus eritematoso cutīleo subagudo refractario con respuesta a efalizumab. <i>Actas Dermo-sifiliogr</i> [icas, <b>2009</b> , 100, 734-735  | 0.5  |    |  |
| 29 | Calcinosis cutis associated with amyopathic dermatomyositis: response to intravenous immunoglobulin. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 60, 1076-7                                  | 4.5  | 47 |  |
| 28 | Leflunomide in the treatment of palmoplantar pustulosis. <i>Archives of Dermatology</i> , <b>2009</b> , 145, 1224-6  |      | 7  |  |
| 27 | Bilateral areolar sebaceous hyperplasia in a female. International Journal of Dermatology, 2008, 47, 121   | 4157 | 8  |  |
| 26 | Use of Transparencies to Read Patch Tests. Actas Dermo-sifiliogr¶icas, 2008, 99, 739-740   | 0.5  |    |  |
| 25 | Ppulas costrosas generalizadas en una recib nacida. Actas Dermo-sifiliogrpicas, <b>2008</b> , 99, 567-568  | 0.5  |    |  |
| 24 | Office-based radiation therapy for cutaneous carcinoma: evaluation of 710 treatments. <i>International Journal of Dermatology</i> , <b>2007</b> , 46, 453-9  | 1.7  | 53 |  |
| 23 | Infecciਜ cutflea esporotricoide por Mycobacterium haemophilum en un paciente con sida. <i>Actas Dermo-sifiliogr</i> ∰icas, <b>2007</b> , 98, 188-193   | 0.5  | 5  |  |
| 22 | Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 56, S49-50                           | 4.5  | 12 |  |
| 21 | Connubial allergic contact dermatitis to Euxyl K 400. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 122-3  | 2.7  | 6  |  |
| 20 | Allergic Contact Dermatitis to a Urologic Lubricant. <i>Dermatitis</i> , <b>2005</b> , 16, 142-144   | 2.6  |    |  |
| 19 | Plasma cell balanitis of Zoon treated successfully with topical tacrolimus. <i>Clinical and Experimental Dermatology</i> , <b>2005</b> , 30, 588-9   | 1.8  | 19 |  |

| 18 | Sensitization to para-phenylenediamine in a streetside temporary tattoo artisan. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 288-9  | 2.7 | 15 |
|----|---|-----|----|
| 17 | Follicular lesions in polymorphic eruption of pregnancy. <i>Journal of the American Academy of Dermatology</i> , <b>2000</b> , 42, 146  | 4.5 | 4  |
| 16 | Polymorphic eruption of pregnancy and herpes gestationis: comparison of granulated cell proteins in tissue and serum. <i>Clinical and Experimental Dermatology</i> , <b>1999</b> , 24, 213-25                   | 1.8 | 19 |
| 15 | Neonatal lupus erythematosus related to maternal leukocytoclastic vasculitis. <i>Pediatric Dermatology</i> , <b>1997</b> , 14, 221-5  | 1.9 | 15 |
| 14 | Dermatofibrosarcoma protuberans with fibrosarcomatous areas: a clinico-pathologic and immunohistochemic study in four cases. <i>American Journal of Dermatopathology</i> , <b>1997</b> , 19, 562-7              | 0.9 | 48 |
| 13 | Textile dye dermatitis: Spanish experience. <i>Journal of the American Academy of Dermatology</i> , <b>1996</b> , 34, 715-6   | 4.5 | 2  |
| 12 | Subungual nodule as manifestation of multiple myeloma. <i>International Journal of Dermatology</i> , <b>1996</b> , 35, 661-2  | 1.7 | 4  |
| 11 | Malignant pleomorphic parotid adenoma with inflammatory cutaneous metastasis. <i>British Journal of Dermatology</i> , <b>1996</b> , 134, 190-2  | 4   | 6  |
| 10 | Treatment of Acyclovir-Resistant Perianal Herpetic Ulceration With Intramuscular Interferon Alfa. <i>Archives of Dermatology</i> , <b>1996</b> , 132, 1157  |     | 5  |
| 9  | Giant cell fibroblastoma. New histological observations. <i>American Journal of Dermatopathology</i> , <b>1996</b> , 18, 403-8  | 0.9 | 16 |
| 8  | Treatment of acyclovir-resistant perianal herpetic ulceration with intramuscular interferon alfa. <i>Archives of Dermatology</i> , <b>1996</b> , 132, 1157-1158   |     | 3  |
| 7  | Comparison of p53 expression in dermatofibrosarcoma protuberans and dermatofibroma: lack of correlation with proliferation rate. <i>Journal of Cutaneous Pathology</i> , <b>1995</b> , 22, 304-9                | 1.7 | 15 |
| 6  | Naevus spilus as a precursor of cutaneous melanoma: report of a case and literature review. <i>Clinical and Experimental Dermatology</i> , <b>1994</b> , 19, 515-7  | 1.8 | 24 |
| 5  | Vulvar lichen planus treated with topical cyclosporine. <i>Archives of Dermatology</i> , <b>1993</b> , 129, 794   |     | 11 |
| 4  | Centroblastic transformation of chronic lymphocytic leukaemia with primary skin involvementcutaneous presentation of Richter's syndrome. <i>Clinical and Experimental Dermatology</i> , <b>1993</b> , 18, 263-7 | 1.8 | 19 |
| 3  | Occupational allergic contact dermatitis from epoxy varnishes. <i>Contact Dermatitis</i> , <b>1993</b> , 28, 297-8  | 2.7 | 5  |
| 2  | Allergic contact dermatitis from diaminodiphenylmethane in an ostomy bag. <i>Contact Dermatitis</i> , <b>1992</b> , 27, 260-1   | 2.7 | 7  |
| 1  | Cholesterol embolism to the skin. Clinical and Experimental Dermatology, 1992, 17, 424-6  | 1.8 | 9  |