

Chel Hun Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2490361/publications.pdf>

Version: 2024-02-01

134
papers

3,628
citations

236925

25
h-index

155660

55
g-index

137
all docs

137
docs citations

137
times ranked

5472
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Olaparib tablets as maintenance therapy in patients with platinum-sensitive, relapsed ovarian cancer and a BRCA1/2 mutation (SOLO2/ENGOT-Ov21): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1274-1284. | 10.7 | 1,376 |
| 2 | Single-Port Access Laparoscopic-Assisted Vaginal Hysterectomy: A Novel Method with a Wound Retractor and a Glove. <i>Journal of Minimally Invasive Gynecology</i> , 2009, 16, 450-453. | 0.6 | 126 |
| 3 | The prognostic significance of the SUVmax (maximum standardized uptake value for F-18) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf results. <i>Gynecologic Oncology</i> , 2009, 115, 65-68. | 1.4 | 78 |
| 4 | Meta-analysis of the effects of beta blocker on survival time in cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 1179-1188. | 2.5 | 72 |
| 5 | Comparison of laparoscopic and abdominal radical hysterectomy in early stage cervical cancer patients without adjuvant treatment: Ancillary analysis of a Korean Gynecologic Oncology Group Study (KGOG 1028). <i>Gynecologic Oncology</i> , 2019, 154, 547-553. | 1.4 | 68 |
| 6 | Prognostic factors and outcomes in endometrial stromal sarcoma with the 2009 FIGO staging system: A multicenter review of 114 cases. <i>Gynecologic Oncology</i> , 2014, 132, 70-75. | 1.4 | 63 |
| 7 | Patient-Derived Xenograft Models of Epithelial Ovarian Cancer for Preclinical Studies. <i>Cancer Research and Treatment</i> , 2017, 49, 915-926. | 3.0 | 58 |
| 8 | Tumor Suppressive Effects of Bromodomain-Containing Protein 7 (BRD7) in Epithelial Ovarian Carcinoma. <i>Clinical Cancer Research</i> , 2014, 20, 565-575. | 7.0 | 56 |
| 9 | Hypermethylation and loss of heterozygosity of tumor suppressor genes on chromosome 3p in cervical cancer. <i>Cancer Letters</i> , 2007, 255, 26-33. | 7.2 | 51 |
| 10 | Proton pump inhibitors enhance the effects of cytotoxic agents in chemoresistant epithelial ovarian carcinoma. <i>Oncotarget</i> , 2015, 6, 35040-35050. | 1.8 | 48 |
| 11 | Survival analysis of revised 2013 FIGO staging classification of epithelial ovarian cancer and comparison with previous FIGO staging classification. <i>Obstetrics and Gynecology Science</i> , 2015, 58, 124. | 1.6 | 45 |
| 12 | A Matched-Case Comparison to Explore the Role of Consolidation Chemotherapy After Concurrent Chemoradiation in Cervical Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 1252-1257. | 0.8 | 38 |
| 13 | Prediction of survival outcomes in patients with epithelial ovarian cancer using machine learning methods. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e65. | 2.2 | 38 |
| 14 | The anti-cancer effects of itraconazole in epithelial ovarian cancer. <i>Scientific Reports</i> , 2017, 7, 6552. | 3.3 | 37 |
| 15 | Angiotensin II type I receptor and miR-155 in endometrial cancers: Synergistic antiproliferative effects of anti-miR-155 and losartan on endometrial cancer cells. <i>Gynecologic Oncology</i> , 2012, 126, 124-131. | 1.4 | 36 |
| 16 | Phase 3, randomized, open-label study of pembrolizumab plus lenvatinib versus chemotherapy for first-line treatment of advanced or recurrent endometrial cancer: ENGOT-en9/LEAP-001. <i>International Journal of Gynecological Cancer</i> , 2022, 32, 93-100. | 2.5 | 36 |
| 17 | Phase II study of neoadjuvant chemotherapy with mitomycin-c, vincristine and cisplatin (MVC) in patients with stages IB2 to IIB cervical carcinoma. <i>Gynecologic Oncology</i> , 2007, 104, 64-69. | 1.4 | 35 |
| 18 | Robotic Versus Laparoscopic Radical Hysterectomy in Cervical Cancer Patients: A Matched-Case Comparative Study. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1466-1473. | 2.5 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | c-MET as a Potential Therapeutic Target in Ovarian Clear Cell Carcinoma. <i>Scientific Reports</i> , 2016, 6, 38502. | 3.3 | 34 |
| 20 | Perioperative administration of propranolol to women undergoing ovarian cancer surgery: A pilot study. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 170. | 1.6 | 33 |
| 21 | Comparison of Laparoscopic-Assisted Radical Vaginal Hysterectomy and Laparoscopic Radical Hysterectomy in the Treatment of Cervical Cancer. <i>Annals of Surgical Oncology</i> , 2012, 19, 3839-3848. | 1.5 | 31 |
| 22 | Surgical Outcomes of a New Approach to Laparoscopic Myomectomy: Single-Port and Modified Suture Technique. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 580-585. | 0.6 | 31 |
| 23 | Interval between secondary cytoreductive surgery and adjuvant chemotherapy is not associated with survivals in patients with recurrent ovarian cancer. <i>Journal of Ovarian Research</i> , 2020, 13, 1. | 3.0 | 31 |
| 24 | Prognostic Value of Baseline Lymphocyte Count in Cervical Carcinoma Treated With Concurrent Chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 199-204. | 0.8 | 30 |
| 25 | Dual targeting of angiotensin receptors (AGTR1 and AGTR2) in epithelial ovarian carcinoma. <i>Gynecologic Oncology</i> , 2014, 135, 108-117. | 1.4 | 29 |
| 26 | Clinical outcomes of patients with clear cell and endometrioid ovarian cancer arising from endometriosis. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e18. | 2.2 | 29 |
| 27 | Papillary serous carcinoma in ovaries of normal size: A clinicopathologic study of 20 cases and comparison with extraovarian peritoneal papillary serous carcinoma. <i>Gynecologic Oncology</i> , 2007, 105, 762-768. | 1.4 | 28 |
| 28 | Prognostic value of pretreatment hemoglobin level in patients with early cervical cancer. <i>Obstetrics and Gynecology Science</i> , 2014, 57, 28. | 1.6 | 27 |
| 29 | Anti-Tumor Effects of Wee1 Kinase Inhibitor with Radiotherapy in Human Cervical Cancer. <i>Scientific Reports</i> , 2019, 9, 15394. | 3.3 | 27 |
| 30 | Peritoneal Tuberculosis: A Retrospective Review of 20 Cases and Comparison With Primary Peritoneal Carcinoma. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 798-803. | 2.5 | 25 |
| 31 | Proton Pump Inhibition Enhances the Cytotoxicity of Paclitaxel in Cervical Cancer. <i>Cancer Research and Treatment</i> , 2017, 49, 595-606. | 3.0 | 24 |
| 32 | Phase II Study of Consolidation Chemotherapy After Concurrent Chemoradiation in Cervical Cancer: Preliminary Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 68, 817-822. | 0.8 | 23 |
| 33 | Direct inhibition of eIF4E reduced cell growth in endometrial adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 463-469. | 2.5 | 23 |
| 34 | Prognostic significance of VEGF expression in patients with bulky cervical carcinoma undergoing neoadjuvant chemotherapy. <i>BMC Cancer</i> , 2008, 8, 295. | 2.6 | 22 |
| 35 | Minimally invasive compared with open surgery in patients with borderline ovarian tumors. <i>Gynecologic Oncology</i> , 2017, 145, 508-512. | 1.4 | 21 |
| 36 | Biomarker-guided targeted therapy in platinum-resistant ovarian cancer (AMBITION; KGOG 3045): a multicentre, open-label, five-arm, uncontrolled, umbrella trial. <i>Journal of Gynecologic Oncology</i> , 2022, 33, . | 2.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of lymphadenectomy on survival after recurrence in patients with advanced ovarian cancer without suspected lymph node metastasis. <i>Gynecologic Oncology</i> , 2016, 143, 252-257. | 1.4 | 20 |
| 38 | Ubiquitylation and degradation of adenomatous polyposis coli by MKRN1 enhances Wnt/ β -catenin signaling. <i>Oncogene</i> , 2018, 37, 4273-4286. | 5.9 | 20 |
| 39 | Primary ovarian choriocarcinoma mimicking ectopic pregnancy. <i>Obstetrics and Gynecology Science</i> , 2014, 57, 330. | 1.6 | 19 |
| 40 | Surgical outcome prediction in patients with advanced ovarian cancer using computed tomography scans and intraoperative findings. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 343-347. | 1.3 | 19 |
| 41 | Single-site robotic surgery in gynecologic cancer: a pilot study. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 62. | 2.2 | 19 |
| 42 | Prognostic value of ADC quantification for clinical outcome in uterine cervical cancer treated with concurrent chemoradiotherapy. <i>European Radiology</i> , 2019, 29, 6236-6244. | 4.5 | 19 |
| 43 | Prognostic Model for Survival and Recurrence in Patients with Early-Stage Cervical Cancer: A Korean Gynecologic Oncology Group Study (KGOG 1028). <i>Cancer Research and Treatment</i> , 2020, 52, 320-333. | 3.0 | 19 |
| 44 | Cervical conization before primary radical hysterectomy has a protective effect on disease recurrence in early cervical cancer: A two-center matched cohort study according to surgical approach. <i>Gynecologic Oncology</i> , 2022, 164, 535-542. | 1.4 | 19 |
| 45 | Extrauterine epithelioid trophoblastic tumor in hysterectomized woman. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 124. | 1.6 | 18 |
| 46 | Overexpression of annexin A4 is associated with chemoresistance in papillary serous adenocarcinoma of the ovary. <i>Human Pathology</i> , 2013, 44, 1017-1023. | 2.0 | 17 |
| 47 | Pancreatic adenocarcinoma up-regulated factor expression is associated with disease-specific survival in cervical cancer patients. <i>Human Pathology</i> , 2015, 46, 884-893. | 2.0 | 17 |
| 48 | Uterine Fibroids: Correlation of T2 Signal Intensity with Semiquantitative Perfusion MR Parameters in Patients Screened for MR-guided High-Intensity Focused Ultrasound Ablation. <i>Radiology</i> , 2016, 278, 925-935. | 7.3 | 17 |
| 49 | An umbrella study of biomarker-driven targeted therapy in patients with platinum-resistant recurrent ovarian cancer: a Korean Gynecologic Oncology Group study (KGOG 3045), AMBITION. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 789-792. | 1.3 | 17 |
| 50 | Prognostic significance of USP10 and p14ARF expression in patients with colorectal cancer. <i>Pathology Research and Practice</i> , 2020, 216, 152988. | 2.3 | 17 |
| 51 | Chemoradiotherapy response prediction model by proteomic expressional profiling in patients with locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2020, 157, 437-443. | 1.4 | 17 |
| 52 | A single-arm phase II study of olaparib maintenance with pembrolizumab and bevacizumab in <i>BRCA</i> non-mutated patients with platinum-sensitive recurrent ovarian cancer (OPEB-01). <i>Journal of Gynecologic Oncology</i> , 2021, 32, e31. | 2.2 | 17 |
| 53 | Reduced expression of FILIP1L, a novel WNT pathway inhibitor, is associated with poor survival, progression and chemoresistance in ovarian cancer. <i>Oncotarget</i> , 2016, 7, 77052-77070. | 1.8 | 17 |
| 54 | Postoperative outcomes of MR-invisible stage IB1 cervical cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 168.e1-168.e7. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Perioperative Outcomes of Radical Trachelectomy in Early-Stage Cervical Cancer: Vaginal Versus Laparoscopic Approaches. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 1051-1057. | 2.5 | 16 |
| 56 | Pharmacogenomic analysis of patient-derived tumor cells in gynecologic cancers. <i>Genome Biology</i> , 2019, 20, 253. | 8.8 | 16 |
| 57 | Safety and efficacy of aprepitant, ramosetron, and dexamethasone for chemotherapy-induced nausea and vomiting in patients with ovarian cancer treated with paclitaxel/carboplatin. <i>Supportive Care in Cancer</i> , 2014, 22, 1181-1187. | 2.2 | 15 |
| 58 | Laparoendoscopic single-site (LESS) myomectomy: characteristics of the appropriate myoma. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 175, 58-61. | 1.1 | 15 |
| 59 | CDK7 is a reliable prognostic factor and novel therapeutic target in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2020, 156, 211-221. | 1.4 | 15 |
| 60 | A phase II study of neoadjuvant chemotherapy plus durvalumab and tremelimumab in advanced-stage ovarian cancer: a Korean Gynecologic Oncology Group Study (KGOG 3046), TRU-D. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e112. | 2.2 | 15 |
| 61 | Phase II study of belotecan, a camptothecin analogue, in combination with carboplatin for the treatment of recurrent ovarian cancer. <i>Cancer</i> , 2011, 117, 2104-2111. | 4.1 | 14 |
| 62 | Timing and patterns of recurrence in epithelial ovarian cancer patients with no gross residual disease after primary debulking surgery. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 639-647. | 1.0 | 14 |
| 63 | A multicenter phase II randomized trial of durvalumab (MEDI-4736) versus physician's choice chemotherapy in recurrent ovarian clear cell adenocarcinoma (MOCCA). <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1239-1242. | 2.5 | 14 |
| 64 | Phase I Study of a B Cell-Based and Monocyte-Based Immunotherapeutic Vaccine, BVAC-C in Human Papillomavirus Type 16- or 18-Positive Recurrent Cervical Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 147. | 2.4 | 14 |
| 65 | Surgical manual of the Korean Gynecologic Oncology Group: classification of hysterectomy and lymphadenectomy. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e5. | 2.2 | 13 |
| 66 | Dynamin 2 Inhibitors as Novel Therapeutic Agents Against Cervical Cancer Cells. <i>Anticancer Research</i> , 2016, 36, 6381-6388. | 1.1 | 13 |
| 67 | Impact of Angiotensin Receptor Blockers, Beta Blockers, Calcium Channel Blockers and Thiazide Diuretics on Survival of Ovarian Cancer Patients. <i>Cancer Research and Treatment</i> , 2020, 52, 645-654. | 3.0 | 13 |
| 68 | Prognostic significance of pSTAT3 in patients with bulky cervical carcinoma undergoing neoadjuvant chemotherapy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 304-310. | 1.3 | 11 |
| 69 | Borderline ovarian tumor in women aged ≥65 years: impact on recurrence and survival. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 184, 38-42. | 1.1 | 11 |
| 70 | Dual loss of USP10 and p14ARF protein expression is associated with poor prognosis in patients with small intestinal adenocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831880867. | 1.8 | 10 |
| 71 | The role of appendectomy in patients with mucinous borderline ovarian tumors. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 112-116. | 1.1 | 10 |
| 72 | Comparison between laparoendoscopic single-site and conventional laparoscopic surgery in mature cystic teratoma of the ovary. <i>Gynecology and Minimally Invasive Therapy</i> , 2019, 8, 155. | 0.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Nomograms Predicting Platinum Sensitivity, Progression-Free Survival, and Overall Survival Using Pretreatment Complete Blood Cell Counts in Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2017, 49, 635-642. | 3.0 | 10 |
| 74 | Analysis of clinical outcomes of patients with adenoid cystic carcinoma of Bartholin glands. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 5688-94. | 0.5 | 10 |
| 75 | Clinical significance of pmTOR expression in endometrioid endometrial carcinoma. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 153, 207-210. | 1.1 | 9 |
| 76 | Comparison of survival outcomes after recurrence detected by cancer antigen 125 elevation versus imaging study in epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e46. | 2.2 | 9 |
| 77 | Prognostic significance of normal-sized ovary in advanced serous epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e13. | 2.2 | 9 |
| 78 | Pretreatment Lymph Node Metastasis as a Prognostic Significance in Cervical Cancer: Comparison between Disease Status. <i>Cancer Research and Treatment</i> , 2020, 52, 516-523. | 3.0 | 9 |
| 79 | Safety and efficacy study of laparoscopic or robotic radical surgery using an endoscopic stapler for inhibiting tumour spillage of cervical malignant neoplasms evaluating survival (SOLUTION): a multi-centre, open-label, single-arm, phase II trial protocol. <i>BMC Cancer</i> , 2022, 22, 331. | 2.6 | 9 |
| 80 | Expression of CD44 adhesion molecules on human placentae. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 128, 243-247. | 1.1 | 8 |
| 81 | Long-term outcomes of magnetic resonance imaging-invisible endometrial cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e38. | 2.2 | 8 |
| 82 | Clinical characteristics and outcomes of placental site trophoblastic tumor: experience of single institution in Korea. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 319. | 1.6 | 8 |
| 83 | Real-World Experience of Olaparib Maintenance in High-Grade Serous Recurrent Ovarian Cancer Patients with BRCA1/2 Mutation: A Korean Multicenter Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1920. | 2.4 | 8 |
| 84 | Optimal cutoff age for predicting prognosis associated with serous epithelial ovarian cancer: what is the best age cutoff?. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e11. | 2.2 | 8 |
| 85 | Prognostic Significance of Tumor Regression Rate during Concurrent Chemoradiotherapy in Locally Advanced Cervix Cancer: Analysis by Radiation Phase and Histologic Type. <i>Journal of Clinical Medicine</i> , 2020, 9, 3471. | 2.4 | 8 |
| 86 | Vulvar epithelioid sarcoma: A case report with literature review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 132-135. | 1.3 | 8 |
| 87 | Machine Learning Models to Predict Survival Outcomes According to the Surgical Approach of Primary Radical Hysterectomy in Patients with Early Cervical Cancer. <i>Cancers</i> , 2021, 13, 3709. | 3.7 | 8 |
| 88 | Prevalence and oncologic outcomes of BRCA1/2 mutation and variant of unknown significance in epithelial ovarian carcinoma patients in Korea. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 411. | 1.6 | 7 |
| 89 | A multicenter phase II randomized trial of durvalumab (D) versus physician's choice chemotherapy (PCC) in patients (pts) with recurrent ovarian clear cell adenocarcinoma (MOCCA/APGOT-OV2/GCGS-OV3).. <i>Journal of Clinical Oncology</i> , 2022, 40, 5565-5565. | 1.6 | 7 |
| 90 | A prospective comparative study of cosmetic satisfaction for three different surgical approaches. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 48-51. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Feasibility of laparoscopic cytoreduction in patients with localized recurrent epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e24. | 2.2 | 6 |
| 92 | Genomic Network-Based Analysis Reveals Pancreatic Adenocarcinoma Up-Regulating Factor-Related Prognostic Markers in Cervical Carcinoma. <i>Frontiers in Oncology</i> , 2018, 8, 465. | 2.8 | 6 |
| 93 | Discrepancy between Cytology and Histology in Cervical Cancer Screening: a Multicenter Retrospective Study (KGOG 1040). <i>Journal of Korean Medical Science</i> , 2021, 36, e164. | 2.5 | 6 |
| 94 | Prevalence and clinical characterization of BRCA1 and BRCA2 mutations in Korean patients with epithelial ovarian cancer. <i>Cancer Science</i> , 2021, 112, 5055-5067. | 3.9 | 6 |
| 95 | Combination of a pulmonary recruitment maneuver and intraperitoneal bupivacaine for the reduction of postoperative shoulder pain in gynecologic laparoscopy: a randomized, controlled trial. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 187-194. | 1.6 | 6 |
| 96 | The effect of coexisting squamous cell lesions on prognosis in patients with cervical adenocarcinoma in situ. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 26-30. | 1.1 | 5 |
| 97 | Prognostic factors for recurrence and survival in uterine leiomyosarcoma: Korean single center experience with 50 cases. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 103. | 1.6 | 5 |
| 98 | Triplet chemotherapy vs doublet chemotherapy plus bevacizumab in metastatic, recurrent, and persistent cervical cancer. <i>Current Problems in Cancer</i> , 2020, 44, 100557. | 2.0 | 5 |
| 99 | Effect of Waiting Time from Pathological Diagnosis to Definitive Concurrent Chemoradiation for Cervical Cancer on Overall Survival. <i>Cancer Research and Treatment</i> , 2022, 54, 245-252. | 3.0 | 5 |
| 100 | Long-term outcomes of single-port laparoscopic myomectomy using a modified suture technique. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 164-172. | 1.6 | 5 |
| 101 | Is laparoendoscopic single-site surgery (LESS) retroperitoneal hysterectomy feasible?: Surgical outcomes of the initial 27 cases. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 150-154. | 1.3 | 4 |
| 102 | Retroperitoneal Approach in Single-Port Laparoscopic Hysterectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2016, 20, e2016.00001. | 1.1 | 4 |
| 103 | Women with double primary cancers of the colorectum and endometrium: do they have Lynch syndrome?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 199, 208-212. | 1.1 | 4 |
| 104 | Retrospective study of combination chemotherapy with etoposide and ifosfamide in patients with heavily pretreated recurrent or persistent epithelial ovarian cancer. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 352. | 1.6 | 4 |
| 105 | Effectiveness of adjuvant treatment for morcellated, International Federation of Gynecology and Obstetrics stage I uterine leiomyosarcoma: A Korean multicenter study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 46, 337-346. | 1.3 | 4 |
| 106 | Feasibility of Single-Port Access (SPA) Laparoscopy for Large Ovarian Tumor Suspected to Be Borderline Ovarian Tumor. <i>Frontiers in Oncology</i> , 2020, 10, 583515. | 2.8 | 4 |
| 107 | Comparison of Laparoscopy and Laparotomy for Para-Aortic Lymphadenectomy in Women With Presumed Stage II High-Risk Endometrial Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 451. | 2.8 | 4 |
| 108 | Metabolic syndrome and persistent cervical human papillomavirus infection. <i>Gynecologic Oncology</i> , 2021, 161, 559-564. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Development and Validation of Ovarian Symptom Index-18 and Neurotoxicity-4 for Korean Patients with Ovarian, Fallopian Tube, or Primary Peritoneal Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 112-118. | 3.0 | 4 |
| 110 | Laparoendoscopic single-site radical hysterectomy for early stage cervical cancer. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 110. | 1.6 | 3 |
| 111 | Significance of serum CA125 level in surgically resected cervical adenocarcinoma with adverse features. <i>Journal of Gynecologic Oncology</i> , 2021, 32, e72. | 2.2 | 3 |
| 112 | Molecular Signature for Lymphatic Invasion Associated with Survival of Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2018, 50, 461-473. | 3.0 | 3 |
| 113 | Utility of 3T MRI in Women with IB1 Cervical Cancer in Determining the Necessity of Less Invasive Surgery. <i>Cancers</i> , 2022, 14, 224. | 3.7 | 3 |
| 114 | Clinical outcome of pulmonary lymphangitic carcinomatosis in gynecologic malignancy: A single-institution experience. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022, 61, 333-338. | 1.3 | 3 |
| 115 | Prognostic Significance of HER3 Expression in Patients with Cervical Cancer. <i>Cancers</i> , 2022, 14, 2139. | 3.7 | 3 |
| 116 | Robotic high para-aortic lymph node dissection with high port placement using same port for pelvic surgery in gynecologic cancer patients. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 222. | 2.2 | 2 |
| 117 | The Prognostic Model of Pre-Treatment Complete Blood Count (CBC) for Recurrence in Early Cervical Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 2960. | 2.4 | 2 |
| 118 | Identification of Candidate Genes Associated with Susceptibility to Ovarian Clear Cell Adenocarcinoma Using cis-eQTL Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1137. | 2.4 | 2 |
| 119 | Minimally-Invasive Versus Abdominal Hysterectomy for Endometrial Carcinoma With Glandular or Stromal Invasion of Cervix. <i>Frontiers in Oncology</i> , 2021, 11, 670214. | 2.8 | 2 |
| 120 | An umbrella study of biomarker-driven targeted therapy in patients with platinum-resistant recurrent ovarian cancer (KGOG 3045, AMBITION).. <i>Journal of Clinical Oncology</i> , 2021, 39, 5520-5520. | 1.6 | 2 |
| 121 | Phase IIa study of BVAC-C in HPV type 16 or 18 positive recurrent cervical carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 5512-5512. | 1.6 | 2 |
| 122 | Early Metabolic Response Assessed Using 18F-FDG-PET/CT for Image-Guided Intracavitary Brachytherapy Can Better Predict Treatment Outcomes in Patients with Cervical Cancer. <i>Cancer Research and Treatment</i> , 2021, 53, 803-812. | 3.0 | 2 |
| 123 | Validation of Potential Protein Markers Predicting Chemoradioresistance in Early Cervical Cancer by Immunohistochemistry. <i>Frontiers in Oncology</i> , 2021, 11, 665595. | 2.8 | 2 |
| 124 | Prognostic Relevance of BRCA1 Expression in Survival of Patients With Cervical Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 770103. | 2.8 | 2 |
| 125 | Impact of no residual disease on postoperative computed tomography on survival in patients with optimally debulked advanced high-grade serous ovarian cancer during upfront surgery. <i>Gynecologic Oncology</i> , 2022, , . | 1.4 | 2 |
| 126 | Single-port access (SPA) laparoscopic myomectomy with uterine artery ligation via a retroperitoneal approach is feasible in women with large uterine leiomyoma. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 752-757. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Comparative performance of various human papillomavirus assays available in Korea for detecting cervical intraepithelial neoplasia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, , . | 1.3 | 1 |
| 128 | Interim analysis from a phase II study of olaparib maintenance with pembrolizumab and bevacizumab in <i>BRCA </i>non-mutated patients with platinum-sensitive recurrent ovarian cancer: APGOT-ov4/OPEB-01.. <i>Journal of Clinical Oncology</i> , 2022, 40, e17579-e17579. | 1.6 | 1 |
| 129 | Effective thermal destruction of residual tubal epithelium using an advanced sealing device in opportunistic salpingectomy: A randomized trial. <i>Gynecology and Minimally Invasive Therapy</i> , 2017, 6, 108-112. | 0.9 | 0 |
| 130 | Neoadjuvant chemotherapy with mitomycin-C, vincristine and cisplatin (MVC) for patients with loco-regionally advanced cervical carcinoma. <i>Korean Journal of Gynecologic Oncology</i> , 2006, 17, 15. | 0.1 | 0 |
| 131 | Superior vena cava syndrome secondary to hickman catheter in the advanced cervical cancer patient treated with concurrent chemoradiotherapy: A case report. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012, 55, 761. | 0.1 | 0 |
| 132 | Prognostic model for disease-free survival, lymphatic and/or hematogenous recurrence, in patients with early stage cervical cancer treated with radical hysterectomy: A Korean Gynecologic Oncology Group Study.. <i>Journal of Clinical Oncology</i> , 2016, 34, e17000-e17000. | 1.6 | 0 |
| 133 | Effect of postoperative adjuvant treatment in the therapeutic management of stage I, morcellated uterine leiomyosarcoma: A Korean multicenter study.. <i>Journal of Clinical Oncology</i> , 2019, 37, e17106-e17106. | 1.6 | 0 |
| 134 | Survival Effects of Cytoreductive Surgery for Refractory Patients after Neoadjuvant Chemotherapy in Advanced Epithelial Ovarian Cancer. <i>Yonsei Medical Journal</i> , 2020, 61, 935. | 2.2 | 0 |