

# VÃ©ronique Le Cabec

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2492469/publications.pdf>

Version: 2024-02-01

13  
papers

1,318  
citations

759233

12  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

1767  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic engineering of Hoxb8-immortalized hematopoietic progenitors â€” a potent tool to study macrophage tissue migration. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	8
2	The Protease-Dependent Mesenchymal Migration of Tumor-Associated Macrophages as a Target in Cancer Immunotherapy. <i>Cancer Immunology Research</i> , 2018, 6, 1337-1351.	3.4	24
3	Rho/ROCK pathway inhibition by CDK inhibitor p27kip1 participates in the onset of macrophage 3D-mesenchymal migration. <i>Journal of Cell Science</i> , 2014, 127, 4009-23.	2.0	43
4	Blood leukocytes and macrophages of various phenotypes have distinct abilities to form podosomes and to migrate in 3D environments. <i>European Journal of Cell Biology</i> , 2012, 91, 938-949.	3.6	127
5	Macrophage podosomes go 3D. <i>European Journal of Cell Biology</i> , 2011, 90, 224-236.	3.6	122
6	Extracellular proteolysis in macrophage migration: Losing grip for a breakthrough. <i>European Journal of Immunology</i> , 2011, 41, 2805-2813.	2.9	80
7	The Process of Macrophage Migration Promotes Matrix Metalloproteinase-Independent Invasion by Tumor Cells. <i>Journal of Immunology</i> , 2011, 187, 3806-3814.	0.8	93
8	Three-dimensional migration of macrophages requires Hck for podosome organization and extracellular matrix proteolysis. <i>Blood</i> , 2010, 115, 1444-1452.	1.4	116
9	Matrix Architecture Dictates Three-Dimensional Migration Modes of Human Macrophages: Differential Involvement of Proteases and Podosome-Like Structures. <i>Journal of Immunology</i> , 2010, 184, 1049-1061.	0.8	309
10	Re-arrangements of podosome structures are observed when Hck is activated in myeloid cells. <i>European Journal of Cell Biology</i> , 2006, 85, 327-332.	3.6	37
11	The human macrophage mannose receptor is not a professional phagocytic receptor. <i>Journal of Leukocyte Biology</i> , 2005, 77, 934-943.	3.3	78
12	Complement Receptor 3 (CD11b/CD18) Mediates Type I and Type II Phagocytosis During Nonopsonic and Opsonic Phagocytosis, Respectively. <i>Journal of Immunology</i> , 2002, 169, 2003-2009.	0.8	191
13	Complete and Reversible Inhibition of NADPH Oxidase in Human Neutrophils by Phenylarsine Oxide at a Step Distal to Membrane Translocation of the Enzyme Subunits. <i>Journal of Biological Chemistry</i> , 1995, 270, 2067-2073.	3.4	90