Anthony A Sauve

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2493029/publications.pdf

Version: 2024-02-01

68 papers

11,590 citations

45 h-index 63 g-index

68 all docs 68 docs citations 68 times ranked 14042 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Metabolic Disease, NAD Metabolism, Nicotinamide Riboside, and the Gut Microbiome: Connecting the Dots from the Gut to Physiology. MSystems, 2022, , e0122321. | 1.7 | 1 |
| 2 | Dihydronicotinamide riboside is a potent NAD $\langle \sup \rangle + \langle \sup \rangle$ concentration enhancer $\langle i \rangle$ in vitro $\langle i \rangle$ and $\langle i \rangle$ in vivo $\langle i \rangle$. FASEB Journal, 2021, 35, . | 0.2 | O |
| 3 | Assays for Determination of Cellular and Mitochondrial NAD+ and NADH Content. Methods in Molecular Biology, 2021, 2310, 271-285. | 0.4 | 4 |
| 4 | NRH salvage and conversion to NAD+ requires NRH kinase activity by adenosine kinase. Nature Metabolism, 2020, 2, 364-379. | 5.1 | 55 |
| 5 | Nicotinamidases and Sirtuins. , 2020, , 131-156. | | O |
| 6 | Dihydronicotinamide riboside is a potent NAD+ concentration enhancer in vitro and in vivo. Journal of Biological Chemistry, 2019, 294, 9295-9307. | 1.6 | 79 |
| 7 | Nicotinamide Improves Aspects of Healthspan, but Not Lifespan, in Mice. Cell Metabolism, 2018, 27, 667-676.e4. | 7.2 | 242 |
| 8 | Regulatory Effects of NAD + Metabolic Pathways on Sirtuin Activity. Progress in Molecular Biology and Translational Science, 2018, 154, 71-104. | 0.9 | 36 |
| 9 | Synthesis of βâ€Nicotinamide Riboside Using an Efficient Twoâ€6tep Methodology. Current Protocols in Nucleic Acid Chemistry, 2017, 71, 14.14.1-14.14.9. | 0.5 | 10 |
| 10 | NAD + metabolism: Bioenergetics, signaling and manipulation for therapy. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2016, 1864, 1787-1800. | 1.1 | 327 |
| 11 | Biochemistry and Enzymology of Sirtuins. , 2016, , 1-27. | | 1 |
| 12 | NAD ⁺ repletion improves muscle function in muscular dystrophy and counters global PARylation. Science Translational Medicine, 2016, 8, 361ra139. | 5.8 | 208 |
| 13 | Eliciting the mitochondrial unfolded protein response by nicotinamide adenine dinucleotide repletion reverses fatty liver disease in mice. Hepatology, 2016, 63, 1190-1204. | 3.6 | 289 |
| 14 | Lethal Cardiomyopathy in Mice Lacking Transferrin Receptor in the Heart. Cell Reports, 2015, 13, 533-545. | 2.9 | 213 |
| 15 | NAD+ Content and Its Role in Mitochondria. Methods in Molecular Biology, 2015, 1241, 39-48. | 0.4 | 38 |
| 16 | Fasting and refeeding differentially regulate NLRP3 inflammasome activation in human subjects. Journal of Clinical Investigation, 2015, 125, 4592-4600. | 3.9 | 135 |
| 17 | Activation of SIRT3 by the NAD+ Precursor Nicotinamide Riboside Protects from Noise-Induced Hearing Loss. Cell Metabolism, 2014, 20, 1059-1068. | 7.2 | 237 |
| 18 | NAD+-Dependent Activation of Sirt1 Corrects the Phenotype in a Mouse Model of Mitochondrial Disease. Cell Metabolism, 2014, 19, 1042-1049. | 7.2 | 293 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | Nicotinamide N-methyltransferase knockdown protects against diet-induced obesity. Nature, 2014, 508, 258-262. | 13.7 | 387 |
| 20 | <scp>SIRT</scp> 2 induces the checkpoint kinase BubR1 to increase lifespan. EMBO Journal, 2014, 33, 1438-1453. | 3 . 5 | 195 |
| 21 | Pharmacological Inhibition of Poly(ADP-Ribose) Polymerases Improves Fitness and Mitochondrial Function in Skeletal Muscle. Cell Metabolism, 2014, 19, 1034-1041. | 7.2 | 211 |
| 22 | Multifunctionalization of cetuximab with bioorthogonal chemistries and parallel EGFR profiling of cell-lines using imaging, FACS and immunoprecipitation approaches. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2014, 1844, 2182-2192. | 1.1 | 3 |
| 23 | Mangiferin Stimulates Carbohydrate Oxidation and Protects Against Metabolic Disorders Induced by High-Fat Diets. Diabetes, 2014, 63, 3626-3636. | 0.3 | 54 |
| 24 | Dual Mode Action of Mangiferin in Mouse Liver under High Fat Diet. PLoS ONE, 2014, 9, e90137. | 1.1 | 48 |
| 25 | Acetylation-defective mutants of Ppar \hat{I}^3 are associated with decreased lipid synthesis in breast cancer cells. Oncotarget, 2014, 5, 7303-7315. | 0.8 | 34 |
| 26 | SIRT4 Represses Peroxisome Proliferator-Activated Receptor \hat{l}_{\pm} Activity To Suppress Hepatic Fat Oxidation. Molecular and Cellular Biology, 2013, 33, 4552-4561. | 1.1 | 132 |
| 27 | Sirtuin Deacetylases as Therapeutic Targets in the Nervous System. Neurotherapeutics, 2013, 10, 605-620. | 2.1 | 28 |
| 28 | Nicotinamide riboside restores cognition through an upregulation of proliferator-activated receptor- \hat{l}^3 coactivator $1\hat{l}_\pm$ regulated \hat{l}^2 -secretase 1 degradation and mitochondrial gene expression in Alzheimer's mouse models. Neurobiology of Aging, 2013, 34, 1581-1588. | 1.5 | 287 |
| 29 | Crosstalk between poly(ADP-ribose) polymerase and sirtuin enzymes. Molecular Aspects of Medicine, 2013, 34, 1168-1201. | 2.7 | 202 |
| 30 | Sirtuins: NAD+-dependent deacetylase mechanism and regulation. Current Opinion in Chemical Biology, 2012, 16, 535-543. | 2.8 | 77 |
| 31 | The NAD+ Precursor Nicotinamide Riboside Enhances Oxidative Metabolism and Protects against High-Fat Diet-Induced Obesity. Cell Metabolism, 2012, 15, 838-847. | 7.2 | 957 |
| 32 | Screening of SirT1 activating compounds and their cytotoxicity in prostate cancer cell lines Journal of Clinical Oncology, 2012, 30, e13545-e13545. | 0.8 | 0 |
| 33 | PARP-1 Inhibition Increases Mitochondrial Metabolism through SIRT1 Activation. Cell Metabolism, 2011, 13, 461-468. | 7.2 | 673 |
| 34 | PARP-2 Regulates SIRT1 Expression and Whole-Body Energy Expenditure. Cell Metabolism, 2011, 13, 450-460. | 7.2 | 231 |
| 35 | Mechanism-based affinity capture of sirtuins. Organic and Biomolecular Chemistry, 2011, 9, 987-993. | 1.5 | 27 |
| 36 | Vitamin B3, the nicotinamide adenine dinucleotides and aging. Mechanisms of Ageing and Development, 2010, 131, 287-298. | 2.2 | 38 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Sirtuin chemical mechanisms. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2010, 1804, 1591-1603. | 1.1 | 131 |
| 38 | Sirtuins. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2010, 1804, 1565-1566. | 1.1 | 11 |
| 39 | Identification of the Aryl Hydrocarbon Receptor Target Gene TiPARP as a Mediator of Suppression of Hepatic Gluconeogenesis by 2,3,7,8-Tetrachlorodibenzo-p-dioxin and of Nicotinamide as a Corrective Agent for This Effect. Journal of Biological Chemistry, 2010, 285, 38801-38810. | 1.6 | 95 |
| 40 | High-Resolution Crystal Structures of <i>Streptococcus pneumoniae</i> Nicotinamidase with Trapped Intermediates Provide Insights into the Catalytic Mechanism and Inhibition by Aldehydes,. Biochemistry, 2010, 49, 8803-8812. | 1.2 | 30 |
| 41 | Transition State of ADP-Ribosylation of Acetyllysine Catalyzed by Archaeoglobus fulgidus Sir2 Determined by Kinetic Isotope Effects and Computational Approaches. Journal of the American Chemical Society, 2010, 132, 12286-12298. | 6.6 | 34 |
| 42 | Characterization of Nicotinamidases: Steady State Kinetic Parameters, Classwide Inhibition by Nicotinaldehydes, and Catalytic Mechanism. Biochemistry, 2010, 49, 10421-10439. | 1.2 | 51 |
| 43 | Does Declining Mitochondrial NAD+ and Unscheduled Opening of Mitochondrial Transition Pore Promote Mammalian Aging?. Blood, 2010, 116, SCI-3-SCI-3. | 0.6 | 0 |
| 44 | Global Analysis of Transcriptional Regulation by Poly(ADP-ribose) Polymerase-1 and Poly(ADP-ribose) Glycohydrolase in MCF-7 Human Breast Cancer Cells. Journal of Biological Chemistry, 2009, 284, 33926-33938. | 1.6 | 102 |
| 45 | Enzymes in the NAD+ Salvage Pathway Regulate SIRT1 Activity at Target Gene Promoters. Journal of Biological Chemistry, 2009, 284, 20408-20417. | 1.6 | 200 |
| 46 | Diastereocontrolled Electrophilic Fluorinations of 2-Deoxyribonolactone: Syntheses of All Corresponding 2-Deoxy-2-fluorolactones and 2′-Deoxy-2′-fluoro-NAD ⁺ s. Journal of Organic Chemistry, 2009, 74, 5779-5789. | 1.7 | 29 |
| 47 | Pharmaceutical Strategies for Activating Sirtuins. Current Pharmaceutical Design, 2009, 15, 45-56. | 0.9 | 38 |
| 48 | A SIR-tain Acetyl Complex Is Caught by a Sulfur Trap. Structure, 2008, 16, 1289-1292. | 1.6 | 1 |
| 49 | Glucose Restriction Inhibits Skeletal Myoblast Differentiation by Activating SIRT1 through AMPK-Mediated Regulation of Nampt. Developmental Cell, 2008, 14, 661-673. | 3.1 | 701 |
| 50 | Plasmodium falciparum Sir2 is an NAD+-Dependent Deacetylase and an Acetyllysine-Dependent and Acetyllysine-Independent NAD+ Glycohydrolase. Biochemistry, 2008, 47, 10227-10239. | 1.2 | 46 |
| 51 | NAD ⁺ and Vitamin B ₃ : From Metabolism to Therapies. Journal of Pharmacology and Experimental Therapeutics, 2008, 324, 883-893. | 1.3 | 273 |
| 52 | Nicotinamide Riboside Kinase Structures Reveal New Pathways to NAD+. PLoS Biology, 2007, 5, e263. | 2.6 | 126 |
| 53 | Nutrient-Sensitive Mitochondrial NAD+ Levels Dictate Cell Survival. Cell, 2007, 130, 1095-1107. | 13.5 | 855 |
| 54 | Syntheses of Nicotinamide Riboside and Derivatives: Effective Agents for Increasing Nicotinamide Adenine Dinucleotide Concentrations in Mammalian Cells. Journal of Medicinal Chemistry, 2007, 50, 6458-6461. | 2.9 | 99 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | NAD metabolism and sirtuins: Metabolic regulation of protein deacetylation in stress and toxicity. AAPS Journal, 2006, 8, E632-43. | 2.2 | 145 |
| 56 | The Biochemistry of Sirtuins. Annual Review of Biochemistry, 2006, 75, 435-465. | 5.0 | 656 |
| 57 | Neuronal SIRT1 Activation as a Novel Mechanism Underlying the Prevention of Alzheimer Disease Amyloid Neuropathology by Calorie Restriction*. Journal of Biological Chemistry, 2006, 281, 21745-21754. | 1.6 | 567 |
| 58 | SIRT1 and endocrine signaling. Trends in Endocrinology and Metabolism, 2006, 17, 186-191. | 3.1 | 175 |
| 59 | Hormonal Control of Androgen Receptor Function through SIRT1. Molecular and Cellular Biology, 2006, 26, 8122-8135. | 1.1 | 214 |
| 60 | SIRT1 Deacetylation and Repression of p300 Involves Lysine Residues 1020/1024 within the Cell Cycle Regulatory Domain 1. Journal of Biological Chemistry, 2005, 280, 10264-10276. | 1.6 | 301 |
| 61 | Chemical Activation of Sir2-Dependent Silencing by Relief of Nicotinamide Inhibition. Molecular Cell, 2005, 17, 595-601. | 4.5 | 141 |
| 62 | SIR2: The Biochemical Mechanism of NAD+-Dependent Protein Deacetylation and ADP-Ribosyl Enzyme Intermediates. Current Medicinal Chemistry, 2004, 11, 807-826. | 1.2 | 76 |
| 63 | Sir2 Regulation by Nicotinamide Results from Switching between Base Exchange and Deacetylation Chemistryâ€. Biochemistry, 2003, 42, 9249-9256. | 1.2 | 205 |
| 64 | lonic States of Substrates and Transition State Analogues at the Catalytic Sites of N-Ribosyltransferasesâ€. Biochemistry, 2003, 42, 5694-5705. | 1.2 | 41 |
| 65 | Mechanism-Based Inhibitors of CD38: A Mammalian Cyclic ADP-Ribose Synthetaseâ€. Biochemistry, 2002, 41, 8455-8463. | 1.2 | 31 |
| 66 | Chemistry of Gene Silencing:  The Mechanism of NAD+-Dependent Deacetylation Reactions. Biochemistry, 2001, 40, 15456-15463. | 1.2 | 293 |
| 67 | A Covalent Intermediate in CD38 Is Responsible for ADP-Ribosylation and Cyclization Reactions. Journal of the American Chemical Society, 2000, 122, 7855-7859. | 6.6 | 62 |
| 68 | The Reaction Mechanism for CD38. A Single Intermediate Is Responsible for Cyclization, Hydrolysis, and Base-Exchange Chemistriesâ€. Biochemistry, 1998, 37, 13239-13249. | 1.2 | 109 |