

Jae-Bum Jun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2494277/jae-bum-jun-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

841
citations

15
h-index

24
g-index

101
ext. papers

1,041
ext. citations

3.1
avg, IF

3.69
L-index

#	Paper	IF	Citations
97	Clinical Significance of Elevated Serum Caspase-1 Levels in Patients With Ankylosing Spondylitis. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 293-295	3.1	0
96	Reliability and Quality of Korean YouTube Videos for Education Regarding Gout. <i>Journal of Korean Medical Science</i> , 2021 , 36, e303	4.7	1
95	Familial risk of Behçet's disease among first-degree relatives: a population-based aggregation study in Korea. <i>Rheumatology</i> , 2021 , 60, 2697-2705	3.9	1
94	Significant Decline in the Incidence of Behçet's Disease in South Korea: A Nationwide Population-Based Study (2004-2017). <i>Arthritis Care and Research</i> , 2021 , 73, 1689-1696	4.7	4
93	Floating teeth in systemic sclerosis. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 471-472	2.5	
92	Distribution of serum uric acid levels and prevalence of hyper- and hypouricemia in a Korean general population of 172,970. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S264-S272	2.5	7
91	Effect of combined pulmonary fibrosis and emphysema on patients with connective tissue diseases and systemic sclerosis: a systematic review and meta-analysis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 100	5.7	1
90	Fracture Risk and Its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e263	4.7	1
89	J-shaped Relationship Between Chronic Kidney Disease and Serum Uric Acid Levels: A Cross-sectional Study on the Korean Population. <i>Journal of Rheumatic Diseases</i> , 2021 , 28, 225-233	1.2	0
88	Serum and Urine Uric Acid as a Biomarker in Osteoarthritis. <i>Journal of Rheumatic Diseases</i> , 2020 , 27, 75	1.2	
87	The prevalence of fabella and its association with the osteoarthritic severity of the knee in Korea. <i>Clinical Rheumatology</i> , 2020 , 39, 3625-3629	3.9	5
86	The Different Relationship between Homocysteine and Uric Acid Levels with Respect to the MTHFR C677T Polymorphism According to Gender in Patients with Cognitive Impairment. <i>Nutrients</i> , 2020 , 12,	6.7	3
85	Analysis of Asian Mitochondrial DNA Haplogroups Associated With the Progression of Knee Osteoarthritis in Koreans. <i>Journal of Rheumatic Diseases</i> , 2020 , 27, 168-173	1.2	
84	Clinical Significance of Elevated Serum Immunoglobulin G4 Levels in Patients With Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2020 , 27, 96	1.2	2
83	Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1438-1445	2.4	12
82	Deletion at 2q14.3 is associated with worse response to TNF- β blockers in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 195	5.7	1
81	Fate of Abstracts Presented at the Korean College of Rheumatology Annual Scientific Meetings. <i>Journal of Rheumatic Diseases</i> , 2019 , 26, 41	1.2	1

80	Efficacy and safety of add-on tacrolimus versus leflunomide in rheumatoid arthritis patients with inadequate response to methotrexate. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1115-1122	2.3	6
79	Factors associated with time to diagnosis from symptom onset in patients with early rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 910-916	2.5	10
78	Impact of EUSTAR standardized training on accuracy of modified Rodnan skin score in patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 96-102	2.3	4
77	Efficacy of the HLA-B58:01 Screening Test in Preventing Allopurinol-Induced Severe Cutaneous Adverse Reactions in Patients with Chronic Renal Insufficiency-A Prospective Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1271-1276	5.4	13
76	Association of hyperuricemia and pulmonary hypertension: A systematic review and meta-analysis. <i>Modern Rheumatology</i> , 2019 , 29, 1031-1041	3.3	7
75	Association of Asian mitochondrial DNA haplogroup B with new development of knee osteoarthritis in Koreans. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 411-416	2.3	11
74	Korean Red Ginseng exhibits no significant adverse effect on disease activity in patients with rheumatoid arthritis: a randomized, double-blind, crossover study. <i>Journal of Ginseng Research</i> , 2018 , 42, 144-148	5.8	7
73	Incidence of knee chondrocalcinosis and its risk factors in a community-based cohort. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1391-1397	2.3	6
72	Clinical and Laboratory Characteristics and Mortality in Korean Patients with Systemic Sclerosis: A Nationwide Multicenter Retrospective Cohort Study. <i>Journal of Rheumatology</i> , 2018 , 45, 1281-1288	4.1	8
71	Identification of a rare homozygous c.790C>T variation in the TFB2M gene in Korean patients with autism spectrum disorder. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 507, 148-154	3.4	6
70	What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017 , 27, 35-41	3.3	9
69	Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 975-982	3.6	8
68	Association between acute gouty arthritis and meteorological factors: An ecological study using a systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 369-375	5.3	9
67	Digital tomosynthesis as a new diagnostic tool for assessing of chronic gout arthritic feet and ankles: comparison of plain radiography and computed tomography. <i>Clinical Rheumatology</i> , 2017 , 36, 2095-2100	3.9	7
66	Prevalence and distribution of sesamoid bones in the hand determined using digital tomosynthesis. <i>Clinical Anatomy</i> , 2017 , 30, 608-613	2.5	4
65	Long-term Outcomes of Autologous Peripheral Blood Stem Cell Transplantation for Refractory Rheumatic Diseases. <i>Journal of Rheumatic Diseases</i> , 2017 , 24, 149	1.2	1
64	Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 738-746	2.5	11
63	Prevalence and distribution of sesamoid bones and accessory ossicles of the foot as determined by digital tomosynthesis. <i>Clinical Anatomy</i> , 2017 , 30, 1072-1076	2.5	9

62	Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 1735-1745	3.6	23
61	Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 782-787	5.3	24
60	Survival and prognostic factors in patients with connective tissue disease-associated pulmonary hypertension diagnosed by echocardiography: results from a Korean nationwide registry. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1227-1236	2.3	15
59	ABCG2 Polymorphism Is Associated with Hyperuricemia in a Study of a Community-Based Korean Cohort. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1451-1459	4.7	5
58	Ulnar artery vasculopathy: a common but nonspecific feature of systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 221-224	2.3	
57	Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 333	2.8	21
56	Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 27563	4.9	13
55	Effects of coffee consumption on serum uric acid: systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 45, 580-6	5.3	29
54	Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2016 , 11, e0150283	3.7	17
53	A Case of Polymyositis Presenting as Bent Spine Syndrome. <i>Journal of Rheumatic Diseases</i> , 2016 , 23, 2611.2		
52	Gitelman's Syndrome Associated with Chondrocalcinosis. <i>Journal of Rheumatic Diseases</i> , 2016 , 23, 266	1.2	
51	Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1907-1913	4.7	6
50	Prevalence and possible causes of hypouricemia at a tertiary care hospital. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 971-6	2.5	17
49	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KOREan Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016 , 36, 585-13	3.6	15
48	Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016 , 36, 1205-14	3.6	21
47	The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 98	2.8	28
46	High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e13	2.4	76
45	Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2075-81	4.1	18

44	Seasonality of gout in Korea: a multicenter study. <i>Journal of Korean Medical Science</i> , 2015 , 30, 240-4	4.7	12
43	Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents following Latent Tuberculosis Infection Screening Strategies. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 223	1.2	3
42	Childhood Chilblain Lupus Erythematosus. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 269	1.2	
41	Pneumatosis Cystoides Intestinalis in a Patient with Dermatomyositis: A Case Report and Review of the Literature. <i>Korean Journal of Medicine</i> , 2015 , 88, 480	0.5	
40	Follow-up testing of interferon-gamma release assays are useful in ankylosing spondylitis patients receiving anti-tumor necrosis factor alpha for latent tuberculosis infection. <i>Journal of Korean Medical Science</i> , 2014 , 29, 1090-3	4.7	9
39	A Case of Calcium Pyrophosphate Dihydrate Deposition Disease Associated with Primary Hyperparathyroidism. <i>Journal of Rheumatic Diseases</i> , 2014 , 21, 82	1.2	
38	Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014 , 21, 64	1.2	6
37	The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. <i>Rheumatology International</i> , 2014 , 34, 777-83	3.6	4
36	SKI306X inhibition of glycosaminoglycan degradation in human cartilage involves down-regulation of cytokine-induced catabolic genes. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 647-55	2.5	9
35	Upper thoracic vertebral abnormalities in a patient with rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 542-3	2.5	
34	Factors influencing quality of life (QOL) for Korean patients with rheumatoid arthritis (RA). <i>Rheumatology International</i> , 2013 , 33, 93-102	3.6	26
33	Factors influencing discrepancies between the QuantiFERON-TB gold in tube test and the tuberculin skin test in Korean patients with rheumatic diseases. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 42, 424-32	5.3	25
32	Korean Guidelines for Tailored Management of Gout. <i>Journal of Rheumatic Diseases</i> , 2013 , 20, 280	1.2	3
31	An Unusual Cause of Wrist Pain; Kienbock's Disease. <i>Journal of Rheumatic Diseases</i> , 2013 , 20, 68	1.2	
30	Caspase-1 level in synovial fluid is high in patients with spondyloarthritis but not in patients with gout. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1289-92	4.7	10
29	Does brachydactyly have a protective effect on the erosive changes in rheumatoid arthritis?. <i>Joint Bone Spine</i> , 2012 , 79, 271-3	2.9	2
28	Korean Observational Study Network for Arthritis (KORONA): establishment of a prospective multicenter cohort for rheumatoid arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 745-51	5.3	46
27	A convenient method for producing the bleomycin-induced mouse model of scleroderma by weekly injections using a methylcellulose gel. <i>Rheumatology International</i> , 2012 , 32, 1443-7	3.6	4

26	The major determinants of arterial stiffness in Korean patients with rheumatoid arthritis are age and systolic blood pressure, not disease-related factors. <i>Rheumatology International</i> , 2012 , 32, 3455-61	3.6	13
25	The Frequency of Metabolic Syndrome in Patients with Systemic Sclerosis. <i>Journal of Rheumatic Diseases</i> , 2012 , 19, 305	1.2	
24	Dietary Flavonoid Apigenin is not Effective in Preventing Development of a Bleomycin-Induced Murine Model of Scleroderma. <i>Journal of Rheumatic Diseases</i> , 2012 , 19, 206	1.2	1
23	An Unusual Cause of Lower Back Pain; Bastrup's Disease. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 147	1.2	
22	A Case of Atrial Fibrillation Induced by Infliximab in a Patient with Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 302	1.2	2
21	Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 161	1.2	3
20	Inhibition of the IL-1 β -Induced Expression of Matrix Metalloproteinases by Controlled Release of IL-1 Receptor Antagonist Using Injectable and Thermo-reversible Gels in Human Osteoarthritis Chondrocytes. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 85	1.2	4
19	Joint-specific prevalence and radiographic pattern of hand osteoarthritis in Korean. <i>Rheumatology International</i> , 2011 , 31, 361-4	3.6	5
18	Measurement of Purine Contents in Korean Alcoholic Beverages. <i>The Journal of the Korean Rheumatism Association</i> , 2010 , 17, 368		1
17	Systemic Sclerosis Coincidence with Sarcoidosis: A Case Report and Review of the Literature. <i>The Journal of the Korean Rheumatism Association</i> , 2010 , 17, 400		
16	Dietary flavonoid apigenin inhibits endothelin-1-induced contraction of collagen gel. <i>Rheumatology International</i> , 2010 , 30, 1695-7	3.6	4
15	Monckeberg's sclerosis in a patient with systemic sclerosis. <i>Rheumatology International</i> , 2009 , 30, 105-7	3.6	7
14	Ulnar artery vasculopathy in systemic sclerosis. <i>Rheumatology International</i> , 2009 , 29, 1081-6	3.6	30
13	TNF Inhibitors and Uveitis in Ankylosing Spondylitis. <i>The Journal of the Korean Rheumatism Association</i> , 2009 , 16, 48		1
12	A Case of Peripheral Neuropathy in a Patient with Rheumatoid Arthritis Treated with Leflunomide. <i>The Journal of the Korean Rheumatism Association</i> , 2008 , 15, 273		1
11	The single nucleotide polymorphisms of matrix metalloproteinase-1 in patients with systemic sclerosis. <i>Rheumatology International</i> , 2008 , 28, 1183-5	3.6	3
10	Prévalence de l'ossification du ligament vertébral commun postérieur du rachis cervical. <i>Revue Du Rhumatisme (Edition Française)</i> , 2008 , 75, 654-658	0.1	
9	The development of pneumomediastinum after pulmonary function testing in a patient with systemic sclerosis. <i>Rheumatology International</i> , 2007 , 27, 1097-8	3.6	10

8	High expression of CD40 on skin fibroblasts from patients with systemic sclerosis. <i>Rheumatology International</i> , 2007 , 28, 95-7	3.6	1
7	The prevalence of <i>Tropheryma whippelii</i> DNA in saliva from healthy controls and patients with spondyloarthropathy. <i>Rheumatology International</i> , 2007 , 27, 507-8	3.6	4
6	Unilateral weak radial pulse in a patient with systemic sclerosis: Takayasu's arteritis or thoracic outlet syndrome?. <i>Rheumatology International</i> , 2007 , 27, 789-90	3.6	3
5	Anaplastic large cell lymphoma in a patient with rheumatoid arthritis taking low dose methotrexate. <i>Rheumatology International</i> , 2006 , 26, 775-6	3.6	4
4	Femoral bone mineral density is associated with vertebral fractures in patients with ankylosing spondylitis: a cross-sectional study. <i>Journal of Rheumatology</i> , 2006 , 33, 1637-41	4.1	5 ¹
3	Acute erythroleukemia in a rheumatoid arthritis patient during low-dose methotrexate therapy. <i>Rheumatology International</i> , 2005 , 25, 311-3	3.6	7
2	Erythromelalgia as a presenting manifestation in a patient with essential thrombocythemia complicating renovascular hypertension due to unilateral renal artery stenosis. <i>Rheumatology International</i> , 2005 , 26, 83-5	3.6	15
1	Quality of marital life in Korean patients with spondyloarthropathy. <i>Clinical Rheumatology</i> , 2003 , 22, 208-12	3.9	9