

Akbar Aliverdi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2494960/publications.pdf>

Version: 2024-02-01

13
papers

110
citations

1307594

7
h-index

1372567

10
g-index

13
all docs

13
docs citations

13
times ranked

79
citing authors

#	ARTICLE	IF	CITATIONS
1	Spray Coverage and Biological Efficacy of Single, Twin Symmetrical, and Twin Asymmetrical Flat Fan Nozzles. <i>Acta Technologica Agriculturae</i> , 2021, 24, 92-96.	0.9	3
2	Tank-mix adjuvants to reduce the adverse effect of muddy rain on the activity of paraquat against winter wild oat. <i>Crop Protection</i> , 2020, 128, 105013.	2.1	5
3	The effect of nozzle type on clodinafop-propargyl potency against winter wild oat. <i>Crop Protection</i> , 2018, 114, 113-119.	2.1	3
4	Geographical variation in breaking the seed dormancy of Persian cumin (<i>Carum carvi</i> L.) ecotypes and their physiological responses to salinity and drought stresses. <i>Industrial Crops and Products</i> , 2018, 124, 600-606.	5.2	10
5	The effect of cationic and nonionic surfactants on the efficacy of ALS-inhibitor herbicides against <i>Avena sterilis</i> . <i>Zemdirbyste</i> , 2016, 103, 289-296.	0.8	1
6	Activity of the Recommended and Optimized Rates of Pyridate on Chickpea - <i>Mesorhizobium mediterraneum</i> Symbiosis. <i>Notulae Scientia Biologicae</i> , 2014, 6, 92-98.	0.4	2
7	Effect of the recommended and optimized doses of haloxyfop-P-methyl or imazethapyr on soybean- <i>Bradyrhizobium japonicum</i> symbiosis. <i>Industrial Crops and Products</i> , 2013, 50, 197-202.	5.2	10
8	Behavior of vegetable oils in relation to their influence on herbicides™ effectiveness. <i>Industrial Crops and Products</i> , 2013, 44, 712-717.	5.2	13
9	Optimizing dosage of sethoxydim and fenoxaprop-p-ethyl with adjuvants to control wild oat. <i>Industrial Crops and Products</i> , 2011, 34, 1583-1587.	5.2	8
10	Optimizing the performance of diclofop-methyl, cycloxydim, and clodinafop-propargyl on littleseed canarygrass (<i>Phalaris minor</i>) and wild oat (<i>Avena ludoviciana</i>) control with adjuvants. <i>Weed Biology and Management</i> , 2010, 10, 57-63.	1.4	16
11	Increased foliar activity of clodinafop-propargyl and/or tribenuron-methyl by surfactants and their synergistic action on wild oat (<i>Avena ludoviciana</i>) and wild mustard (<i>Sinapis arvensis</i>). <i>Weed Biology and Management</i> , 2009, 9, 292-299.	1.4	19
12	Effects of a magnetic field and adjuvant in the efficacy of cycloxydim and clodinafop-propargyl on the control of wild oat (<i>Avena fatua</i>). <i>Weed Biology and Management</i> , 2009, 9, 300-306.	1.4	16
13	Weed control of glufosinate, oxyfluorfen, and paraquat as affected by the application time of day. <i>Planta Daninha</i> , 0, 38, .	0.5	4