

John H Offenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2496846/publications.pdf>

Version: 2024-02-01

99
papers

9,841
citations

34016

52
h-index

40881

93
g-index

103
all docs

103
docs citations

103
times ranked

5954
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytotoxicity and oxidative stress induced by atmospheric mono-nitrophenols in human lung cells. <i>Environmental Pollution</i> , 2022, 301, 119010.	3.7	6
2	Relative contributions of selected multigeneration products to chamber SOA formed from photooxidation of a range (C10–C17) of n-alkanes under high NO conditions. <i>Atmospheric Environment</i> , 2021, 244, 117976.	1.9	6
3	Data mining approaches to understanding the formation of secondary organic aerosol. <i>Atmospheric Environment</i> , 2021, 252, 118345.	1.9	0
4	Quantifying wintertime O ₃ and NO _x formation with relevance vector machines. <i>Atmospheric Environment</i> , 2021, 259, 118538.	1.9	5
5	Quantifying wintertime O and NO formation with relevance vector machines. <i>Atmospheric Environment</i> , 2021, 259, 1-118538.	1.9	0
6	Secondary organic aerosols from aromatic hydrocarbons and their contribution to fine particulate matter in Atlanta, Georgia. <i>Atmospheric Environment</i> , 2020, 223, 117227.	1.9	34
7	Time series analysis of wintertime O ₃ and NO _x formation using vector autoregressions. <i>Atmospheric Environment</i> , 2019, 218, 116988.	1.9	9
8	Gas-Phase Detection of Fluorotelomer Alcohols and Other Oxygenated Per- and Polyfluoroalkyl Substances by Chemical Ionization Mass Spectrometry. <i>Environmental Science and Technology Letters</i> , 2019, 6, 289-293.	3.9	25
9	Light absorption of organic carbon and its sources at a southeastern U.S. location in summer. <i>Environmental Pollution</i> , 2019, 244, 38-46.	3.7	48
10	Photochemical Conversion of Surrogate Emissions for Use in Toxicological Studies: Role of Particulate- and Gas-Phase Products. <i>Environmental Science & Technology</i> , 2018, 52, 3037-3044.	4.6	6
11	Monoterpenes are the largest source of summertime organic aerosol in the southeastern United States. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2038-2043.	3.3	186
12	Mutagenic atmospheres resulting from the photooxidation of aromatic hydrocarbon and NO _x mixtures. <i>Atmospheric Environment</i> , 2018, 178, 164-172.	1.9	16
13	Observations of sesquiterpenes and their oxidation products in central Amazonia during the wet and dry seasons. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10433-10457.	1.9	53
14	Characterization of aerosol nitroaromatic compounds: Validation of an experimental method. <i>Journal of Mass Spectrometry</i> , 2018, 53, 680-692.	0.7	8
15	Trends in the oxidation and relative volatility of chamber-generated secondary organic aerosol. <i>Aerosol Science and Technology</i> , 2018, 52, 992-1004.	1.5	16
16	Observations of sesquiterpenes and their oxidation products in central Amazonia during the wet and dry seasons. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10433-10457.	1.9	22
17	Ozonolysis of β -farnesene mixture: Analysis of gas-phase and particulate reaction products. <i>Atmospheric Environment</i> , 2017, 169, 175-192.	1.9	8
18	Light Absorption of Secondary Organic Aerosol: Composition and Contribution of Nitroaromatic Compounds. <i>Environmental Science & Technology</i> , 2017, 51, 11607-11616.	4.6	132

#	ARTICLE	IF	CITATIONS
19	Predicting Thermal Behavior of Secondary Organic Aerosols. <i>Environmental Science & Technology</i> , 2017, 51, 9911-9919.	4.6	12
20	A framework for expanding aqueous chemistry in the Community Multiscale Air Quality (CMAQ) model version 5.1. <i>Geoscientific Model Development</i> , 2017, 10, 1587-1605.	1.3	50
21	Constraints on primary and secondary particulate carbon sources using chemical tracer and 14 C methods during CalNex-Bakersfield. <i>Atmospheric Environment</i> , 2017, 166, 204-214.	1.9	5
22	Photooxidation of farnesene mixtures in the presence of NOx: Analysis of reaction products and their implication to ambient PM _{2.5} . <i>Atmospheric Environment</i> , 2016, 130, 190-201.	1.9	12
23	Assessing the impact of anthropogenic pollution on isoprene-derived secondary organic aerosol formation in PM _{2.5} collected from the Birmingham, Alabama, ground site during the 2013 Southern Oxidant and Aerosol Study. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 4897-4914.	1.9	105
24	Modeling the formation and aging of secondary organic aerosols in Los Angeles during CalNex 2010. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 5773-5801.	1.9	139
25	Atmospheric oxidation of isoprene and 1,3-butadiene: influence of aerosol acidity and relative humidity on secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 3773-3783.	1.9	34
26	Gas and aerosol carbon in California: comparison of measurements and model predictions in Pasadena and Bakersfield. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 5243-5258.	1.9	48
27	Qualitative and quantitative assessment of unresolved complex mixture in PM _{2.5} of Bakersfield, CA. <i>Atmospheric Environment</i> , 2014, 98, 368-375.	1.9	6
28	2-Hydroxyterpenylic Acid: An Oxygenated Marker Compound for α -Pinene Secondary Organic Aerosol in Ambient Fine Aerosol. <i>Environmental Science & Technology</i> , 2014, 48, 4901-4908.	4.6	32
29	Atmospheric oxidation of 1,3-butadiene: characterization of gas and aerosol reaction products and implications for PM _{2.5} . <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 13681-13704.	1.9	21
30	Overview of the Manitou Experimental Forest Observatory: site description and selected science results from 2008 to 2013. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6345-6367.	1.9	62
31	Constraining carbonaceous aerosol sources in a receptor model by including 14C data with redox species, organic tracers, and elemental/organic carbon measurements. <i>Atmospheric Environment</i> , 2013, 80, 216-225.	1.9	11
32	Epoxide Pathways Improve Model Predictions of Isoprene Markers and Reveal Key Role of Acidity in Aerosol Formation. <i>Environmental Science & Technology</i> , 2013, 47, 11056-11064.	4.6	222
33	Secondary organic aerosol formation from the oxidation of a series of sesquiterpenes: α -cedrene, β -caryophyllene, α -humulene and α -farnesene with O ₃ , OH and NO ₃ radicals. <i>Environmental Chemistry</i> , 2013, 10, 178.	0.7	75
34	Collection Efficiency of the Aerosol Mass Spectrometer for Chamber-Generated Secondary Organic Aerosols. <i>Aerosol Science and Technology</i> , 2013, 47, 294-309.	1.5	50
35	Detailed chemical characterization of unresolved complex mixtures in atmospheric organics: Insights into emission sources, atmospheric processing, and secondary organic aerosol formation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 6783-6796.	1.2	69
36	Secondary organic aerosol characterisation at field sites across the United States during the spring-summer period. <i>International Journal of Environmental Analytical Chemistry</i> , 2013, 93, 1084-1103.	1.8	59

#	ARTICLE	IF	CITATIONS
37	Organic aerosol composition and sources in Pasadena, California, during the 2010 CalNex campaign. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 9233-9257.	1.2	231
38	SOA formation from the atmospheric oxidation of 2-methyl-3-buten-2-ol and its implications for PM _{2.5} . <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 2173-2188.	1.9	39
39	The formation of SOA and chemical tracer compounds from the photooxidation of naphthalene and its methyl analogs in the presence and absence of nitrogen oxides. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 8711-8726.	1.9	123
40	Organosulfates as Tracers for Secondary Organic Aerosol (SOA) Formation from 2-Methyl-3-Buten-2-ol (MBO) in the Atmosphere. <i>Environmental Science & Technology</i> , 2012, 46, 9437-9446.	4.6	128
41	Secondary organic aerosol formation from fossil fuel sources contribute majority of summertime organic mass at Bakersfield. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	72
42	Ultrahigh-resolution FT-ICR mass spectrometry characterization of α -pinene ozonolysis SOA. <i>Atmospheric Environment</i> , 2012, 46, 164-172.	1.9	80
43	Influence of aerosol acidity on the chemical composition of secondary organic aerosol from β -caryophyllene. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 1735-1751.	1.9	139
44	Source apportionment of the summer time carbonaceous aerosol at Nordic rural background sites. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 13339-13357.	1.9	99
45	Contributions of Biogenic and Anthropogenic Hydrocarbons to Secondary Organic Aerosol during 2006 in Research Triangle Park, NC. <i>Aerosol and Air Quality Research</i> , 2011, 11, 99-108.	0.9	50
46	Formation of organic tracers for isoprene SOA under acidic conditions. <i>Atmospheric Environment</i> , 2010, 44, 1798-1805.	1.9	37
47	Contribution of Primary and Secondary Sources to Organic Aerosol and PM _{2.5} at SEARCH Network Sites. <i>Journal of the Air and Waste Management Association</i> , 2010, 60, 1388-1399.	0.9	70
48	Source apportionment of primary and secondary organic aerosols using positive matrix factorization (PMF) of molecular markers. <i>Atmospheric Environment</i> , 2009, 43, 5567-5574.	1.9	97
49	Influence of Aerosol Acidity on the Formation of Secondary Organic Aerosol from Biogenic Precursor Hydrocarbons. <i>Environmental Science & Technology</i> , 2009, 43, 7742-7747.	4.6	83
50	The formation of secondary organic aerosol from the isoprene + OH reaction in the absence of NO _x . <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 6541-6558.	1.9	111
51	Characterization of organosulfates from the photooxidation of isoprene and unsaturated fatty acids in ambient aerosol using liquid chromatography/($\hat{\nu}$) electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2008, 43, 371-382.	0.7	222
52	Formation of secondary organic aerosol from irradiated α -pinene/toluene/NO _x mixtures and the effect of isoprene and sulfur dioxide. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	108
53	Primary and Secondary Contributions to Ambient PM in the Midwestern United States. <i>Environmental Science & Technology</i> , 2008, 42, 3303-3309.	4.6	140
54	Organosulfate Formation in Biogenic Secondary Organic Aerosol. <i>Journal of Physical Chemistry A</i> , 2008, 112, 8345-8378.	1.1	594

#	ARTICLE	IF	CITATIONS
55	Ozone-isoprene reaction: Re-examination of the formation of secondary organic aerosol. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	105
56	Investigation of a Systematic Offset in the Measurement of Organic Carbon with a Semicontinuous Analyzer. <i>Journal of the Air and Waste Management Association</i> , 2007, 57, 596-599.	0.9	13
57	Effect of Acidity on Secondary Organic Aerosol Formation from Isoprene. <i>Environmental Science & Technology</i> , 2007, 41, 5363-5369.	4.6	457
58	Hydroxycarboxylic Acids: Markers for Secondary Organic Aerosol from the Photooxidation of α -Pinene. <i>Environmental Science & Technology</i> , 2007, 41, 1628-1634.	4.6	226
59	Contributions of Toluene and α -Pinene to SOA Formed in an Irradiated Toluene/ α -Pinene/NO _x / Air Mixture: A Comparison of Results Using ¹⁴ C Content and SOA Organic Tracer Methods. <i>Environmental Science & Technology</i> , 2007, 41, 3972-3976.	4.6	75
60	Evidence for Organosulfates in Secondary Organic Aerosol. <i>Environmental Science & Technology</i> , 2007, 41, 517-527.	4.6	591
61	β -caryophyllinic acid: An atmospheric tracer for β -caryophyllene secondary organic aerosol. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	145
62	3-methyl-1,2,3-butanetricarboxylic acid: An atmospheric tracer for terpene secondary organic aerosol. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	268
63	Composition of PM _{2.5} during the summer of 2003 in Research Triangle Park, North Carolina. <i>Atmospheric Environment</i> , 2007, 41, 4073-4083.	1.9	91
64	A functional group characterization of organic PM _{2.5} exposure: Results from the RIOPA study. <i>Atmospheric Environment</i> , 2007, 41, 4585-4598.	1.9	43
65	Estimates of the contributions of biogenic and anthropogenic hydrocarbons to secondary organic aerosol at a southeastern US location. <i>Atmospheric Environment</i> , 2007, 41, 8288-8300.	1.9	459
66	Thermal properties of secondary organic aerosols. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	76
67	Secondary Organic Carbon and Aerosol Yields from the Irradiations of Isoprene and α -Pinene in the Presence of NO _x and SO ₂ . <i>Environmental Science & Technology</i> , 2006, 40, 3807-3812.	4.6	172
68	Analysis of Secondary Organic Aerosol Compounds from the Photooxidation of d-Limonene in the Presence of NO _x and their Detection in Ambient PM _{2.5} . <i>Environmental Science & Technology</i> , 2006, 40, 3819-3828.	4.6	91
69	Atmospheric dry deposition of trace elements measured around the urban and industrially impacted NY-NJ harbor. <i>Atmospheric Environment</i> , 2006, 40, 6626-6637.	1.9	26
70	Persistent Organic Pollutants in Dusts That Settled at Indoor and Outdoor Locations in Lower Manhattan after September 11, 2001. <i>ACS Symposium Series</i> , 2005, , 103-113.	0.5	0
71	Atmospheric concentrations and deposition of organochlorine pesticides in the US Mid-Atlantic region. <i>Atmospheric Environment</i> , 2005, 39, 2309-2322.	1.9	78
72	Formation of 2-methyl tetrols and 2-methylglyceric acid in secondary organic aerosol from laboratory irradiated isoprene/NO _x /SO ₂ /air mixtures and their detection in ambient PM _{2.5} samples collected in the eastern United States. <i>Atmospheric Environment</i> , 2005, 39, 5281-5289.	1.9	399

#	ARTICLE	IF	CITATIONS
73	The impact of urban areas on the deposition of air toxics to adjacent surface waters: A mass budget of PCBs in Lake Michigan in 1994. <i>Aquatic Sciences</i> , 2005, 67, 79-85.	0.6	19
74	Polybrominated Diphenyl Ethers in House Dust and Clothes Dryer Lint. <i>Environmental Science & Technology</i> , 2005, 39, 925-931.	4.6	421
75	Identification and Quantification of Aerosol Polar Oxygenated Compounds Bearing Carboxylic or Hydroxyl Groups. 2. Organic Tracer Compounds from Monoterpenes. <i>Environmental Science & Technology</i> , 2005, 39, 5661-5673.	4.6	154
76	Atmospheric Concentrations and Deposition of Polycyclic Aromatic Hydrocarbons to the Mid-Atlantic East Coast Region. <i>Environmental Science & Technology</i> , 2005, 39, 5550-5559.	4.6	89
77	Persistent organic pollutants in dusts that settled indoors in lower Manhattan after September 11, 2001. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2004, 14, 164-172.	1.8	38
78	Ambient pollutant concentrations measured by a mobile laboratory in South Bronx, NY. <i>Atmospheric Environment</i> , 2004, 38, 5283-5294.	1.9	50
79	Sources of polycyclic aromatic hydrocarbons to the Hudson River Airshed. <i>Atmospheric Environment</i> , 2004, 38, 5971-5981.	1.9	100
80	Atmospheric Wet Deposition of Total Phosphorus in New Jersey. <i>Water, Air, and Soil Pollution</i> , 2004, 154, 139-150.	1.1	20
81	Chlordanes in the Mid-Atlantic Atmosphere: A New Jersey 1997-1999. <i>Environmental Science & Technology</i> , 2004, 38, 3488-3497.	4.6	13
82	Atmospheric Concentrations and Deposition of Polychlorinated Biphenyls to the Hudson River Estuary. <i>Environmental Science & Technology</i> , 2004, 38, 2568-2573.	4.6	70
83	Response to Comment on "Reevaluation of Air-Water Exchange Fluxes of PCBs in Green Bay and Southern Lake Michigan". <i>Environmental Science & Technology</i> , 2004, 38, 1629-1632.	4.6	15
84	Chlordanes in the Indoor and Outdoor Air of Three U.S. Cities. <i>Environmental Science & Technology</i> , 2004, 38, 2760-2768.	4.6	27
85	PARTICULATE AND GASEOUS POLLUTANT CONCENTRATIONS IN SOUTH BRONX, NY. <i>Epidemiology</i> , 2004, 15, S68-S69.	1.2	2
86	Gas/particle distribution of polycyclic aromatic hydrocarbons in coupled outdoor/indoor atmospheres. <i>Atmospheric Environment</i> , 2003, 37, 703-719.	1.9	109
87	Reevaluation of Air-Water Exchange Fluxes of PCBs in Green Bay and Southern Lake Michigan. <i>Environmental Science & Technology</i> , 2003, 37, 1739-1743.	4.6	35
88	Persistent Organic Pollutants in the Dusts That Settled across Lower Manhattan after September 11, 2001. <i>Environmental Science & Technology</i> , 2003, 37, 502-508.	4.6	82
89	Precipitation Scavenging of Polychlorinated Biphenyls and Polycyclic Aromatic Hydrocarbons along an Urban to Over-water Transect. <i>Environmental Science & Technology</i> , 2002, 36, 3763-3771.	4.6	61
90	Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001.. <i>Environmental Health Perspectives</i> , 2002, 110, 703-714.	2.8	586

#	ARTICLE	IF	CITATIONS
91	The influence of aerosol size and organic carbon content on gas/particle partitioning of polycyclic aromatic hydrocarbons (PAHs). <i>Atmospheric Environment</i> , 2002, 36, 1205-1220.	1.9	53
92	Aerosol size distributions of elemental and organic carbon in urban and over-water atmospheres. <i>Atmospheric Environment</i> , 2000, 34, 1509-1517.	1.9	104
93	PCBs and PAHs in Southern Lake Michigan in 1994 and 1995: Urban Atmospheric Influences and Long-Term Declines. <i>Journal of Great Lakes Research</i> , 2000, 26, 196-208.	0.8	27
94	Influence of Baltimore's Urban Atmosphere on Organic Contaminants over the Northern Chesapeake Bay. <i>Journal of the Air and Waste Management Association</i> , 1999, 49, 959-965.	0.9	44
95	Diffusive Exchange of Polycyclic Aromatic Hydrocarbons across the Air-Water Interface of the Patapsco River, an Urbanized Subestuary of the Chesapeake Bay. <i>Environmental Science & Technology</i> , 1999, 33, 2138-2144.	4.6	89
96	Evidence for Increased Gaseous PCB Fluxes to Lake Michigan from Chicago. <i>Environmental Science & Technology</i> , 1999, 33, 2129-2137.	4.6	86
97	Aerosol Size Distributions of Polycyclic Aromatic Hydrocarbons in Urban and Over-Water Atmospheres. <i>Environmental Science & Technology</i> , 1999, 33, 3324-3331.	4.6	126
98	Polychlorinated Biphenyls in Chicago Precipitation: Enhanced Wet Deposition to Near-Shore Lake Michigan. <i>Environmental Science & Technology</i> , 1997, 31, 1534-1538.	4.6	82
99	Polycyclic Aromatic Hydrocarbons in the Great Lakes. , 0, , 307-353.		8