Igor N Mezhevoi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2497773/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Insight into the complex formation of β-alanyl-L-histidine with nicotinic acid in water and buffer aqueous solution. Journal of Molecular Liquids, 2021, 329, 115568.	4.9	2
2	Molecular complexes of polar basic amino acids (l-lysine, l-histidine) with nicotinic acid in water and buffer solution: A thermodynamic aspects. Journal of Chemical Thermodynamics, 2021, 161, 106552.	2.0	5
3	Thermodynamic properties of crystalline L-carnosine and its aqueous solutions. Journal of Chemical Thermodynamics, 2020, 150, 106206.	2.0	9
4	The influence of structure of isomolecular dipeptides of α-L-alanyl-α-L-alanine and β-alanyl-β-alanine on their behavior in aqueous micellar solution of SDS. Thermochimica Acta, 2020, 689, 178647.	2.7	6
5	Observation of complex formation between l-histidine and heterocyclic compounds in water and aqueous buffer solution using calorimetric and spectroscopic methods. Journal of Molecular Liquids, 2019, 278, 505-511.	4.9	9
6	Volumetric and heat capacity studies of heterocyclic compounds in aqueous amino acids buffer solutions at 298.15†K. Journal of Chemical Thermodynamics, 2019, 131, 40-48.	2.0	14
7	Effect of Tryptophan and Asparagine Structure on the Enthalpic Characteristics of Their Dissolution in Aqueous Solutions of Sodium Dodecyl Sulfate. Russian Journal of Physical Chemistry A, 2018, 92, 466-469.	0.6	1
8	Thermochemical analysis of intermolecular interactions between N-acetylglycine and polyols in aqueous solutions. Russian Journal of Physical Chemistry A, 2017, 91, 810-813.	0.6	1
9	Study on the Interaction of Nicotinic Acid with I-Phenylalanine in Buffer Solution by Heat Capacity Measurements at Various Temperatures. Journal of Solution Chemistry, 2017, 46, 249-258.	1.2	10
10	Enthalpy parameters of molecular interactions of dl-α-alanyl-dl-α-alanine with polyhydric alcohols in the aqueous solution. Russian Journal of General Chemistry, 2017, 87, 1766-1770.	0.8	1
11	Measuring the enthalpies of interaction between glycine, L-cysteine, glycylglycine, and sodium dodecyl sulfate in aqueous solutions. Russian Journal of Physical Chemistry A, 2017, 91, 521-524.	0.6	3
12	Thermodynamic characteristics of molecular interactions between L-tryptophan and nicotinic acid and uracyl in aqueous buffer solutions at 298 K. Russian Journal of Physical Chemistry A, 2015, 89, 2229-2233.	0.6	14
13	Enthalpic parameters of interaction between diglycylglycine and polyatomic alcohols in aqueous solutions. Russian Journal of Physical Chemistry A, 2015, 89, 2222-2225.	0.6	4
14	Energetics of the molecular interactions of L-cysteine, L-serine, and L-asparagine in aqueous propylene glycol solutions at 298.15 K. Russian Journal of Physical Chemistry A, 2015, 89, 393-397.	0.6	3
15	Thermodynamics of aromatic amino acid interactions with heterocyclic ligands. Journal of Molecular Liquids, 2015, 211, 494-497.	4.9	17
16	Thermochemical study of glycylglycine interaction with polyhydric alcohols in aqueous solution. Russian Journal of General Chemistry, 2015, 85, 816-819.	0.8	3
17	Thermochemical analysis of intermolecular interaction of aliphatic amino acids with propanediol-1,3 in aqueous media. Russian Journal of General Chemistry, 2014, 84, 223-226.	0.8	5
18	Thermodynamic characteristics of the interaction between nicotinic acid and phenylalanine in an aqueous buffer solution at 298 K. Russian Journal of Physical Chemistry A, 2013, 87, 1306-1309.	0.6	10

IGOR N MEZHEVOI

#	Article	IF	CITATIONS
19	Energetics of the molecular interactions of L-alanine and L-serine with xylitol, D-sorbitol, and D-mannitol in aqueous solutions at 298.15 K. Russian Journal of Physical Chemistry A, 2013, 87, 589-592.	0.6	2
20	Enthalpy pair coefficients of interaction for DL-valine in aqueous solutions of polyatomic alcohols at 298 K. Russian Journal of Physical Chemistry A, 2013, 87, 2023-2026.	0.6	3
21	Enthalpy characteristics of L-asparagine interaction with glycerol, ethylene glycol, and 1,2-propylene glycol in aqueous solutions. Russian Journal of General Chemistry, 2012, 82, 1101-1104.	0.8	5
22	Thermochemical characteristics of interactions of DL-alanine in aqueous solutions of glycerol, ethylene glycol, and 1,2-propylene glycol. Russian Journal of General Chemistry, 2012, 82, 1801-1804.	0.8	5
23	Thermodynamical characteristics of the reaction of pyridoxal-5′-phosphate with L-amino acids in aqueous buffer solution. Russian Journal of Physical Chemistry A, 2011, 85, 16-20.	0.6	13
24	Thermochemical characteristics of the interaction of L-cysteine with glycerol, ethylene glycol, and 1,2-propylene glycol in aqueous solutions. Russian Journal of Physical Chemistry A, 2011, 85, 934-937.	0.6	4
25	Standard enthalpies of dissolution of L-alanine in the water solutions of glycerol, ethylene glycol, and 1,2-propylene glycol at 298.15 K. Russian Journal of Physical Chemistry A, 2010, 84, 607-610.	0.6	13
26	Enthalpic characteristics of solution of amino acids and aliphatic dipeptides in aqueous solutions of KCl. Russian Journal of Physical Chemistry A, 2010, 84, 1862-1866.	0.6	2
27	Thermochemical investigation of interaction of L-serin with glycerol, ethylene glycol, and 1,2-propylene glycol in aqueous solutions. Russian Journal of General Chemistry, 2010, 80, 27-30.	0.8	7
28	The Enthalpies of Solution of L-cysteine, L-serine andÂL-asparagine in Aqueous Solutions of Some Alcohols atÂ298.15ÂK. Journal of Solution Chemistry, 2009, 38, 1217-1223.	1.2	9
29	The solvation of L-serine in mixtures of water with some aprotic solvents at 298.15 K. Russian Journal of Physical Chemistry A, 2009, 83, 388-391.	0.6	6
30	The thermochemical characteristics of solution of L-cysteine and L-asparagine in aqueous 1,4-dioxane and acetone. Russian Journal of Physical Chemistry A, 2009, 83, 1121-1124.	0.6	3
31	Enthalpy characteristics of dissolution of l-cysteine and l-asparagine in aqueous solutions of acetonitrile and dimethyl sulfoxide at 298.15 K. Russian Chemical Bulletin, 2008, 57, 2452-2455.	1.5	9
32	Enthalpy characteristics of solution of L-cysteine and L-asparagine in water-alcohol mixtures at 298.15 K. Russian Journal of General Chemistry, 2008, 78, 597-601.	0.8	4
33	Thermochemistry of glycyl-DL-α-alanine dissolution in water-alcohol solutions at 298.15 K. Russian Journal of General Chemistry, 2008, 78, 1893-1896.	0.8	4
34	The thermochemical characteristics of solution of DL-α-alanylglycine and DL-α-alanylalanine in water-alcohol mixtures at 298.15 K. Russian Journal of Physical Chemistry A, 2007, 81, 727-730.	0.6	11
35	The thermochemical characteristics of solution of DL-α-alanylglycine and DL-α-alanyl-DL-α-alanine in water-organic solvent mixtures at 298.15 K. Russian Journal of Physical Chemistry A, 2007, 81, 1245-1249.	0.6	20
36	Calorimetric study of dissolution of amino carboxylic acids in water at 298.15 K. Russian Journal of Applied Chemistry, 2007, 80, 711-715.	0.5	52

#	Article	IF	CITATIONS
37	The enthalpies of solution of DL-α-alanine in water-organic solvent mixtures at 298.15 K. Russian Journal of Physical Chemistry A, 2006, 80, 672-677.	0.6	23
38	Enthalpy of Solution of Glycine at Various pHs. Russian Journal of General Chemistry, 2003, 73, 1032-1035.	0.8	4