

Alan X Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2497893/publications.pdf>

Version: 2024-02-01

64
papers

1,540
citations

279487

23
h-index

315357

38
g-index

65
all docs

65
docs citations

65
times ranked

1781
citing authors

#	ARTICLE	IF	CITATIONS
1	MOS Capacitor-Driven Silicon Modulators: A Mini Review and Comparative Analysis of Modulation Efficiency and Optical Loss. IEEE Journal of Selected Topics in Quantum Electronics, 2022, 28, 1-11.	1.9	11
2	Multiplex sensing of complex mixtures by machine vision analysis of TLC-SERS images. Sensors and Actuators B: Chemical, 2022, 357, 131355.	4.0	8
3	Ultra-Sensitive, Rapid and On-Site Sensing Harmful Ingredients Used in Aquaculture with Magnetic Fluid SERS. Biosensors, 2022, 12, 169.	2.3	5
4	Femto-Joule All-Optical Switching Using Epsilon-Near-Zero High-Mobility Conductive Oxide. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-9.	1.9	16
5	Fabrication and Application of SERS-Active Cellulose Fibers Regenerated from Waste Resource. Polymers, 2021, 13, 2142.	2.0	7
6	Electrically Tunable High-Quality Factor Silicon Microring Resonator Gated by High Mobility Conductive Oxide. ACS Photonics, 2021, 8, 1933-1936.	3.2	16
7	High-efficiency and high-speed germanium photodetector enabled by multiresonant photonic crystal. Nanophotonics, 2021, 10, 1081-1087.	2.9	23
8	Sub-Part-Per-Billion Level Sensing of Fentanyl Residues from Wastewater Using Portable Surface-Enhanced Raman Scattering Sensing. Biosensors, 2021, 11, 370.	2.3	13
9	Thermal-Free Tunable Silicon Microring Resonator Driven by High-Mobility Conducting Oxide. , 2021, , .		0
10	Plasmonic color filter array based visible light spectroscopy. Scientific Reports, 2021, 11, 23687.	1.6	6
11	Plasmonic cellulose textile fiber from waste paper for BPA sensing by SERS. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 227, 117664.	2.0	28
12	Multiscale Photonic Crystal Enhanced Core-Shell Plasmonic Nanomaterial for Rapid Vapor-Phase Detection of Explosives. ACS Applied Nano Materials, 2020, 3, 1656-1665.	2.4	13
13	Photonic Crystal Enhanced SERS Detection of Analytes Separated by Ultrathin Layer Chromatography Using a Diatom Frustule Monolayer. Advanced Materials Interfaces, 2020, 7, 2000191.	1.9	18
14	High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. Journal of Lightwave Technology, 2020, 38, 3338-3345.	2.7	30
15	Simultaneous colorimetric and surface-enhanced Raman scattering detection of melamine from milk. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 231, 118130.	2.0	33
16	Nanostructured copper sulfide thin film via a spatial successive ionic layer adsorption and reaction process showing significant surface-enhanced infrared absorption of CO ₂ . Journal of Materials Chemistry C, 2020, 8, 3069-3078.	2.7	9
17	VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. Journal of Lightwave Technology, 2020, 38, 1659-1667.	2.7	23
18	Self-powered microfluidic pump using evaporation from diatom biosilica thin films. Microfluidics and Nanofluidics, 2020, 24, 1.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Silicon Microring Resonator Driven by High-Mobility Conductive Oxide Capacitor. , 2020, , .		1
20	Quaternion-based parallel feature extraction: Extending the horizon of quantitative analysis using TLC-SERS sensing. Sensors and Actuators B: Chemical, 2019, 299, 126902.	4.0	8
21	Silicon Microring Modulator with Transparent Conductive Oxide Gate. , 2019, , .		1
22	High-Speed Atto-Joule per Bit Photonic Crystal Nanocavity Modulator. , 2019, , .		0
23	Tetrahydrocannabinol Sensing in Complex Biofluid with Portable Raman Spectrometer Using Diatomaceous SERS Substrates. Biosensors, 2019, 9, 125.	2.3	22
24	Silicon-Plasmonic Electro-Absorption Modulator Gated by High Mobility Indium Oxide. , 2019, , .		0
25	Highly-porous diatom biosilica stationary phase for thin-layer chromatography. Journal of Chromatography A, 2019, 1591, 162-170.	1.8	11
26	Biological Photonic Crystalâ€Enhanced Plasmonic Mesocapsules: Approaching Singleâ€Molecule Optofluidicâ€SERS Sensing. Advanced Optical Materials, 2019, 7, 1900415.	3.6	44
27	Trace Detection of Tetrahydrocannabinol in Body Fluid via Surface-Enhanced Raman Scattering and Principal Component Analysis. ACS Sensors, 2019, 4, 1109-1117.	4.0	73
28	Quantitative TLC-SERS detection of histamine in seafood with support vector machine analysis. Food Control, 2019, 103, 111-118.	2.8	65
29	Photonic crystal-enhanced fluorescence imaging immunoassay for cardiovascular disease biomarker screening with machine learning analysis. Sensors and Actuators B: Chemical, 2019, 290, 118-124.	4.0	31
30	High-Speed Plasmonic-Conductive Oxide-Silicon Modulator by Epsilon-Near-Zero Electro-Absorption. , 2019, , .		1
31	Hybrid silicon-conductive oxide-plasmonic electro-absorption modulator with 2-V swing voltage. Journal of Nanophotonics, 2019, 13, 1.	0.4	5
32	Hybrid femtocellâ€attocell optical links for indoor free-space optical communication. Optical Engineering, 2019, 58, 1.	0.5	1
33	Microfluidic diatomite analytical devices for illicit drug sensing with ppb-Level sensitivity. Sensors and Actuators B: Chemical, 2018, 259, 587-595.	4.0	91
34	Ultracompact Silicon-Conductive Oxide Nanocavity Modulator with 0.02 Lambda-Cubic Active Volume. Nano Letters, 2018, 18, 1075-1081.	4.5	56
35	Dual-Mode Silicon Photonic Crystal Nanocavity Modulator with Indium Oxide Gate. , 2018, , .		2
36	Energy-Efficient Silicon Photonic Crystal Nanocavity Modulator Driven by Indium Oxide Gate. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
37	Photonic crystal enhanced fluorescence immunoassay on diatom biosilica. Journal of Biophotonics, 2018, 11, e201800009.	1.1	21
38	Diatomite Photonic Crystals for Facile On-Chip Chromatography and Sensing of Harmful Ingredients from Food. Materials, 2018, 11, 539.	1.3	25
39	Multi-functional regenerated cellulose fibers decorated with plasmonic Au nanoparticles for colorimetry and SERS assays. Cellulose, 2018, 25, 6041-6053.	2.4	24
40	Electrokinetic Manipulation Integrated Plasmonicâ€“Photonic Hybrid Raman Nanosensors with Dually Enhanced Sensitivity. ACS Sensors, 2017, 2, 346-353.	4.0	26
41	Ultra-sensitive lab-on-a-chip detection of Sudan I in food using plasmonics-enhanced diatomaceous thin film. Food Control, 2017, 79, 258-265.	2.8	47
42	Plasmonic nanoparticlesâ€“decorated diatomite biosilica: extending the horizon of onâ€“chip chromatography and labelâ€“free biosensing. Journal of Biophotonics, 2017, 10, 1473-1484.	1.1	22
43	Detecting explosive molecules from nanoliter solution: A new paradigm of SERS sensing on hydrophilic photonic crystal biosilica. Biosensors and Bioelectronics, 2017, 88, 63-70.	5.3	57
44	Design and Characterization of High Efficiency Nanoantenna Couplers With Plasmonic Integrated Circuit. Journal of Lightwave Technology, 2017, 35, 3182-3188.	2.7	11
45	A surface-normal plasmonic modulator with electro-optic polymer in metallic slits. , 2016, , .		0
46	Ultra-compact plasmonic waveguides with high efficiency dipole nanoantennas. , 2016, , .		1
47	Chemical and Biological Sensing Using Diatom Photonic Crystal Biosilica With In-Situ Growth Plasmonic Nanoparticles. IEEE Transactions on Nanobioscience, 2016, 15, 828-834.	2.2	42
48	On-chip near-infrared spectroscopy of CO2 using high resolution plasmonic filter array. Applied Physics Letters, 2016, 108, .	1.5	23
49	Optofluidic sensing from inkjet-printed droplets: the enormous enhancement by evaporation-induced spontaneous flow on photonic crystal biosilica. Nanoscale, 2016, 8, 17285-17294.	2.8	44
50	Facile detection of biogenic amines in plasma using photonic crystal biosilica combining surface-enhanced Raman spectroscopy and thin layer chromatography. , 2016, , .		1
51	Plasmonic integrated circuits with high efficiency nano-antenna couplers. , 2016, , .		1
52	Direct and Efficient Optical Coupling Into Plasmonic Integrated Circuits From Optical Fibers. IEEE Photonics Technology Letters, 2016, 28, 1165-1168.	1.3	6
53	Review of Recent Progress of Plasmonic Materials and Nano-Structures for Surface-Enhanced Raman Scattering. Materials, 2015, 8, 3024-3052.	1.3	193
54	Plasmonics-enhanced metalâ€“organic framework nanoporous films for highly sensitive near-infrared absorption. Journal of Materials Chemistry C, 2015, 3, 2763-2767.	2.7	41

#	ARTICLE	IF	CITATIONS
55	Bioenabled SERS substrates for food safety and drinking water monitoring. Proceedings of SPIE, 2015, 9488, .	0.8	6
56	Ultrashort Near-Infrared Fiber-Optic Sensors for Carbon Dioxide Detection. IEEE Sensors Journal, 2015, 15, 5327-5332.	2.4	49
57	Ultra-sensitive immunoassay biosensors using hybrid plasmonic-biosilica nanostructured materials. Journal of Biophotonics, 2015, 8, 659-667.	1.1	51
58	Guided-Mode Resonance Grating with Self-Assembled Silver Nanoparticles for Surface-Enhanced Raman Scattering Spectroscopy. Photonics, 2014, 1, 380-389.	0.9	17
59	Surface-Enhanced Raman Spectroscopy Sensors From Nanobiosilica With Self-Assembled Plasmonic Nanoparticles. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 127-132.	1.9	38
60	Enhancing surface plasmon resonances of metallic nanoparticles by diatom biosilica. Optics Express, 2013, 21, 15308.	1.7	60
61	Guided-mode-resonance-coupled plasmonic-active SiO ₂ nanotubes for surface enhanced Raman spectroscopy. Applied Physics Letters, 2012, 100, 191114.	1.5	53
62	Reduced surface roughness with improved imprinting technique for polymer optical components. , 2012,, .		1
63	Ultra-efficient nano-photonic devices using hybrid material systems for optical communication and sensing. , 2012,, .		1
64	Manufacturing of board level waveguide bus using hard mold. , 2012,, .		0