## Mi-Bo Kim

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2498570/publications.pdf

Version: 2024-02-01

686830 676716 28 506 13 22 citations h-index g-index papers 28 28 28 732 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Kirenol stimulates osteoblast differentiation through activation of the BMP and Wnt/ $\hat{l}^2$ -catenin signaling pathways in MC3T3-E1 cells. F¬toterapĀ¬Ã¢, 2014, 98, 59-65.	1.1	87
2	Kirenol inhibits adipogenesis through activation of the Wnt/ $\hat{l}^2$ -catenin signaling pathway in 3T3-L1 adipocytes. Biochemical and Biophysical Research Communications, 2014, 445, 433-438.	1.0	52
3	Nicotinamide riboside, an NAD+ precursor, attenuates the development of liver fibrosis in a diet-induced mouse model of liver fibrosis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 2451-2463.	1.8	43
4	Protective Effects of Standardized Siegesbeckia glabrescens Extract and Its Active Compound Kirenol against UVB-Induced Photoaging through Inhibition of MAPK/NF-��B Pathways. Journal of Microbiology and Biotechnology, 2017, 27, 242-250.	0.9	40
5	Antihyperglycemic and Anti-Inflammatory Effects of Standardized <i>Curcuma xanthorrhiza </i> Roxb. Extract and Its Active Compound Xanthorrhizol in High-Fat Diet-Induced Obese Mice. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10.	0.5	28
6	5,7-Dimethoxyflavone Attenuates Obesity by Inhibiting Adipogenesis in 3T3-L1 Adipocytes and High-Fat Diet-Induced Obese C57BL/6J Mice. Journal of Medicinal Food, 2016, 19, 1111-1119.	0.8	24
7	Inhibitory Effects of Panduratin A on Periodontitis-Induced Inflammation and Osteoclastogenesis through Inhibition of MAPK Pathways In Vitro. Journal of Microbiology and Biotechnology, 2018, 28, 190-198.	0.9	19
8	Whole grain cereal attenuates obesity-induced muscle atrophy by activating the PI3K/Akt pathway in obese C57BL/6N mice. Food Science and Biotechnology, 2018, 27, 159-168.	1.2	16
9	Red Bean Extract Inhibits Immobilization-Induced Muscle Atrophy in C57BL/6N Mice. Journal of Medicinal Food, 2020, 23, 29-36.	0.8	16
10	Anti-Photoaging Effect of Korean Mint (Agastache rugosa Kuntze) Extract on UVB-Irradiated Human Dermal Fibroblasts. Preventive Nutrition and Food Science, 2019, 24, 442-448.	0.7	16
11	Fucosterol inhibits adipogenesis through the activation of AMPK and Wnt/ $\hat{l}^2$ -catenin signaling pathways. Food Science and Biotechnology, 2017, 26, 489-494.	1.2	15
12	Standardized (i) Kaempferia parviflora (i) Extract Inhibits Intrinsic Aging Process in Human Dermal Fibroblasts and Hairless Mice by Inhibiting Cellular Senescence and Mitochondrial Dysfunction. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-14.	0.5	15
13	Hypoglycemic effect of whole grain diet in C57BL/KsJ-db/db mice by activating PI3K/Akt and AMPK pathways. Food Science and Biotechnology, 2019, 28, 895-905.	1.2	15
14	The anti-photoaging and moisturizing effects of Bouea macrophylla extract in UVB-irradiated hairless mice. Food Science and Biotechnology, 2018, 27, 147-157.	1.2	14
15	Standardized <i>Kaempferia parviflora</i> Wall. ex Baker (Zingiberaceae) Extract Inhibits Fat Accumulation and Muscle Atrophy in <i>ob/ob</i> Mice. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	0.5	14
16	Standardized <i>Kaempferia parviflora</i> Extract Enhances Exercise Performance Through Activation of Mitochondrial Biogenesis. Journal of Medicinal Food, 2018, 21, 30-38.	0.8	13
17	Optimization of high hydrostatic pressure process for the extraction of kirenol from Siegesbeckia orientalis L. using response surface methodology. Food Science and Biotechnology, 2014, 23, 731-738.	1.2	11
18	Panduratin A Prevents Tumor Necrosis Factor-Alpha-Induced Muscle Atrophy in L6 Rat Skeletal Muscle Cells. Journal of Medicinal Food, 2017, 20, 1047-1054.	0.8	11

#	Article	lF	CITATIONS
19	Standardized <i>Boesenbergia pandurata</i> Extract Stimulates Exercise Endurance Through Increasing Mitochondrial Biogenesis. Journal of Medicinal Food, 2016, 19, 692-700.	0.8	10
20	The loss of histone deacetylase 4 in macrophages exacerbates hepatic and adipose tissue inflammation in male but not in female mice with dietâ€induced nonâ€alcoholic steatohepatitis. Journal of Pathology, 2021, 255, 319-329.	2.1	9
21	Inhibitory effect of vitamin C on intrinsic aging in human dermal fibroblasts and hairless mice. Food Science and Biotechnology, 2018, 27, 555-564.	1.2	7
22	Nicotinamide riboside supplementation exerts an anti–obesity effect and prevents inflammation and fibrosis in white adipose tissue of female diet-induced obesity mice. Journal of Nutritional Biochemistry, 2022, 107, 109058.	1.9	7
23	Enhancement of Phenolic Production and Antioxidant Activity from Buckwheat Leaves by Subcritical Water Extraction. Preventive Nutrition and Food Science, 2017, 22, 345-352.	0.7	6
24	Comprehensive characterization of metabolic, inflammatory and fibrotic changes in a mouse model of diet-derived nonalcoholic steatohepatitis. Journal of Nutritional Biochemistry, 2020, 85, 108463.	1.9	6
25	<i>Piper retrofractum</i> Vahl. Extract, as a PPAR <i><math>\hat{l}</math></i> leand AMPK Activator, Suppresses UVB-Induced Photoaging through Mitochondrial Biogenesis and MMPs Inhibition in Human Dermal Fibroblasts and Hairless Mice. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	0.5	5
26	High hydrostatic pressure extract of Siegesbeckia orientalis inhibits adipogenesis through the activation of the Wnt/ $\hat{l}^2$ -catenin signaling pathway. Food Science and Biotechnology, 2020, 29, 977-985.	1.2	4
27	Standardized <i> Siegesbeckia orientalis &lt; /i &gt; L. Extract Increases Exercise Endurance Through Stimulation of Mitochondrial Biogenesis. Journal of Medicinal Food, 2019, 22, 1159-1167.</i>	0.8	3
28	Preventive Effects of Whole Grain Cereals on Sarcopenic Obesity in High-fat Diet-induced Obese Mice. Food Engineering Progress, 2018, 22, 358-365.	0.0	0