## Lada E Petrovskaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2499023/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biodiversity of cryopegs in permafrost. FEMS Microbiology Ecology, 2005, 53, 117-128.	1.3	186
2	Biogeochemistry of methane and methanogenic archaea in permafrost. FEMS Microbiology Ecology, 2007, 61, 1-15.	1.3	118
3	Lipid–protein nanodiscs for cell-free production of integral membrane proteins in a soluble and folded state: Comparison with detergent micelles, bicelles and liposomes. Biochimica Et Biophysica Acta - Biomembranes, 2012, 1818, 349-358.	1.4	95
4	Structural insights into the proton pumping by unusual proteorhodopsin from nonmarine bacteria. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12631-12636.	3.3	83
5	Predicted bacteriorhodopsin from <i>Exiguobacterium sibiricum</i> is a functional proton pump. FEBS Letters, 2010, 584, 4193-4196.	1.3	62
6	Cloning, purification, and characterization of a cold-adapted esterase produced by <i>Psychrobacter cryohalolentis</i> K5 <sup>T</sup> from Siberian cryopeg. FEMS Microbiology Ecology, 2012, 82, 367-375.	1.3	61
7	Methanobacterium veterum sp. nov., from ancient Siberian permafrost. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 455-459.	0.8	60
8	Metagenomic analyses of the late Pleistocene permafrost – additional tools for reconstruction of environmental conditions. Biogeosciences, 2016, 13, 2207-2219.	1.3	59
9	Lipid–protein nanodiscs promote in vitro folding of transmembrane domains of multi-helical and multimeric membrane proteins. Biochimica Et Biophysica Acta - Biomembranes, 2013, 1828, 776-784.	1.4	42
10	Expression and characterization of a new esterase with GCSAG motif from a permafrost metagenomic library. FEMS Microbiology Ecology, 2016, 92, fiw046.	1.3	39
11	Breaking the Carboxyl Rule. Journal of Biological Chemistry, 2013, 288, 21254-21265.	1.6	36
12	Photocycle of <i>Exiguobacterium sibiricum</i> Rhodopsin Characterized by Low-Temperature Trapping in the IR and Time-Resolved Studies in the Visible. Journal of Physical Chemistry B, 2013, 117, 7235-7253.	1.2	26
13	Characterization of a cold-active lipase from Psychrobacter cryohalolentis K5T and its deletion mutants. Biochemistry (Moscow), 2013, 78, 385-394.	0.7	24
14	Expression and chaperone-assisted refolding of a new cold-active lipase from Psychrobacter cryohalolentis K5T. Protein Expression and Purification, 2013, 91, 96-103.	0.6	22
15	Two Metagenomes from Late Pleistocene Northeast Siberian Permafrost. Genome Announcements, 2015, 3, .	0.8	20
16	Electrogenic steps of light-driven proton transport in ESR, a retinal protein from Exiguobacterium sibiricum. Biochimica Et Biophysica Acta - Bioenergetics, 2016, 1857, 1741-1750.	0.5	19
17	Cell surface display of cold-active esterase EstPc with the use of a new autotransporter from Psychrobacter cryohalolentis K5T. Extremophiles, 2015, 19, 161-170.	0.9	16
18	Elimination of proton donor strongly affects directionality and efficiency of proton transport in ESR, a light-driven proton pump from Exiguobacterium sibiricum. Biochimica Et Biophysica Acta - Bioenergetics, 2019, 1860, 1-11.	0.5	16

LADA E PETROVSKAYA

#	Article	IF	CITATIONS
19	Earth's perennially frozen environments as a model of cryogenic planet ecosystems. Permafrost and Periglacial Processes, 2018, 29, 246-256.	1.5	14
20	New member of the hormone-sensitive lipase family from the permafrost microbial community. Bioengineered, 2017, 8, 420-423.	1.4	13
21	Thermal Inactivation of a Cold-Active Esterase PMGL3 Isolated from the Permafrost Metagenomic Library. Biomolecules, 2019, 9, 880.	1.8	12
22	Chapter 8. Yeasts Isolated from Ancient Permafrost. , 2005, , 118-126.		12
23	His57 controls the efficiency of ESR, a light-driven proton pump from Exiguobacterium sibiricum at low and high pH. Biochimica Et Biophysica Acta - Bioenergetics, 2021, 1862, 148328.	0.5	11
24	Comparative Femtosecond Spectroscopy of Primary Photoreactions of Exiguobacterium sibiricum Rhodopsin and Halobacterium salinarum Bacteriorhodopsin. Journal of Physical Chemistry B, 2021, 125, 995-1008.	1.2	11
25	Crystal structure of PMGL2 esterase from the hormone-sensitive lipase family with GCSAG motif around the catalytic serine. PLoS ONE, 2020, 15, e0226838.	1.1	10
26	Engineering of Thermal Stability in a Cold-Active Oligo-1,6-Glucosidase from Exiguobacterium sibiricum with Unusual Amino Acid Content. Biomolecules, 2021, 11, 1229.	1.8	8
27	Fusion with the cold-active esterase facilitates autotransporter-based surface display of the 10th human fibronectin domain in Escherichia coli. Extremophiles, 2018, 22, 141-150.	0.9	6
28	Structural and Biochemical Characterization of a Cold-Active PMGL3 Esterase with Unusual Oligomeric Structure. Biomolecules, 2021, 11, 57.	1.8	6
29	Effect of Cysteine Residue Substitution in the GCSAG Motif of the PMGL2 Esterase Active Site on the Enzyme Properties. Biochemistry (Moscow), 2020, 85, 709-716.	0.7	4
30	The effect of the chromophoric group modification on the optical properties of retinal proteins. Mendeleev Communications, 2018, 28, 406-408.	0.6	2
31	Increased Synthesis of a Magnesium Transporter MgtA During Recombinant Autotransporter Expression in Escherichia coli. Applied Biochemistry and Biotechnology, 2021, 193, 3672-3703.	1.4	2
32	Proton transfer reactions in donor site mutants of ESR, a retinal protein from Exiguobacterium sibiricum. Journal of Photochemistry and Photobiology B: Biology, 2022, 234, 112529.	1.7	2
33	Overview of the "Photoreception―session at the 9th Congress of the Russian Photobiological Society: understanding structure and function of photoreceptors. Biophysical Reviews, 0, , .	1.5	1
34	Formation of an Efficient Energy Transfer Complex between Quantum Dots and Exiguobacterium sibiricum Retinal Protein via the Histidine-Cysteine Anchor. Russian Journal of Bioorganic Chemistry, 2018, 44, 687-694.	0.3	0
35	Editorial for the Special Issue: "State-of-Art in Protein Engineering― Biomolecules, 2022, 12, 966.	1.8	Ο