Manja Hethke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2500394/publications.pdf

Version: 2024-02-01

		1163117	996975
17	237	8	15
papers	citations	h-index	g-index
17	17	17	268
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Analysis of a Cretaceous (late Aptian) high-stress ecosystem: The Romualdo Formation of the Araripe Basin, northeastern Brazil. Cretaceous Research, 2019, 95, 268-296.	1.4	35
2	Depositional evolution of the Early Cretaceous Sihetun Lake and implications for regional climatic and volcanic history in western Liaoning, NE China. Sedimentary Geology, 2012, 257-260, 31-44.	2.1	33
3	Seasonal to sub-seasonal palaeoenvironmental changes in Lake Sihetun (Lower Cretaceous Yixian) Tj ETQq $1\ 1\ 0.7$	784314 rg 1.8	BT /Overlock
4	Biostratigraphy and geometric morphometrics of conchostracans (Crustacea, Branchiopoda) from the Late Triassic fissure deposits of Cromhall Quarry, <scp>UK</scp> . Palaeontology, 2017, 60, 349-374.	2,2	28
5	A complete Holocene record of trematode–bivalve infection and implications for the response of parasitism to climate change. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 18150-18155.	7.1	26
6	Oxygen deficiency in Lake Sihetun; formation of the Lower Cretaceous Liaoning FossillagerstÃtte (China). Journal of the Geological Society, 2013, 170, 817-831.	2.1	21
7	Analysis of morphological variability in the clam shrimp <i>Eosestheria middendorfii</i> (Crustacea,) Tj ETQq1 1 CP Papers in Palaeontology, 2018, 4, 21-53.	0.784314 r 1.5	rgBT /Overloc 12
8	Ammonites of the subfamily Mayaitinae Spath, 1928 from the Oxfordian of Kachchh, Western India. Geobios, 2015, 48, 85-130.	1.4	11
9	High-resolution taphonomic and palaeoecological analyses of the Jurassic Yanliao Biota of the Daohugou area, northeastern China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 530, 200-216.	2.3	9
10	Macro- versus microfauna: resolution potential of bivalves, gastropods, foraminifera and ostracods in reconstructing the Holocene palaeoenvironmental evolution of the Pearl River delta, China. Palaeobiodiversity and Palaeoenvironments, 2013, 93, 327-353.	1.5	8
11	Ecological stasis in Spinicaudata (Crustacea, Branchiopoda)? Early Cretaceous clam shrimp of the Yixian Formation of northâ€east China occupied a broader realized ecological niche than extant members of the group. Palaeontology, 2019, 62, 483-513.	2.2	7
12	Sex determination of the Early Cretaceous clam shrimp <i>Eosestheria middendorfii</i> (Yixian) Tj ETQq0 0 0 rgB	T /Overloc	k <u>1</u> 0 Tf 50 30
13	Palaeoenvironmental reconstruction and biostratinomic analysis of the Jurassic Yanliao LagerstÃtte in northeastern China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 514, 739-753.	2.3	5
14	Inter- and intra-tree variability of carbon and oxygen stable isotope ratios of modern pollen from nine European tree species. PLoS ONE, 2020, 15, e0234315.	2.5	4
15	Population Density Effects on Carapace Growth in Clam Shrimp: Implications for Palaeontological Studies. Zoological Studies, 2020, 59, e33.	0.3	4
16	Biogeography and geometric morphometrics of conchostracans (Crustacea, Branchiopoda) from the Late Triassic fissure deposits of Cromhall Quarry, UK. Palaeontology, 2017, 60, 761-761.	2.2	0
17	Preliminary Study of Temperature Effects on Size and Shape in the Modern Spinicaudatan (Crustacea:) Tj ETQq1	1 0.78431 0.3	4 rgBT /Over