

# Andrés Sánchez-Pernaute

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2502980/publications.pdf>

Version: 2024-02-01

40  
papers

1,722  
citations

393982

19  
h-index

329751

37  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1279  
citing authors

#	ARTICLE	IF	CITATIONS
1	Proximal Duodenal-ileal End-to-Side Bypass with Sleeve Gastrectomy: Proposed Technique. <i>Obesity Surgery</i> , 2007, 17, 1614-1618.	1.1	207
2	Single Anastomosis Duodeno-ileal Bypass with Sleeve Gastrectomy (SADI-S). One to Three-Year Follow-up. <i>Obesity Surgery</i> , 2010, 20, 1720-1726.	1.1	202
3	Single-anastomosis duodenoileal bypass with sleeve gastrectomy (SADI-S) for obese diabetic patients. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1092-1098.	1.0	140
4	Short- and Mid-term Outcomes of Sleeve Gastrectomy for Morbid Obesity: The Experience of the Spanish National Registry. <i>Obesity Surgery</i> , 2009, 19, 1203-1210.	1.1	139
5	Single-anastomosis duodenoileal bypass with sleeve gastrectomy: metabolic improvement and weight loss in first 100 patients. <i>Surgery for Obesity and Related Diseases</i> , 2013, 9, 731-735.	1.0	134
6	Single-anastomosis duodenoileal bypass as a second step after sleeve gastrectomy. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 351-355.	1.0	96
7	Open versus minimally invasive total gastrectomy after neoadjuvant chemotherapy: results of a European randomized trial. <i>Gastric Cancer</i> , 2021, 24, 258-271.	2.7	79
8	The incidence of complications associated with loop duodeno-ileostomy after single-anastomosis duodenal switch procedures among 1328 patients: a multicenter experience. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 594-601.	1.0	74
9	Mid-Term Results and Responsiveness Predictors After Two-Step Single-Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2017, 27, 1302-1308.	1.1	64
10	Proteome-wide alterations on adipose tissue from obese patients as age-, diabetes- and gender-specific hallmarks. <i>Scientific Reports</i> , 2016, 6, 25756.	1.6	61
11	Which criteria should be used to define type 2 diabetes remission after bariatric surgery?. <i>BMC Surgery</i> , 2013, 13, 8.	0.6	46
12	Differential proteomic and oxidative profiles unveil dysfunctional protein import to adipocyte mitochondria in obesity-associated aging and diabetes. <i>Redox Biology</i> , 2017, 11, 415-428.	3.9	40
13	Statistical models to predict type 2 diabetes remission after bariatric surgery. <i>Obesity Surgery</i> , 2014, 6, 472-477.	0.8	39
14	Cardiovascular Risk Factors After Single Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy (SADI-S): a New Effective Therapeutic Approach?. <i>Current Atherosclerosis Reports</i> , 2017, 19, 58.	2.0	38
15	Technique of Hill's Gastropexy Combined with Sleeve Gastrectomy for Patients with Morbid Obesity and Gastroesophageal Reflux Disease or Hiatal Hernia. <i>Obesity Surgery</i> , 2016, 26, 910-912.	1.1	33
16	Laparoscopic approach to esophageal perforation secondary to pneumatic dilation for achalasia. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2009, 23, 1106-1109.	1.3	29
17	Single-Anastomosis Pylorus-Preserving Bariatric Procedures: Review of the Literature. <i>Obesity Surgery</i> , 2016, 26, 2503-2515.	1.1	27
18	Diagnosis of Diabetes Remission After Bariatric Surgery May be Jeopardized by Remission Criteria and Previous Hypoglycemic Treatment. <i>Obesity Surgery</i> , 2013, 23, 1520-1526.	1.1	26

#	ARTICLE	IF	CITATIONS
19	Prognostic Factors for Morbimortality in Sleeve Gastrectomy. The Importance of the Learning Curve. A Spanish-Portuguese Multicenter Study. <i>Obesity Surgery</i> , 2016, 26, 2829-2836.	1.1	24
20	Long-Term Results of Single-Anastomosis Duodeno-ileal Bypass with Sleeve Gastrectomy (SADI-S). <i>Obesity Surgery</i> , 2022, 32, 682-689.	1.1	24
21	Single-anastomosis duodenoileal bypass as a revisional or second-step operation after sleeve gastrectomy. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1491-1496.	1.0	20
22	Prophylactic Closure of Trocar Orifices with an Intraperitoneal Mesh (Ventralex®) in Laparoscopic Bariatric Surgery. <i>Obesity Surgery</i> , 2008, 18, 1489-1491.	1.1	19
23	Glucose Variability After Bariatric Surgery: Is Prediction of Diabetes Remission Possible?. <i>Obesity Surgery</i> , 2017, 27, 3341-3343.	1.1	19
24	Remission of Type 2 Diabetes Mellitus Should Not Be the Foremost Goal after Bariatric Surgery. <i>Obesity Surgery</i> , 2013, 23, 2020-2025.	1.1	18
25	"Right-Angled" Stapled Latero-lateral Duodenojejunal Anastomosis in the Duodenal Switch. <i>Obesity Surgery</i> , 2005, 15, 700-702.	1.1	17
26	Mucocele of the Gastric Tube after Conversion of Vertical Banded Gastroplasty to Duodenal Switch: Not just a Radiological Image. <i>Obesity Surgery</i> , 2006, 16, 524-527.	1.1	17
27	Beneficial Effect of Bariatric Surgery on Abnormal MMP-9 and AMPK Activities: Potential Markers of Obesity-Related CV Risk. <i>Frontiers in Physiology</i> , 2019, 10, 553.	1.3	17
28	Fat-soluble vitamin deficiencies after bariatric surgery could be misleading if they are not appropriately adjusted. <i>Nutricion Hospitalaria</i> , 2014, 30, 118-23.	0.2	16
29	Weight Regain Outcomes After Bariatric Surgery in the Long-term Follow-up: Role of Preoperative Factors. <i>Obesity Surgery</i> , 2021, 31, 3947-3955.	1.1	15
30	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. <i>Obesity Surgery</i> , 2007, 17, 1178-1182.	1.1	12
31	Intraluminal mesh erosion after prosthetic hiatoplasty: incidence, management, and outcomes. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.2	10
32	Expression analysis of a cholecystokinin system in human and rat white adipose tissue. <i>Life Sciences</i> , 2018, 206, 98-105.	2.0	5
33	Health related quality of life following open versus minimally invasive total gastrectomy for cancer: Results from a randomized clinical trial. <i>European Journal of Surgical Oncology</i> , 2022, 48, 553-560.	0.5	5
34	Evaluation of Myocardial Function Following SADI-S. <i>Obesity Surgery</i> , 2021, 31, 3109-3115.	1.1	4
35	Conversion from Roux-En-Y Gastric Bypass to Single Anastomosis Duodenoileal Bypass (SADI-S) for Weight Regain. <i>Obesity Surgery</i> , 2021, , 1.	1.1	2
36	Early colonic transhiatal herniation and anastomotic leak after Ivor Lewis esophagectomy. <i>Esophagus</i> , 2007, 4, 177-179.	1.0	1

#	ARTICLE	IF	CITATIONS
37	Single Anastomosis Duodenal Switch (SADI-S). , 2018, , 139-144.		1
38	SADI (Single-Anastomosis Duodeno-Ileal Bypass): Current Evidence. Current Surgery Reports, 2020, 8, 1.	0.4	1
39	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. Obesity Surgery, 2007, 17, 1178-1182.	1.1	0
40	Single-Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy (SADI-S) Surgery. , 2021, , 1-7.		0