
## Andrés SÃ;nchez-Pernaute

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2502980/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Health related quality of life following open versus minimally invasive total gastrectomy for cancer: Results from a randomized clinical trial. European Journal of Surgical Oncology, 2022, 48, 553-560.	0.5	5
2	Long-Term Results of Single-Anastomosis Duodeno-ileal Bypass with Sleeve Gastrectomy (SADI-S). Obesity Surgery, 2022, 32, 682-689.	1.1	24
3	Open versus minimally invasive total gastrectomy after neoadjuvant chemotherapy: results of a European randomized trial. Gastric Cancer, 2021, 24, 258-271.	2.7	79
4	Evaluation of Myocardial Function Following SADI-S. Obesity Surgery, 2021, 31, 3109-3115.	1.1	4
5	Weight Regain Outcomes After Bariatric Surgery in the Long-term Follow-up: Role of Preoperative Factors. Obesity Surgery, 2021, 31, 3947-3955.	1.1	15
6	Conversion from Roux-En-Y Gastric Bypass to Single Anastomosis Duodenoileal Bypass (SADI-S) for Weight Regain. Obesity Surgery, 2021, , 1.	1.1	2
7	Single-Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy (SADI-S) Surgery. , 2021, , 1-7.		0
8	SADI (Single-Anastomosis Duodeno-Ileal Bypass): Current Evidence. Current Surgery Reports, 2020, 8, 1.	0.4	1
9	Single-anastomosis duodenoileal bypass as a revisional or second-step operation after sleeve gastrectomy. Surgery for Obesity and Related Diseases, 2020, 16, 1491-1496.	1.0	20
10	Beneficial Effect of Bariatric Surgery on Abnormal MMP-9 and AMPK Activities: Potential Markers of Obesity-Related CV Risk. Frontiers in Physiology, 2019, 10, 553.	1.3	17
11	Intraluminal mesh erosion after prosthetic hiatoplasty: incidence, management, and outcomes. Ecological Management and Restoration, 2019, 32, .	0.2	10
12	The incidence of complications associated with loop duodeno-ileostomy after single-anastomosis duodenal switch procedures among 1328 patients: a multicenter experience. Surgery for Obesity and Related Diseases, 2018, 14, 594-601.	1.0	74
13	Single Anastomosis Duodenal Switch (SADI-S). , 2018, , 139-144.		1
14	Expression analysis of a cholecystokinin system in human and rat white adipose tissue. Life Sciences, 2018, 206, 98-105.	2.0	5
15	Differential proteomic and oxidative profiles unveil dysfunctional protein import to adipocyte mitochondria in obesity-associated aging and diabetes. Redox Biology, 2017, 11, 415-428.	3.9	40
16	Mid-Term Results and Responsiveness Predictors After Two-Step Single-Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy. Obesity Surgery, 2017, 27, 1302-1308.	1.1	64
17	Glucose Variability After Bariatric Surgery: Is Prediction of Diabetes Remission Possible?. Obesity Surgery, 2017, 27, 3341-3343.	1.1	19
18	Cardiovascular Risk Factors After Single Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy (SADI-S): a New Effective Therapeutic Approach?. Current Atherosclerosis Reports, 2017, 19, 58.	2.0	38

#	Article	IF	CITATIONS
19	Single-Anastomosis Pylorus-Preserving Bariatric Procedures: Review of the Literature. Obesity Surgery, 2016, 26, 2503-2515.	1.1	27
20	Proteome-wide alterations on adipose tissue from obese patients as age-, diabetes- and gender-specific hallmarks. Scientific Reports, 2016, 6, 25756.	1.6	61
21	Prognostic Factors for Morbimortality in Sleeve Gastrectomy. The Importance of the Learning Curve. A Spanish-Portuguese Multicenter Study. Obesity Surgery, 2016, 26, 2829-2836.	1.1	24
22	Technique of Hill's Gastropexy Combined with Sleeve Gastrectomy for Patients with Morbid Obesity and Gastroesophageal Reflux Disease or Hiatal Hernia. Obesity Surgery, 2016, 26, 910-912.	1.1	33
23	Single-anastomosis duodenoileal bypass with sleeve gastrectomy (SADI-S) for obese diabetic patients. Surgery for Obesity and Related Diseases, 2015, 11, 1092-1098.	1.0	140
24	Single-anastomosis duodenoileal bypass as a second step after sleeve gastrectomy. Surgery for Obesity and Related Diseases, 2015, 11, 351-355.	1.0	96
25	Statistical models to predict type 2 diabetes remission after bariatric surgery 预测2型糖尿疅æ,£è€…å‡è,¥ 2014, 6, 472-477.	∉手æœ 0.8	<sup>-</sup> åŽç¼"è§£a
26	Fat-soluble vitamin deficiencies after bariatric surgery could be misleading if they are not appropriately adjusted. Nutricion Hospitalaria, 2014, 30, 118-23.	0.2	16
27	Which criteria should be used to define type 2 diabetes remission after bariatric surgery?. BMC Surgery, 2013, 13, 8.	0.6	46
28	Remission of Type 2 Diabetes Mellitus Should Not Be the Foremost Goal after Bariatric Surgery. Obesity Surgery, 2013, 23, 2020-2025.	1.1	18
29	Diagnosis of Diabetes Remission After Bariatic Surgery May be Jeopardized by Remission Criteria and Previous Hypoglycemic Treatment. Obesity Surgery, 2013, 23, 1520-1526.	1.1	26
30	Single-anastomosis duodenoileal bypass with sleeve gastrectomy: metabolic improvement and weight loss in first 100 patients. Surgery for Obesity and Related Diseases, 2013, 9, 731-735.	1.0	134
31	Single Anastomosis Duodeno–Ileal Bypass with Sleeve Gastrectomy (SADI-S). One to Three-Year Follow-up. Obesity Surgery, 2010, 20, 1720-1726.	1.1	202
32	Laparoscopic approach to esophageal perforation secondary to pneumatic dilation for achalasia. Surgical Endoscopy and Other Interventional Techniques, 2009, 23, 1106-1109.	1.3	29
33	Short- and Mid-term Outcomes of Sleeve Gastrectomy for Morbid Obesity: The Experience of the Spanish National Registry. Obesity Surgery, 2009, 19, 1203-1210.	1.1	139
34	Prophylactic Closure of Trocar Orifices with an Intraperitoneal Mesh (Ventralex®) in Laparoscopic Bariatric Surgery. Obesity Surgery, 2008, 18, 1489-1491.	1.1	19
35	Early colonic transhiatal herniation and anastomotic leak after Ivor Lewis esophagectomy. Esophagus, 2007, 4, 177-179.	1.0	1
36	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. Obesity Surgery, 2007, 17, 1178-1182.	1.1	12

#	Article	IF	CITATIONS
37	Proximal Duodenal–Ileal End-to-Side Bypass with Sleeve Gastrectomy: Proposed Technique. Obesity Surgery, 2007, 17, 1614-1618.	1.1	207
38	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. Obesity Surgery, 2007, 17, 1178-1182.	1.1	0
39	Mucocele of the Gastric Tube after Conversion of Vertical Banded Gastroplasty to Duodenal Switch: Not just a Radiological Image. Obesity Surgery, 2006, 16, 524-527.	1.1	17
40	"Right-Angled" Stapled Latero-lateral Duodenojejunal Anastomosis in the Duodenal Switch. Obesity Surgery, 2005, 15, 700-702.	1.1	17