## Philip T F Williamson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2505618/publications.pdf

Version: 2024-02-01

304743 289244 1,691 57 22 40 citations h-index g-index papers 60 60 60 2342 docs citations times ranked citing authors all docs

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 1  | Strategies for 1 Hâ€Detected Dynamic Nuclear Polarization Magicâ€Angle Spinning NMR Spectroscopy. Chemistry - A European Journal, 2020, 26, 15852-15854.   | 3.3          | 1         |
| 2  | Magnetically aligned membrane mimetics enabling comparable chiroptical and magnetic resonance spectroscopy studies. Biochimica Et Biophysica Acta - Biomembranes, 2020, 1862, 183343.                      | 2.6          | 1         |
| 3  | Quantitative analysis of 14N quadrupolar coupling using 1H detected 14N solid-state NMR. Physical Chemistry Chemical Physics, 2019, 21, 5941-5949.   | 2.8          | 20        |
| 4  | Molecular Insights into Biomolecular Structure and Dynamics by 14 NÂNMR. Biophysical Journal, 2017, 112, 447a.   | 0.5          | 0         |
| 5  | The Development of a Novel Approach to Oriented Circular Dichroism using Magnetically-Aligned Bilayers. Biophysical Journal, 2017, 112, 585a.  | 0.5          | O         |
| 6  | Comparative study of the structure and interaction of the pore helices of the hERG and Kv1.5 potassium channels in model membranes. European Biophysics Journal, 2017, 46, 549-559.                        | 2.2          | 2         |
| 7  | Measurement of 14N quadrupole couplings in biomolecular solids using indirect-detection 14N solid-state NMR with DNP. Chemical Communications, 2017, 53, 12116-12119.                                      | 4.1          | 11        |
| 8  | Salt Gradient Modulation of MicroRNA Translocation through a Biological Nanopore. Analytical Chemistry, 2017, 89, 8822-8829.   | 6.5          | 32        |
| 9  | Lipid Driven Nanodomains in Giant Lipid Vesicles are Fluid and Disordered. Scientific Reports, 2017, 7, 5460.  | 3.3          | 34        |
| 10 | Relevance of CARC and CRAC Cholesterol-Recognition Motifs in the Nicotinic Acetylcholine Receptor and Other Membrane-Bound Receptors. Current Topics in Membranes, 2017, 80, 3-23.                         | 0.9          | 56        |
| 11 | Structural basis of membrane disruption and cellular toxicity by α-synuclein oligomers. Science, 2017, 358, 1440-1443.   | 12.6         | 492       |
| 12 | Bidirectional band-selective magnetization transfer along the protein backbone doubles the information content of solid-state NMR correlation experiments. Journal of Biomolecular NMR, 2017, 69, 197-205. | 2.8          | 2         |
| 13 | A mirror code for protein-cholesterol interactions in the two leaflets of biological membranes.<br>Scientific Reports, 2016, 6, 21907.   | 3.3          | 105       |
| 14 | Synchrotron Radiation Circular Dichroism (SRCD) Spectroscopy Investigations of the Structure and Orientation of Membrane Proteins in Oriented Lipid Bilayers. Biophysical Journal, 2016, 110, 191a.        | 0.5          | 0         |
| 15 | Optimization of Parameters for Nanopore Resistive Pulse Sensing of MicroRNA. Biophysical Journal, 2016, 110, 336a-337a.  | 0.5          | O         |
| 16 | Magnetically Oriented Bicelles with Monoalkylphosphocholines: Versatile Membrane Mimetics for Nuclear Magnetic Resonance Applications. Langmuir, 2016, 32, 13244-13251.                                    | 3 <b>.</b> 5 | 9         |
| 17 | Solid State Nitrogen 14 NMR Methods for the Analysis of Hydrogen Bond Networks in Biological Systems. Biophysical Journal, 2016, 110, 154a-155a.   | 0.5          | O         |
| 18 | C <sub>60</sub> fullerene localization and membrane interactions in RAW 264.7 immortalized mouse macrophages. Nanoscale, 2016, 8, 4134-4144.   | 5.6          | 60        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | <sup>14</sup> N overtone NMR under MAS: signal enhancement using symmetry-based sequences and novel simulation strategies. Physical Chemistry Chemical Physics, 2015, 17, 6577-6587.  | 2.8 | 32        |
| 20 | Interaction between the NS4B amphipathic helix, AH2, and charged lipid headgroups alters membrane morphology and AH2 oligomeric state — Implications for the Hepatitis C virus life cycle. Biochimica Et Biophysica Acta - Biomembranes, 2015, 1848, 1671-1677. | 2.6 | 15        |
| 21 | <sup>14</sup> N overtone transition in double rotation solid-state NMR. Physical Chemistry Chemical Physics, 2015, 17, 23748-23753.   | 2.8 | 13        |
| 22 | Lipid Concentration and Molar Ratio Boundaries for the Use of Isotropic Bicelles. Langmuir, 2014, 30, 6162-6170.  | 3.5 | 54        |
| 23 | Characterization of Mapcho Bicelles - Model Membranes for the NMR Study of Membrane Proteins and Peptides. Biophysical Journal, 2014, 106, 512a-513a.   | 0.5 | 0         |
| 24 | Expression and Purification of a Functional hERG Pore Domain for Biophysical and Electrophysiological Studies. Biophysical Journal, 2014, 106, 137a.  | 0.5 | 0         |
| 25 | Determining the Role of NS4B in Membrane Remodelling during Hcv Replication. Biophysical Journal, 2013, 104, 594a.  | 0.5 | 1         |
| 26 | Single-channel electrophysiology of cell-free expressed ion channels by direct incorporation in lipid bilayers. Analyst, The, 2013, 138, 7294.  | 3.5 | 19        |
| 27 | An efficient NMR method for the characterisation of 14N sites through indirect 13C detection. Physical Chemistry Chemical Physics, 2013, 15, 7613.  | 2.8 | 33        |
| 28 | Probing the interaction of lipids with the non-annular binding sites of the potassium channel KcsA by magic-angle spinning NMR. Biochimica Et Biophysica Acta - Biomembranes, 2012, 1818, 90-96.  | 2.6 | 30        |
| 29 | Probing the oligomeric state and interaction surfaces of Fukutin-I in dilauroylphosphatidylcholine bilayers. European Biophysics Journal, 2012, 41, 199-207.  | 2.2 | 13        |
| 30 | The Fukutin Transmembrane Domain: Capturing the Complexity of the Golgi Apparatus Membrane via Multiscale MD Simulations. Biophysical Journal, 2011, 100, 640a.   | 0.5 | 0         |
| 31 | A Putative Role for Lipid-Protein Interactions in the Localisation of Glycosyltransferases within the Cell?. Biophysical Journal, 2011, 100, 636a-637a.   | 0.5 | 1         |
| 32 | Morphological Differences between β <sub>2</sub> â€Microglobulin in Fibrils and Inclusion Bodies. ChemBioChem, 2011, 12, 556-558.   | 2.6 | 3         |
| 33 | Stability and Membrane Orientation of the Fukutin Transmembrane Domain: A Combined Multiscale Molecular Dynamics and Circular Dichroism Study. Biochemistry, 2010, 49, 10796-10802.   | 2.5 | 24        |
| 34 | Expression and purification of the transmembrane domain of Fukutin-I for biophysical studies. Protein Expression and Purification, 2010, 72, 107-112.   | 1.3 | 5         |
| 35 | Solidâ€state NMR for the analysis of highâ€affinity ligand/receptor interactions. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2009, 34A, 144-172.   | 0.5 | 18        |
| 36 | Probing the Interaction of Charged Lipids with the Potassium Channel KcsA. Biophysical Journal, 2009, 96, 379a.   | 0.5 | 0         |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 37 | Probing Molecular Interactions in Biological Membranes by Solid-State NMR. Biophysical Journal, 2009, 96, 207a.  | 0.5  | 0         |
| 38 | Dynamics and Cleavability at the $\hat{l}_{\pm}$ -Cleavage Site of APP(684-726) in Different Lipid Environments. Biophysical Journal, 2008, 95, 1460-1473.   | 0.5  | 15        |
| 39 | The conformation of acetylcholine at its target site in the membrane-embedded nicotinic acetylcholine receptor. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 18031-18036.         | 7.1  | 48        |
| 40 | Orientation and Conformational Preference of Leucine-Enkephalin at the Surface of a Hydrated Dimyristoylphosphatidylcholine Bilayer:Â NMR and MD Simulation. Journal of the American Chemical Society, 2006, 128, 159-170.       | 13.7 | 22        |
| 41 | Structural and dynamic studies of the $\hat{I}^3$ -M4 trans-membrane domain of the nicotinic acetylcholine receptor. Molecular Membrane Biology, 2005, 22, 485-496.  | 2.0  | 17        |
| 42 | Molecular Insight into the Electrostatic Membrane Surface Potential by14N/31P MAS NMR<br>Spectroscopy:Â Nociceptinâ°'Lipid Association. Journal of the American Chemical Society, 2005, 127,<br>6610-6616.                       | 13.7 | 66        |
| 43 | Structural and functional studies of the nicotinic acetylcholine receptor by solid-state NMR. European Biophysics Journal, 2004, 33, 247-54.   | 2.2  | 14        |
| 44 | Rotational-resonance distance measurements in multi-spin systems. Journal of Magnetic Resonance, 2004, 168, 314-326.   | 2.1  | 22        |
| 45 | NMR Characterization of Native Liquid Spider Dragline Silk fromNephila edulis. Biomacromolecules, 2004, 5, 834-839.  | 5.4  | 74        |
| 46 | NMR of bicelles: orientation and mosaic spread of the liquid-crystal director under sample rotation. Journal of Biomolecular NMR, 2003, 25, 113-123.   | 2.8  | 36        |
| 47 | Switched-angle spinning applied to bicelles containing phospholipid-associated peptides. Journal of Biomolecular NMR, 2003, 25, 125-132.   | 2.8  | 30        |
| 48 | Determination of Internuclear Distances in Uniformly Labeled Molecules by Rotational-Resonance Solid-State NMR. Journal of the American Chemical Society, 2003, 125, 2718-2722.  | 13.7 | 49        |
| 49 | Probing the environment of neurotensin whilst bound to the neurotensin receptor by solid state NMR. FEBS Letters, 2002, 518, 111-115.  | 2.8  | 27        |
| 50 | Dynamics and orientation of N+(CD3)3-bromoacetylcholine bound to its binding site on the nicotinic acetylcholine receptor. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 2346-2351. | 7.1  | 32        |
| 51 | Expression and Purification of Recombinant Neurotensin in Escherichia coli. Protein Expression and Purification, 2000, 19, 271-275.  | 1.3  | 16        |
| 52 | Membrane protein structure determination by solid state NMR. Natural Product Reports, 1999, 16, 419-423.   | 10.3 | 22        |
| 53 | Binding Properties of the Stilbene Disulfonate Sites on Human Erythrocyte AE1:Â Kinetic,<br>Thermodynamic, and Solid State Deuterium NMR Analysesâ€. Biochemistry, 1999, 38, 11172-11179.  | 2.5  | 10        |
| 54 | Structural descriptions of ligands in their binding site of integral membrane proteins at near physiological conditions using solid-state NMR. European Biophysics Journal, 1998, 28, 84-90.                                     | 2.2  | 12        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Probing the Agonist Binding Pocket in the Nicotinic Acetylcholine Receptor:Â A High-Resolution<br>Solid-State NMR Approach. Biochemistry, 1998, 37, 10854-10859. | 2.5 | 32        |
| 56 | Solid state NMR studies of ligands bound to the nicotinic acetylcholine receptor. Biochemical Society Transactions, 1998, 26, S297-S297.                         | 3.4 | 3         |
| 57 | Macroscopic Orientation of Natural and Model Membranes for Structural Studies. Analytical Biochemistry, 1997, 254, 132-138.                                      | 2.4 | 56        |