David M Pollock

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2506285/david-m-pollock-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,934 201 33 59 h-index g-index citations papers 5.61 4,496 248 3.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
201	Acclimation to a High-Salt Diet Is Sex Dependent Journal of the American Heart Association, 2022, e020	0450	3
200	Peroxiredoxin-2 recycling is slower in denser and pediatric sickle cell red cells <i>FASEB Journal</i> , 2022 , 36, e22267	0.9	
199	Sex Differences in Diurnal Sodium Handling During Diet-Induced Obesity in Rats <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12118690	8.5	O
198	Endothelin Receptor Blockade Blunts the Pressor Response to Acute Stress in Obese Men and Women. <i>Journal of Applied Physiology</i> , 2021 ,	3.7	1
197	Timing of Food Intake Drives the Circadian Rhythm of Blood Pressure. <i>Function</i> , 2021 , 2, zqaa034	6.1	9
196	Activation of G protein-coupled estrogen receptor 1 ameliorates proximal tubular injury and proteinuria in Dahl salt-sensitive female rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R297-R306	3.2	O
195	Endothelin B receptors impair baroreflex function and increase blood pressure variability during high salt diet. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021 , 232, 102796	2.4	1
194	Hydroxyurea improves nitric oxide bioavailability in humanized sickle cell mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R630-R640	3.2	1
193	Time-restricted feeding rescues high-fat-diet-induced hippocampal impairment. <i>IScience</i> , 2021 , 24, 102	5821	3
192	Liver circadian clock disruption alters perivascular adipose tissue gene expression and aortic function in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R960-R971	3.2	4
191	Functional Interaction of Endothelin Receptors in Mediating Natriuresis Evoked by G Protein-Coupled Estrogen Receptor 1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021 , 376, 98-105	4.7	2
190	Diurnal Control of Blood Pressure Is Uncoupled From Sodium Excretion. <i>Hypertension</i> , 2020 , 75, 1624-1	68 <i>4</i> 5	11
189	Evidence for G-Protein-Coupled Estrogen Receptor as a Pronatriuretic Factor. <i>Journal of the American Heart Association</i> , 2020 , 9, e015110	6	13
188	Serum 25-Hydroxyvitamin D Concentrations Are Associated with Mental Health and Psychosocial Stress in Young Adults. <i>Nutrients</i> , 2020 , 12,	6.7	3
187	High molecular weight kininogen contributes to early mortality and kidney dysfunction in a mouse model of sickle cell disease. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2329-2340	15.4	3
186	ETA Receptor Blockade and Vascular Function in Patients with Sickle Cell Disease. <i>Blood</i> , 2020 , 136, 25-	26 .2	
185	Fluid-electrolyte homeostasis requires histone deacetylase function. <i>JCI Insight</i> , 2020 , 5,	9.9	7

(2019-2020)

184	Diurnal Regulation of Renal Electrolyte Excretion: The Role of Paracrine Factors. <i>Annual Review of Physiology</i> , 2020 , 82, 343-363	23.1	10
183	Greater natriuretic response to ENaC inhibition in male versus female Sprague-Dawley rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2020, 318, R418-R4	2 3 .2	5
182	Loss of circadian gene in the collecting duct lowers blood pressure in male, but not female, mice. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F710-F719	4.3	10
181	Role for ovarian hormones in purinoceptor-dependent natriuresis. <i>Biology of Sex Differences</i> , 2020 , 11, 52	9.3	2
180	Sex differences in the trajectory of glomerular filtration rate in pediatric and murine sickle cell anemia. <i>Blood Advances</i> , 2020 , 4, 263-265	7.8	2
179	SONAR propels endothelin A receptor antagonists to success. <i>Nature Reviews Nephrology</i> , 2019 , 15, 46	1 - 463	3
178	Ethnic Differences in Nighttime Melatonin and Nighttime Blood Pressure: A Study in European Americans and African Americans. <i>American Journal of Hypertension</i> , 2019 , 32, 968-974	2.3	6
177	Combined hydroxyurea and ET receptor blockade reduces renal injury in the humanized sickle cell mouse. <i>Acta Physiologica</i> , 2019 , 225, e13178	5.6	7
176	A pilot study of the effect of atorvastatin on endothelial function and albuminuria in sickle cell disease. <i>American Journal of Hematology</i> , 2019 , 94, E299-E301	7.1	2
175	Impact of ET-1 and sex in glomerular hyperfiltration in humanized sickle cell mice. <i>Clinical Science</i> , 2019 , 133, 1475-1486	6.5	7
174	The Augusta Heart Study. Journal of Environment and Health Sciences, 2019, 5, 15-23	1	3
173	Sex-specific Impairment of Diurnal Renal Na+ Excretion in Obese Sprague-Dawley Rats. <i>FASEB Journal</i> , 2019 , 33, 758.9	0.9	
172	Sex-Differences in Renal Na+ Regulatory Mechanisms During Acclimation to a High Salt Diet. <i>FASEB Journal</i> , 2019 , 33, 864.6	0.9	
171	Glomerular hyperfiltration predicts the onset of chronic kidney disease in humanized sickle cell mice. <i>FASEB Journal</i> , 2019 , 33, 864.5	0.9	
170	Evidence of Endothelin-B Receptor Dysfunction in Obesity. FASEB Journal, 2019, 33, 832.4	0.9	
169	Tauroursodeoxycholic Acid (TUDCA) Prevents High Salt-Induced, ETB Dysfunction- Dependent Renal Cortical Injury. <i>FASEB Journal</i> , 2019 , 33, 866.2	0.9	
168	Endothelin B Receptors are Necessary for Appropriate Renal Afferent Nerve Responsiveness. <i>FASEB Journal</i> , 2019 , 33, 745.6	0.9	
167	Restricting food availability to the active period restores rhythmic activation of aortic NOS3 in high fat diet fed mice. <i>FASEB Journal</i> , 2019 , 33, 592.2	0.9	

166	Activation of G Protein-coupled Estrogen Receptor Prevents High Salt-induced Hypertension. <i>FASEB Journal</i> , 2019 , 33, 867.1	0.9	
165	Hydroxyurea Augments Nitric Oxide Bioavailability in Humanized Sickle Cell Mice. <i>FASEB Journal</i> , 2019 , 33, 863.11	0.9	
164	Childhood Adversity Impairs the Autonomic Response to Acute Stress. <i>FASEB Journal</i> , 2019 , 33, 838.4	0.9	
163	Renal Medullary Histone Deacetylase Dependent Regulation of Fluid-Electrolyte Homeostasis During High Salt Feeding. <i>FASEB Journal</i> , 2019 , 33, 866.5	0.9	
162	Total Spectral Power and High Frequency Blood Pressure Variability is Reduced in Male Bmal1-Collecting Duct Knock-Out Mice During the Inactive Period. <i>FASEB Journal</i> , 2019 , 33, 569.20	0.9	
161	Phase-I Study of ETA Receptor Antagonist Ambrisentan in Sickle Cell Disease. <i>Blood</i> , 2019 , 134, 617-617	7 2.2	1
160	Hyperfiltration predicts long-term renal outcomes in humanized sickle cell mice. <i>Blood Advances</i> , 2019 , 3, 1460-1475	7.8	8
159	Afferent arteriole responsiveness to endothelin receptor activation: does sex matter?. <i>Biology of Sex Differences</i> , 2019 , 10, 1	9.3	12
158	Autonomic nerves and circadian control of renal function. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2019 , 217, 58-65	2.4	6
157	Tauroursodeoxycholic acid (TUDCA) abolishes chronic high salt-induced renal injury and inflammation. <i>Acta Physiologica</i> , 2019 , 226, e13227	5.6	5
156	A more direct way to measure glomerular albumin permeability-even in human glomeruli!. <i>Kidney International</i> , 2018 , 93, 1035-1037	9.9	1
155	Acute Pressor Response to Psychosocial Stress Is Dependent on Endothelium-Derived Endothelin-1. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	12
154	Circadian regulation of renal function. Free Radical Biology and Medicine, 2018, 119, 93-107	7.8	30
153	Endothelin type A receptors mediate pain in a mouse model of sickle cell disease. <i>Haematologica</i> , 2018 , 103, 1124-1135	6.6	15
152	High dietary sodium causes dyssynchrony of the renal molecular clock in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F89-F98	4.3	22
151	Circadian regulation of kidney function: finding a role for Bmal1. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F675-F678	4.3	6
150	Sex-Specific Contributions of Endothelin to Hypertension. <i>Current Hypertension Reports</i> , 2018 , 20, 58	4.7	16
149	High Molecular Weight Kininogen Contributes to End-Organ Damage and Mortality in a Mouse Model of Sickle Cell Disease. <i>Blood</i> , 2018 , 132, 268-268	2.2	1

148	Hemodynamic Hyper-reactivity to Acute Stress in Individuals Reporting Adversity during Childhood: Role of Endothelin-1. <i>FASEB Journal</i> , 2018 , 32, 714.13	0.9		
147	Evidence for Circadian Control of Endothelial Function in Mice on a High Fat Diet. <i>FASEB Journal</i> , 2018 , 32, 905.8	0.9		
146	Timing of food intake differentially impacts urinary electrolyte and aldosterone excretion. <i>FASEB Journal</i> , 2018 , 32, 905.10	0.9		
145	Salt Diet Influences Endothelin-1 Signaling in Renal Sensory Nerves. <i>FASEB Journal</i> , 2018 , 32, 885.19	0.9		
144	Collecting duct NOS1 activation is necessary for increased GFR in response to high salt diet. <i>FASEB Journal</i> , 2018 , 32, 763.10	0.9		
143	Reduced Renal Primary Cilia Expression in Humanized Sickle Cell Mice. <i>FASEB Journal</i> , 2018 , 32, 850.11	0.9		
142	Lack of endothelium-derived ET-1 accelerates diabetes-mediated renal damage in female, but not male, mice. <i>FASEB Journal</i> , 2018 , 32, 906.4	0.9		
141	Early life stress (ELS) protects against LNAME hypertension-induced renal tubular damage. <i>FASEB Journal</i> , 2018 , 32, 883.9	0.9		
140	Relation of urinary endothelin-1 to stress-induced pressure natriuresis in healthy adolescents. <i>Journal of the American Society of Hypertension</i> , 2018 , 12, 34-41		6	
139	Angiotensin II and the Natriuretic and Blood Pressure Response to Mental Stress in African Americans. <i>Ethnicity and Disease</i> , 2018 , 28, 511-516	1.8	6	
138	Maternal separation enhances anticontractile perivascular adipose tissue function in male rats on a high-fat diet. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 315, R1085-R1095	3.2	10	
137	Diurnal pattern in skin Na and water content is associated with salt-sensitive hypertension in ET receptor-deficient rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R544-R551	3.2	7	
136	Interplay between renal endothelin and purinergic signaling systems. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F666-F668	4.3	6	
135	Ovariectomy uncovers purinergic receptor activation of endothelin-dependent natriuresis. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F361-F369	4.3	8	
134	Activation of neuronal endothelin B receptors mediates pressor response through alpha-1 adrenergic receptors. <i>Physiological Reports</i> , 2017 , 5, e13077	2.6	11	
133	Endothelin receptor-specific control of endoplasmic reticulum stress and apoptosis in the kidney. <i>Scientific Reports</i> , 2017 , 7, 43152	4.9	13	
132	Long-Term Endothelin-A Receptor Antagonism Provides Robust Renal Protection in Humanized Sickle Cell Disease Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2443-2458	12.7	35	
131	The Matrikine Acetylated Proline-Glycine-Proline Couples Vascular Inflammation and Acute Cardiac Rejection. <i>Scientific Reports</i> , 2017 , 7, 7563	4.9	8	

130	Renal denervation attenuates hypertension but not salt sensitivity in ET receptor-deficient rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2017, 313, R425-R42.	3 3 .2	10
129	Ovarian hormones modulate endothelin A and B receptor expression. <i>Life Sciences</i> , 2016 , 159, 148-152	6.8	21
128	Endothelin. <i>Pharmacological Reviews</i> , 2016 , 68, 357-418	22.5	400
127	Role of the endothelin system in sexual dimorphism in cardiovascular and renal diseases. <i>Life Sciences</i> , 2016 , 159, 20-29	6.8	25
126	High salt intake increases endothelin B receptor function in the renal medulla of rats. <i>Life Sciences</i> , 2016 , 159, 144-147	6.8	4
125	Albuminuria Is Associated with Endothelial Dysfunction and Elevated Plasma Endothelin-1 in Sickle Cell Anemia. <i>PLoS ONE</i> , 2016 , 11, e0162652	3.7	21
124	Pentosan polysulfate preserves renal microvascular P2X1 receptor reactivity and autoregulatory behavior in DOCA-salt hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F456-65	4.3	5
123	Endothelin-1 and the kidney: new perspectives and recent findings. <i>Current Opinion in Nephrology and Hypertension</i> , 2016 , 25, 35-41	3.5	38
122	Endothelin-1 contributes to the progression of renal injury in sickle cell disease via reactive oxygen species. <i>British Journal of Pharmacology</i> , 2016 , 173, 386-95	8.6	26
121	Free radical scavenging decreases endothelin-1 excretion and glomerular albumin permeability during type 1 diabetes. <i>Physiological Reports</i> , 2016 , 4, e13055	2.6	6
120	Activation of purinergic receptors (P2) in the renal medulla promotes endothelin-dependent natriuresis in male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F260-7	4.3	9
119	Loss of endothelin B receptor function impairs sodium excretion in a time- and sex-dependent manner. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F991-F998	4.3	26
118	Endothelin and renal ion and water transport. Seminars in Nephrology, 2015, 35, 137-44	4.8	25
117	Endothelin-1 as a master regulator of whole-body Na+ homeostasis. FASEB Journal, 2015, 29, 4937-44	0.9	21
116	Endothelin contributes to blunted renal autoregulation observed with a high-salt diet. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, F687-96	4.3	9
115	Endothelium-derived ET-1 and the development of renal injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R1071-3	3.2	8
114	High salt diet increases the pressor response to stress in female, but not male ETB-receptor-deficient rats. <i>Physiological Reports</i> , 2015 , 3, e12326	2.6	12
113	Angiotensin II is required to induce exaggerated salt sensitivity in Dahl rats exposed to maternal separation. <i>Physiological Reports</i> , 2015 , 3, e12408	2.6	9

(2013-2015)

112	ETB Receptors in High Salt Diet-Induced Decline of Renal Autoregulation in Rats. <i>FASEB Journal</i> , 2015 , 29, 808.8	0.9	
111	TUDCA Attenuates High Salt-Induced Renal Injury in ETB Deficient sl/sl Rats. <i>FASEB Journal</i> , 2015 , 29, 811.14	0.9	
110	Increased Glomerular ET-1 in Female Sickle Cell Mice is Abolished by Chronic Hydroxyurea Treatment. <i>FASEB Journal</i> , 2015 , 29, LB735	0.9	
109	Evidence for ETB receptor mediated pressor effects mediated by alpha-adrenergic receptors. <i>FASEB Journal</i> , 2015 , 29, 968.12	0.9	
108	Circadian clock gene expression in human buccal cells: potential use as a biomarker for circadian rhythm disorders <i>FASEB Journal</i> , 2015 , 29, 967.2	0.9	
107	Endothelial cell derived endothelin-1 (ET-1) regulates skin Na+ storage: evidence for sex differences. <i>FASEB Journal</i> , 2015 , 29, 811.9	0.9	
106	Evidence that Vascular Endothelial Derived Endothelin-1 Promotes Development of Tunicamycin-Induced Endoplasmic Reticulum Stress in Renal Vessels. <i>FASEB Journal</i> , 2015 , 29, 811.15	0.9	1
105	Sex Differences in Renal Inner Medullary ET-1 Gene Expression Levels with Increasing Medullary Osmolality. <i>FASEB Journal</i> , 2015 , 29, 962.3	0.9	
104	Indoleamine 2,3-dioxygenase inhibition alters the non-coding RNA transcriptome following renal ischemia-reperfusion injury. <i>Transplant Immunology</i> , 2014 , 30, 140-4	1.7	3
103	High-salt diet blunts renal autoregulation by a reactive oxygen species-dependent mechanism. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F33-40	4.3	37
102	Variable reactive hyperemia in normotensive strains of rat. <i>Physiological Reports</i> , 2014 , 2, e12052	2.6	2
101	Combined endothelin a blockade and chlorthalidone treatment in a rat model of metabolic syndrome. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 351, 467-73	4.7	9
100	Adverse childhood experiences are associated with detrimental hemodynamics and elevated circulating endothelin-1 in adolescents and young adults. <i>Hypertension</i> , 2014 , 64, 201-7	8.5	66
99	2013 Dahl Lecture: American Heart Association council for high blood pressure research clarifying the physiology of endothelin. <i>Hypertension</i> , 2014 , 63, e110-7	8.5	9
98	Sex differences in ET-1 receptor expression and Ca2+ signaling in the IMCD. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, F1099-104	4.3	21
97	Endothelin, kidney disease, and hypertension. <i>Hypertension</i> , 2013 , 61, 1142-5	8.5	44
96	Renal collecting duct NOS1 maintains fluid-electrolyte homeostasis and blood pressure. <i>Hypertension</i> , 2013 , 62, 91-8	8.5	58
95	l-Citrulline Protects from Kidney Damage in Type 1 Diabetic Mice. Frontiers in Immunology, 2013, 4, 480	8.4	29

94	Differential regulation of nitric oxide synthase function in aorta and tail artery from 5/6 nephrectomized rats. <i>Physiological Reports</i> , 2013 , 1, e00145	2.6	9
93	Mycophenolate mofetil prevents high-fat diet-induced hypertension and renal glomerular injury in Dahl SS rats. <i>Physiological Reports</i> , 2013 , 1, e00137	2.6	16
92	Indoleamine-2,3-Dioxygenase Restrains Hypertension Induced by Angiotensin II in Rats Fed a High Salt Diet. <i>FASEB Journal</i> , 2013 , 27, 1115.2	0.9	
91	Sodium storage during high salt intake is not dependent upon endothelin B receptors. <i>FASEB Journal</i> , 2013 , 27, 1115.8	0.9	
90	Maternal Separation (MS) enhances angiotensin II (Ang II)-induced hypertension in Dahl rats fed a high salt diet. <i>FASEB Journal</i> , 2013 , 27, 906.13	0.9	
89	Maternal separation (MS) increases acute and chronic norepinephrine (NE) sensitivity revealing sympatho-activation. <i>FASEB Journal</i> , 2013 , 27, 906.14	0.9	
88	Endothelin B (ETB) receptor protects against endoplasmic reticulum (ER) stress-induced renal damage. <i>FASEB Journal</i> , 2013 , 27, 906.5	0.9	О
87	Gender Differences In Renal Blood Flow In Response To Endothelin-1 In a Mouse Model Of Sickle Cell Disease. <i>Blood</i> , 2013 , 122, 1012-1012	2.2	
86	Loss of renal medullary endothelin B receptor function during salt deprivation is regulated by angiotensin II. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, F659-66	4.3	21
85	Chronic endothelin-1 infusion elevates glomerular sieving coefficient and proximal tubular albumin reuptake in the rat. <i>Life Sciences</i> , 2012 , 91, 634-7	6.8	17
84	Acute changes in dietary sodium lead to sodium retention in the collecting duct NOS1 knockout mouse. <i>FASEB Journal</i> , 2012 , 26, 1069.10	0.9	
83	Renal Medullary Circadian Clock Genes are Altered in Endothelin B Deficient Rats. <i>FASEB Journal</i> , 2012 , 26, 1069.11	0.9	
82	Flow mediated dilation variation based on normotensive rat strain. FASEB Journal, 2012, 26, 865.6	0.9	
81	Specific Endothelin A (ETA) Receptor Blockade Results In Reduced Expression of Endoplasmic Reticulum (ER) Stress Proteins in Renal Medulla of Type-1 Diabetic (T1D) Rats. <i>FASEB Journal</i> , 2012 , 26, 876.11	0.9	
80	High salt intake increases ETB receptor function in the renal medulla of rats. <i>FASEB Journal</i> , 2012 , 26, lb836	0.9	
79	Physiology of endothelin and the kidney. <i>Comprehensive Physiology</i> , 2011 , 1, 883-919	7.7	79
78	Distinct actions of endothelin A-selective versus combined endothelin A/B receptor antagonists in early diabetic kidney disease. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 338, 263-70	 ,4·7	48
77	Endothelin, nitric oxide, and reactive oxygen species in diabetic kidney disease. <i>Contributions To Nephrology</i> , 2011 , 172, 149-159	1.6	17

(2010-2011)

76	Sex differences in renal medullary endothelin receptor function in angiotensin II hypertensive rats. <i>Hypertension</i> , 2011 , 58, 212-8	8.5	36
75	Early life stress enhances angiotensin II-mediated vasoconstriction by reduced endothelial nitric oxide buffering capacity. <i>Hypertension</i> , 2011 , 58, 619-26	8.5	38
74	Regulation of blood pressure and salt homeostasis by endothelin. <i>Physiological Reviews</i> , 2011 , 91, 1-77	47.9	304
73	ETA activation mediates angiotensin II-induced infiltration of renal cortical T cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 2187-92	12.7	16
72	Flow regulation of collecting duct endothelin-1 production. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F650-6	4.3	40
71	Analysis of arterial mechanics in a rat model of type 1 diabetes. <i>FASEB Journal</i> , 2011 , 25, 1028.10	0.9	
70	Increased proximal tubular uptake prevents albuminuria in chronic endothelin-1-infused rats as determined by intravital 2-photon microscopy. <i>FASEB Journal</i> , 2011 , 25, 665.5	0.9	
69	Sex difference of endothelin B receptor-dependent natriuresis in angiotensin II hypertension. <i>FASEB Journal</i> , 2011 , 25, 1079.9	0.9	
68	Mycophenolate mofetil reduces renal T cell numbers and prevents high fat induced hypertension in Dahl rats. <i>FASEB Journal</i> , 2011 , 25, 1030.8	0.9	
67	Endothelin activation of reactive oxygen species mediates stress-induced pressor response in Dahl salt-sensitive prehypertensive rats. <i>Hypertension</i> , 2010 , 56, 282-9	8.5	22
66	Endothelin-1 increases glomerular permeability and inflammation independent of blood pressure in the rat. <i>Hypertension</i> , 2010 , 56, 942-9	8.5	101
65	Cooperative role of ETA and ETB receptors in mediating the diuretic response to intramedullary hyperosmotic NaCl infusion. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, F1424-32	4.3	16
64	Dahl salt-sensitive rats on a high-fat diet develop hypertension and enhanced constriction to angiotensin II without changing endothelial-dependent vasorelaxation. <i>FASEB Journal</i> , 2010 , 24, 1025.9	0.9	2
63	Early life stress reduces renal function in male rats. <i>FASEB Journal</i> , 2010 , 24, 1041.4	0.9	
62	Free Radical Scavenging Decreases Endothelin-1 (ET-1) Excretion and Glomerular Permeability During Diabetes. <i>FASEB Journal</i> , 2010 , 24, 793.2	0.9	
61	Differential Effects of Endothelin A and B Receptor Antagonism on Diabetes-Induced Proteinuria, Glomerular Permeability, and Inflammation. <i>FASEB Journal</i> , 2010 , 24, 812.1	0.9	
60	Evidence for ENaC involvement in hypertension produced by NOS1 gene deletion in the collecting duct. <i>FASEB Journal</i> , 2010 , 24, 606.17	0.9	
59	High Salt Diet Induced Afferent Arteriolar Autoregulatory Dysfunction is Improved by Acute Antioxidant Treatment. <i>FASEB Journal</i> , 2010 , 24, 1059.9	0.9	

58	Contribution of endothelin A receptors in endothelin 1-dependent natriuresis in female rats. <i>Hypertension</i> , 2009 , 53, 324-30	8.5	72
57	Does targeting the lipophilic milieu provide advantages for an endothelin antagonist?. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2009 , 9, 75-8		2
56	Enhanced angiotensin II-induced aortic constriction in maternally separated rats is endothelium-dependent and reactive oxygen species (ROS)-independent <i>FASEB Journal</i> , 2009 , 23, 598	. 2 .9	
55	Measurement of regional kidney perfusion in mice: comparison of a novel, non-invasive technique against conventional laser-Doppler flowmetry <i>FASEB Journal</i> , 2009 , 23, 969.1	0.9	
54	Mechanisms of attenuated angiotensin II-induced aortic constriction from Dahl salt-sensitive rats following a 4-week high-fat diet. <i>FASEB Journal</i> , 2009 , 23, 626.20	0.9	
53	Contrasting roles of ETA and ETB receptors in angiotensin II-high salt diet-induced hypertension. <i>FASEB Journal</i> , 2009 , 23, 606.1	0.9	
52	Natriuretic response to renal medullary endothelin B receptor activation is blunted in chronic angiotensin II-infused rats. <i>FASEB Journal</i> , 2009 , 23, LB145	0.9	1
51	Augmented vascular reactivity induced by ET-1 is associated with increased O-GlcNAcylation. <i>FASEB Journal</i> , 2009 , 23, 627.8	0.9	
50	Collecting duct-derived endothelin regulates arterial pressure and Na excretion via nitric oxide. <i>Hypertension</i> , 2008 , 51, 1605-10	8.5	70
49	TNF-alpha inhibition reduces renal injury in DOCA-salt hypertensive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R76-83	3.2	108
48	Interleukin-1beta, but not interleukin-6, enhances renal and systemic endothelin production in vivo. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F446-53	4.3	33
47	Mechansim of reduced vascular relaxation in aorta from Dahl salt-sensitive rats on elevated dietary fat. <i>FASEB Journal</i> , 2008 , 22, 969.34	0.9	
46	Interleukin-1 in chronic angiotensin II-high salt diet induced hypertension. FASEB Journal, 2008, 22, 923.	5 0.9	
45	Chronic ETA receptor blockade attenuates expression of inflammatory mediators in diabetic rats. <i>FASEB Journal</i> , 2008 , 22, 944.3	0.9	
44	High fat diet reduces NOS functional activity during vasoconstriction in aorta, but not small mesenteric arteries, from Dahl rats. <i>FASEB Journal</i> , 2008 , 22, 947.9	0.9	
43	Air jet stress (AJS) induces ET-1 mediated reactive oxygen species (ROS) production that increases blood pressure in Dahl salt-sensitive (DS) rats <i>FASEB Journal</i> , 2008 , 22, 969.5	0.9	
42	ETA-dependent natriuresis is mediated by NOS1 in renal medulla of female ETB-deficient rat. <i>FASEB Journal</i> , 2008 , 22, 943.3	0.9	
41	Contrasting actions of endothelin ET(A) and ET(B) receptors in cardiovascular disease. <i>Annual Review of Pharmacology and Toxicology</i> , 2007 , 47, 731-59	17.9	215

(2006-2007)

40	Acute increases of renal medullary osmolality stimulate endothelin release from the kidney. American Journal of Physiology - Renal Physiology, 2007 , 292, F185-91	4.3	26	
39	Attenuated vasoconstrictor responses to endothelin in afferent arterioles during a high-salt diet. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F1208-14	4.3	35	
38	Endothelin A receptor blockade reduces diabetic renal injury via an anti-inflammatory mechanism. Journal of the American Society of Nephrology: JASN, 2007 , 18, 143-54	12.7	158	
37	Dependence of the endothelin-mediated pressor response on neuronal ETB-mediated neurotransmitter release in sl/sl rats. <i>FASEB Journal</i> , 2007 , 21, A886	0.9		
36	Renal medullary NADPH oxidase activity in DOCA-salt hypertensive rats. FASEB Journal, 2007, 21, A136	540.9		
35	Nitric oxide mediates collecting duct endothelin-1 effects on blood pressure. <i>FASEB Journal</i> , 2007 , 21, A894	0.9		
34	Chronic infusion of IL-1Ibut not IL-6 enhances renal and systemic endothelin production in mice. <i>FASEB Journal</i> , 2007 , 21, A590	0.9		
33	Effect of early life stress on the neurohormonal response to acute air jet stress in young adult rats. <i>FASEB Journal</i> , 2007 , 21, A514	0.9		
32	Renal medullary infusion of ETB receptor agonist induces diuresis and natriuresis via nitric oxide synthase (NOS) 1 and protein kinase (PK) G pathways. <i>FASEB Journal</i> , 2007 , 21, A495	0.9	1	
31	In vivo evidence for endothelin-1-mediated attenuation of alpha1-adrenergic stimulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 290, H1251-8	5.2	18	
30	Tumor necrosis factor alpha blockade increases renal Cyp2c23 expression and slows the progression of renal damage in salt-sensitive hypertension. <i>Hypertension</i> , 2006 , 47, 557-62	8.5	103	
29	Exaggerated cardiovascular stress responses and impaired beta-adrenergic-mediated pressor recovery in obese Zucker rats. <i>Hypertension</i> , 2006 , 48, 1109-15	8.5	33	
28	How does endothelin induce vascular oxidative stress in mineralocorticoid hypertension?. <i>Clinical Science</i> , 2006 , 110, 205-6	6.5	3	
27	Interleukin-6 does not contribute to the increase in renal endothelin production stimulated by high salt intake. <i>FASEB Journal</i> , 2006 , 20, A765	0.9		
26	Afferent arteriolar responses to endothelin-1 are attenuated by a high salt diet. <i>FASEB Journal</i> , 2006 , 20, A758	0.9		
25	Evidence of Angiotensin II (ANG II) and Endothelin-1 (ET-1) participation in vascular complications of diabetes via JAK2. <i>FASEB Journal</i> , 2006 , 20,	0.9	2	
24	NOS1 Knockout mice exhibit delayed Na excretion following a high salt challenge. <i>FASEB Journal</i> , 2006 , 20, A333	0.9		
23	Oxidative stress mediates the pressor response to acute environmental stress in Dahl salt-sensitive rats. <i>FASEB Journal</i> , 2006 , 20, A357	0.9	1	

22	Early life stress results in an exaggerated pressor response to acute air jet stress in adult male, but not female rats. <i>FASEB Journal</i> , 2006 , 20, A1192	0.9	
21	Superoxide-dependent hypertension in male and female endothelin B receptor-deficient rats. <i>Experimental Biology and Medicine</i> , 2006 , 231, 818-23	3.7	19
20	ETA and ETB receptors differentially modulate afferent and efferent arteriolar responses to endothelin. <i>British Journal of Pharmacology</i> , 2005 , 146, 1019-26	8.6	81
19	Endogenous endothelin attenuates the pressor response to acute environmental stress via the ETA receptor. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H1829-35	5.2	17
18	L-type calcium channels in the renal microcirculatory response to endothelin. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, F771-7	4.3	26
17	Endothelin, angiotensin, and oxidative stress in hypertension. <i>Hypertension</i> , 2005 , 45, 477-80	8.5	67
16	Unique endothelin receptor binding in kidneys of ETB receptor deficient rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R674-81	3.2	27
15	Gender differences in ET and NOS systems in ETB receptor-deficient rats: effect of a high salt diet. <i>Hypertension</i> , 2003 , 41, 657-62	8.5	64
14	Renal endothelin in chronic angiotensin II hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002 , 283, R243-8	3.2	86
13	Decreased endothelin binding and [Ca2+]i signaling in microvessels of DOCA-salt hypertensive rats. <i>Journal of Hypertension</i> , 2002 , 20, 1799-805	1.9	16
12	Urinary excretion of vasoactive factors are correlated to sodium excretion. <i>American Journal of Hypertension</i> , 2001 , 14, 1003-6	2.3	21
11	ET(B) receptor-deficient rats exhibit reduced contraction to ET-1 despite an increase in ET(A) receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H2680-6	5.2	16
10	Evidence for endothelin involvement in the response to high salt. <i>American Journal of Physiology - Renal Physiology</i> , 2001 , 281, F144-50	4.3	141
9	Arterial pressure response to endothelin-1 and sarafotoxin 6c in rescued endothelin-B-deficient rats. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 36, S82-5	3.1	10
8	Renal endothelin in hypertension. Current Opinion in Nephrology and Hypertension, 2000, 9, 157-64	3.5	54
7	Shear stress-mediated NO production in inner medullary collecting duct cells. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F270-4	4.3	96
6	Endothelin inhibits thick ascending limb chloride flux via ET(B) receptor-mediated NO release. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F326-33	4.3	98
5	Arterial Pressure Response to Endothelin-1 and Sarafotoxin 6c in Rescued Endothelin-B-Deficient Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 36, S82-S85	3.1	9

LIST OF PUBLICATIONS

4	Role of ET B Receptors in the Renal Response to Big Endothelin-1: Contrasting Pharmacologic ET B Receptor Blockade with Genetic ET B Deficiency. <i>Hypertension</i> , 2000 , 36, 711-711	8.5	
3	Chronic studies on the interaction between nitric oxide and endothelin in cardiovascular and renal function. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999 , 26, 258-61	3	23
2	ETA receptor blockade attenuates the hypertension but not renal dysfunction in DOCA-salt rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R245-52	3.2	39
1	Hypertensive response to chronic NO synthase inhibition is different in Sprague-Dawley rats from two suppliers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998 , 275, R1719-23	3.2	37