

Line BjÄ_rge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2509651/publications.pdf>

Version: 2024-02-01

135
papers

5,204
citations

109321

35
h-index

106344

65
g-index

147
all docs

147
docs citations

147
times ranked

10077
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Comparison of Five Near-Infrared Fluorescent Folate Conjugates in an Ovarian Cancer Model. <i>Molecular Imaging and Biology</i> , 2023, 25, 144-155. | 2.6 | 7 |
| 2 | Polygenic risk modeling for prediction of epithelial ovarian cancer risk. <i>European Journal of Human Genetics</i> , 2022, 30, 349-362. | 2.8 | 23 |
| 3 | The DNA methylome of cervical cells can predict the presence of ovarian cancer. <i>Nature Communications</i> , 2022, 13, 448. | 12.8 | 20 |
| 4 | The WID-BC-index identifies women with primary poor prognostic breast cancer based on DNA methylation in cervical samples. <i>Nature Communications</i> , 2022, 13, 449. | 12.8 | 21 |
| 5 | Divergent Regulation of Decidual Oxidative-Stress Response by NRF2 and KEAP1 in Preeclampsia with and without Fetal Growth Restriction. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1966. | 4.1 | 11 |
| 6 | Susceptibility to hormone-mediated cancer is reflected by different tick rates of the epithelial and general epigenetic clock. <i>Genome Biology</i> , 2022, 23, 52. | 8.8 | 8 |
| 7 | Xenograft Models of Ovarian Cancer for Therapy Evaluation. <i>Methods in Molecular Biology</i> , 2022, 2424, 275-293. | 0.9 | 2 |
| 8 | CA-125 Levels Are Predictive of Survival in Low-Grade Serous Ovarian Cancer—A Multicenter Analysis. <i>Cancers</i> , 2022, 14, 1954. | 3.7 | 3 |
| 9 | A national precision cancer medicine implementation initiative for Norway. <i>Nature Medicine</i> , 2022, 28, 885-887. | 30.7 | 7 |
| 10 | Improving public cancer care by implementing precision medicine in Norway: IMPRESS-Norway. <i>Journal of Translational Medicine</i> , 2022, 20, 225. | 4.4 | 7 |
| 11 | Fluorochrome Selection for Imaging Intraoperative Ovarian Cancer Probes. <i>Pharmaceuticals</i> , 2022, 15, 668. | 3.8 | 5 |
| 12 | Prototype precision oncology learning ecosystem: Norwegian precision cancer medicine implementation initiative.. <i>Journal of Clinical Oncology</i> , 2022, 40, e13634-e13634. | 1.6 | 2 |
| 13 | Humanized Ovarian Cancer Patient-Derived Xenografts for Improved Preclinical Evaluation of Immunotherapies. <i>Cancers</i> , 2022, 14, 3092. | 3.7 | 5 |
| 14 | Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228. | 2.5 | 12 |
| 15 | TLR3 expression by maternal and fetal cells at the maternal-fetal interface in normal and preeclamptic pregnancies. <i>Journal of Leukocyte Biology</i> , 2021, 109, 173-183. | 3.3 | 14 |
| 16 | Decidual and placental NOD1 is associated with inflammation in normal and preeclamptic pregnancies. <i>Placenta</i> , 2021, 105, 23-31. | 1.5 | 10 |
| 17 | Phenotypic Characterization by Mass Cytometry of the Microenvironment in Ovarian Cancer and Impact of Tumor Dissociation Methods. <i>Cancers</i> , 2021, 13, 755. | 3.7 | 6 |
| 18 | Real-life data of niraparib maintenance treatment in patients with recurrent platinum-sensitive ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, 5560-5560. | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Identification of a Locus Near <i>ULK1</i> Associated With Progression-Free Survival in Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1669-1680. | 2.5 | 5 |
| 20 | Patient-derived organoids reflect the genetic profile of endometrial tumors and predict patient prognosis. <i>Communications Medicine</i> , 2021, 1, . | 4.2 | 20 |
| 21 | Final results from GCI/ENGOT/AGO- <i>OVAR</i> 12, a randomised placebo-controlled phase III trial of nintedanib combined with chemotherapy for newly diagnosed advanced ovarian cancer. <i>International Journal of Cancer</i> , 2020, 146, 439-448. | 5.1 | 40 |
| 22 | Establishment of a novel cancer cell line derived from vulvar carcinoma associated with lichen sclerosus exhibiting a fibroblast-dependent tumorigenic potential. <i>Experimental Cell Research</i> , 2020, 386, 111684. | 2.6 | 6 |
| 23 | Cholesterol Crystals and NLRP3 Mediated Inflammation in the Uterine Wall Decidua in Normal and Preeclampsic Pregnancies. <i>Frontiers in Immunology</i> , 2020, 11, 564712. | 4.8 | 15 |
| 24 | DNA methylation signatures to predict the cervicovaginal microbiome status. <i>Clinical Epigenetics</i> , 2020, 12, 180. | 4.1 | 3 |
| 25 | The Emerging Role of CD24 in Cancer Theranostics—A Novel Target for Fluorescence Image-Guided Surgery in Ovarian Cancer and Beyond. <i>Journal of Personalized Medicine</i> , 2020, 10, 255. | 2.5 | 11 |
| 26 | CD24-targeted fluorescence imaging in patient-derived xenograft models of high-grade serous ovarian carcinoma. <i>EBioMedicine</i> , 2020, 56, 102782. | 6.1 | 14 |
| 27 | CD24-targeted intraoperative fluorescence image-guided surgery leads to improved cytoreduction of ovarian cancer in a preclinical orthotopic surgical model. <i>EBioMedicine</i> , 2020, 56, 102783. | 6.1 | 24 |
| 28 | High degree of heterogeneity of PD-L1 and PD-1 from primary to metastatic endometrial cancer. <i>Gynecologic Oncology</i> , 2020, 157, 260-267. | 1.4 | 32 |
| 29 | Final survival analysis of NSGO-AVANOVA2/ENGOT-OV24: Combination of niraparib and bevacizumab versus niraparib alone as treatment of recurrent platinum-sensitive ovarian cancer—A randomized controlled chemotherapy-free study. <i>Journal of Clinical Oncology</i> , 2020, 38, 6012-6012. | 1.6 | 14 |
| 30 | Near-Infrared Fluorescent Imaging for Monitoring of Treatment Response in Endometrial Carcinoma Patient-Derived Xenograft Models. <i>Cancers</i> , 2020, 12, 370. | 3.7 | 10 |
| 31 | Abstract A16: Patient-derived organoid-based models for endometrial cancer. , 2020, , . | | 0 |
| 32 | Kreftoppfÿlgingen bÿr endres. <i>Tidsskrift for Den Norske Laegeforening</i> , 2020, 140, . | 0.2 | 0 |
| 33 | Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019, 79, 505-517. | 0.9 | 49 |
| 34 | A phase I study of the PARP inhibitor niraparib in combination with bevacizumab in platinum-sensitive epithelial ovarian cancer: NSGO AVANOVA1/ENGOT-OV24. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 84, 791-798. | 2.3 | 17 |
| 35 | Concentration of fibrin monomer in pregnancy and during the postpartum period. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 692-700. | 1.6 | 4 |
| 36 | Association between the cervicovaginal microbiome, BRCA1 mutation status, and risk of ovarian cancer: a case-control study. <i>Lancet Oncology</i> , The, 2019, 20, 1171-1182. | 10.7 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | NLRP3 inflammasome expression by maternal and fetal cells in the decidua and its association with preeclampsia. <i>Placenta</i> , 2019, 83, e15. | 1.5 | 1 |
| 38 | Niraparib plus bevacizumab versus niraparib alone for platinum-sensitive recurrent ovarian cancer (NSGO-AVANOVA2/ENGOT-ov24): a randomised, phase 2, superiority trial. <i>Lancet Oncology</i> , The, 2019, 20, 1409-1419. | 10.7 | 179 |
| 39 | Metabolomics Identifies Placental Dysfunction and Confirms Flt-1 (FMS-Like Tyrosine Kinase Receptor 1) Biomarker Specificity. <i>Hypertension</i> , 2019, 74, 1136-1143. | 2.7 | 14 |
| 40 | Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431. | 12.8 | 88 |
| 41 | Evaluation of vitamin D biosynthesis and pathway target genes reveals UGT2A1/2 and EGFR polymorphisms associated with epithelial ovarian cancer in African American Women. <i>Cancer Medicine</i> , 2019, 8, 2503-2513. | 2.8 | 6 |
| 42 | Influence of p53 Isoform Expression on Survival in High-Grade Serous Ovarian Cancers. <i>Scientific Reports</i> , 2019, 9, 5244. | 3.3 | 19 |
| 43 | Metabolomics identifies placental dysfunction and confirms Flt-1 biomarker specificity. <i>Pregnancy Hypertension</i> , 2019, 17, S5. | 1.4 | 0 |
| 44 | Combination of niraparib and bevacizumab versus niraparib alone as treatment of recurrent platinum-sensitive ovarian cancer: A randomized controlled chemotherapy-free studyâ€”NSGO-AVANOVA2/ENGOT-OV24.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5505-5505. | 1.6 | 10 |
| 45 | Toll-like receptor 3 expression and activation at the maternal-fetal interface in pregnancy. <i>Clinical Medicine</i> , 2019, 19, s104-s104. | 1.9 | 0 |
| 46 | Epigenome-based cancer risk prediction: rationale, opportunities and challenges. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 292-309. | 27.6 | 129 |
| 47 | Placental inflammation in pre-eclampsia by Nod-like receptor protein (NLRP)3 inflammasome activation in trophoblasts. <i>Clinical and Experimental Immunology</i> , 2018, 193, 84-94. | 2.6 | 75 |
| 48 | Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018, 118, 1123-1129. | 6.4 | 15 |
| 49 | Within-subject biological variation of activated partial thromboplastin time, prothrombin time, fibrinogen, factor VIII and von Willebrand factor in pregnant women. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1297-1308. | 2.3 | 8 |
| 50 | InÂvivo MR spectroscopy predicts high tumor grade in endometrial cancer. <i>Acta Radiologica</i> , 2018, 59, 497-505. | 1.1 | 7 |
| 51 | Preoperative quantitative dynamic contrast-enhanced MRI and diffusion-weighted imaging predict aggressive disease in endometrial cancer. <i>Acta Radiologica</i> , 2018, 59, 1010-1017. | 1.1 | 33 |
| 52 | Placental inflammation by HMGB1 activation of TLR4 at the syncytium. <i>Placenta</i> , 2018, 72-73, 53-61. | 1.5 | 24 |
| 53 | A Transcriptome-Wide Association Study Among 97,898 Women to Identify Candidate Susceptibility Genes for Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2018, 78, 5419-5430. | 0.9 | 54 |
| 54 | White Blood Cell <i>BRCA1</i> Promoter Methylation Status and Ovarian Cancer Risk. <i>Annals of Internal Medicine</i> , 2018, 168, 326. | 3.9 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | High expression of the p53 isoform \hat{I}^3 is associated with reduced progression-free survival in uterine serous carcinoma. BMC Cancer, 2018, 18, 684. | 2.6 | 15 |
| 56 | Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. PLoS ONE, 2018, 13, e0197561. | 2.5 | 9 |
| 57 | Asparaginase-like protein 1 expression in curettage independently predicts lymph node metastasis in endometrial carcinoma: a multicentre study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1695-1703. | 2.3 | 9 |
| 58 | rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. International Journal of Molecular Sciences, 2018, 19, 2473. | 4.1 | 3 |
| 59 | Preoperative tumor texture analysis on MRI predicts high-risk disease and reduced survival in endometrial cancer. Journal of Magnetic Resonance Imaging, 2018, 48, 1637-1647. | 3.4 | 91 |
| 60 | Implementing medical abortion with mifepristone and misoprostol in Norway 1998-2013. International Journal of Epidemiology, 2017, 46, dyw270. | 1.9 | 12 |
| 61 | Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. Nature Genetics, 2017, 49, 680-691. | 21.4 | 356 |
| 62 | Expression of LICAM in curettage or high LICAM level in preoperative blood samples predicts lymph node metastases and poor outcome in endometrial cancer patients. British Journal of Cancer, 2017, 117, 840-847. | 6.4 | 26 |
| 63 | A national, prospective observational study of first recurrence after primary treatment for gynecological cancer in Norway. Acta Obstetrica Et Gynecologica Scandinavica, 2017, 96, 1162-1169. | 2.8 | 22 |
| 64 | Changes in Chromatin Structure in Curettage Specimens Identifies High-Risk Patients in Endometrial Cancer. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 61-67. | 2.5 | 9 |
| 65 | No Evidence That Genetic Variation in the Myeloid-Derived Suppressor Cell Pathway Influences Ovarian Cancer Survival. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 420-424. | 2.5 | 3 |
| 66 | Late-week surgical treatment of endometrial cancer is associated with worse long-term outcome: Results from a prospective, multicenter study. PLoS ONE, 2017, 12, e0182223. | 2.5 | 7 |
| 67 | A phase 1 study to evaluate the safety and tolerability of bevacizumab-niraparib combination therapy and determine the recommended phase 2 dose (RP2D) in women with platinum-sensitive epithelial ovarian cancer (ENGOT-OV24/AVANOVA1). Annals of Oncology, 2017, 28, v339. | 1.2 | 6 |
| 68 | The antihypertensive MTHFR gene polymorphism rs17367504-G is a possible novel protective locus for preeclampsia. Journal of Hypertension, 2017, 35, 132-139. | 0.5 | 15 |
| 69 | C77G in PTPRC (CD45) is no risk allele for ovarian cancer, but associated with less aggressive disease. PLoS ONE, 2017, 12, e0182030. | 2.5 | 8 |
| 70 | Analyses of germline variants associated with ovarian cancer survival identify functional candidates at the 1q22 and 19p12 outcome loci. Oncotarget, 2017, 8, 64670-64684. | 1.8 | 7 |
| 71 | Preoperative imaging markers and PDZ-binding kinase tissue expression predict low-risk disease in endometrial hyperplasias and low grade cancers. Oncotarget, 2017, 8, 68530-68541. | 1.8 | 7 |
| 72 | Proteomic profiling of endometrioid endometrial cancer reveals differential expression of hormone receptors and MAPK signaling proteins in obese versus non-obese patients. Oncotarget, 2017, 8, 106989-107001. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Palbociclib versus placebo in combination with letrozole for patients with advanced or recurrent endometrial cancer: The NSGO ENGOT-EN3/PALEO trial.. Journal of Clinical Oncology, 2017, 35, TPS5612-TPS5612. | 1.6 | 0 |
| 74 | Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. International Journal of Epidemiology, 2016, 45, 884-895. | 1.9 | 71 |
| 75 | Adverse Pregnancy Outcomes After Treatment for Cervical Intraepithelial Neoplasia. Obstetrics and Gynecology, 2016, 128, 1265-1273. | 2.4 | 50 |
| 76 | Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. Human Genetics, 2016, 135, 741-756. | 3.8 | 19 |
| 77 | Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. International Journal of Epidemiology, 2016, 45, 1619-1630. | 1.9 | 111 |
| 78 | NLRP3 inflammasome expression and activation at the maternal-fetal interface in preeclamptic and healthy pregnancies. Placenta, 2016, 45, 88. | 1.5 | 0 |
| 79 | Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. Nature Communications, 2016, 7, 12675. | 12.8 | 78 |
| 80 | The genomic landscape and evolution of endometrial carcinoma progression and abdominopelvic metastasis. Nature Genetics, 2016, 48, 848-855. | 21.4 | 174 |
| 81 | Standard first-line chemotherapy with or without nintedanib for advanced ovarian cancer (AGO-OVAR 12): a randomised, double-blind, placebo-controlled phase 3 trial. Lancet Oncology, The, 2016, 17, 78-89. | 10.7 | 205 |
| 82 | BRCA2 Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. Journal of the National Cancer Institute, 2016, 108, djv315. | 6.3 | 77 |
| 83 | No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. Gynecologic Oncology, 2016, 141, 386-401. | 1.4 | 18 |
| 84 | A phase I study of bevacizumab in combination with niraparib in patients with platinum-sensitive epithelial ovarian cancer: The ENGOT-OV24/AVANOVA1 trial.. Journal of Clinical Oncology, 2016, 34, 5555-5555. | 1.6 | 7 |
| 85 | The HDACi Panobinostat Shows Growth Inhibition Both In Vitro and in a Bioluminescent Orthotopic Surgical Xenograft Model of Ovarian Cancer. PLoS ONE, 2016, 11, e0158208. | 2.5 | 28 |
| 86 | Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. Oncotarget, 2016, 7, 69097-69110. | 1.8 | 5 |
| 87 | Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. Oncotarget, 2016, 7, 72381-72394. | 1.8 | 13 |
| 88 | Tissue and imaging biomarkers for hypoxia predict poor outcome in endometrial cancer. Oncotarget, 2016, 7, 69844-69856. | 1.8 | 30 |
| 89 | Refined phenotyping identifies links between preeclampsia and related diseases in a Norwegian preeclampsia family cohort. Journal of Hypertension, 2015, 33, 2294-2302. | 0.5 | 21 |
| 90 | Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. Genetic Epidemiology, 2015, 39, 689-697. | 1.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The Norwegian preeclampsia family cohort study: a new resource for investigating genetic aspects and heritability of preeclampsia and related phenotypes. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 319. | 2.4 | 8 |
| 92 | Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015, 10, e0128106. | 2.5 | 44 |
| 93 | Cell-type-specific enrichment of risk-associated regulatory elements at ovarian cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2015, 24, 3595-3607. | 2.9 | 40 |
| 94 | Tumour apparent diffusion coefficient is associated with depth of myometrial invasion and is negatively correlated to tumour volume in endometrial carcinomas. <i>Clinical Radiology</i> , 2015, 70, 487-494. | 1.1 | 38 |
| 95 | Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171. | 21.4 | 221 |
| 96 | Genome-wide significant risk associations for mucinous ovarian carcinoma. <i>Nature Genetics</i> , 2015, 47, 888-897. | 21.4 | 78 |
| 97 | Network-Based Integration of GWAS and Gene Expression Identifies a <i>HOX</i> -Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1574-1584. | 2.5 | 28 |
| 98 | [278-POS]. <i>Pregnancy Hypertension</i> , 2015, 5, 138-139. | 1.4 | 0 |
| 99 | Evaluating the ovarian cancer gonadotropin hypothesis: A candidate gene study. <i>Gynecologic Oncology</i> , 2015, 136, 542-548. | 1.4 | 15 |
| 100 | Activated regulatory and memory T-cells accumulate in malignant ascites from ovarian carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 337-347. | 4.2 | 67 |
| 101 | Preoperative Tumor Size at MRI Predicts Deep Myometrial Invasion, Lymph Node Metastases, and Patient Outcome in Endometrial Carcinomas. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 459-466. | 2.5 | 53 |
| 102 | Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015, 6, 8234. | 12.8 | 63 |
| 103 | Common variants at the <i>CHEK2</i> gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015, 36, 1341-1353. | 2.8 | 24 |
| 104 | Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015, 24, 5955-5964. | 2.9 | 68 |
| 105 | Metabolic Tumor Volume on ¹⁸ F-FDG PET/CT Improves Preoperative Identification of High-Risk Endometrial Carcinoma Patients. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1191-1198. | 5.0 | 78 |
| 106 | Metabolic profiles of placenta in preeclampsia using HR-MAS MRS metabolomics. <i>Placenta</i> , 2015, 36, 1455-1462. | 1.5 | 53 |
| 107 | ENGOT-OV24-NSGO/AVANOVA: Niraparib versus bevacizumab-niraparib combination versus bevacizumab and niraparib as sequential therapy in women with platinum-sensitive epithelial ovarian, fallopian tube, or peritoneal cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS5607-TPS5607. | 1.6 | 10 |
| 108 | Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015, 2, . | 0.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Medical abortion with mifepristone and home administration of misoprostol up to 63 days' gestation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 647-653. | 2.8 | 43 |
| 110 | Genome-wide association study of subtype-specific epithelial ovarian cancer risk alleles using pooled DNA. <i>Human Genetics</i> , 2014, 133, 481-497. | 3.8 | 23 |
| 111 | Landscape of genomic alterations in cervical carcinomas. <i>Nature</i> , 2014, 506, 371-375. | 27.8 | 708 |
| 112 | Consortium analysis of gene and gene-gene interactions in purine and pyrimidine metabolism pathways with ovarian carcinoma risk. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2023-2035. | 3.3 | 16 |
| 113 | First In-Mouse Development and Application of a Surgically Relevant Xenograft Model of Ovarian Carcinoma. <i>PLoS ONE</i> , 2014, 9, e89527. | 2.5 | 20 |
| 114 | Abstract 4692: Relationships between somatic genomic alterations, tumor stage and progression-free survival in cervical cancer. , 2014, , . | | 0 |
| 115 | Dynamic contrast-enhanced MRI in endometrial carcinoma identifies patients at increased risk of recurrence. <i>European Radiology</i> , 2013, 23, 2916-2925. | 4.5 | 36 |
| 116 | Validity of the diagnosis of pre-eclampsia in the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 943-950. | 2.8 | 82 |
| 117 | Menstrual Cycle and Respiratory Symptoms in a General Nordic-Baltic Population. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 366-373. | 5.6 | 29 |
| 118 | Abstract 4604: Landscape of human and viral genomic alterations in cervical carcinomas.. , 2013, , . | | 0 |
| 119 | Pregnancy Outcomes After Paternal Radiofrequency Field Exposure Aboard Fast Patrol Boats. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 431-438. | 1.7 | 8 |
| 120 | Respiratory health in women: from menarche to menopause. <i>Expert Review of Respiratory Medicine</i> , 2012, 6, 187-202. | 2.5 | 41 |
| 121 | No effects of MRI scan on male reproduction hormones. <i>Reproductive Toxicology</i> , 2012, 34, 133-139. | 2.9 | 6 |
| 122 | Identification of ACOX2 as a shared genetic risk factor for preeclampsia and cardiovascular disease. <i>European Journal of Human Genetics</i> , 2011, 19, 796-800. | 2.8 | 37 |
| 123 | A transcriptional profile of the decidua in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 84.e1-84.e27. | 1.3 | 81 |
| 124 | Oral contraception, body mass index, and asthma: A cross-sectional Nordic-Baltic population survey. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 391-397. | 2.9 | 53 |
| 125 | Whole-genome microarray and targeted analysis of angiogenesis-regulating gene expression (ENG, Tj ETQq1 1 0.784314 rgBT /Overl... Maternal-Fetal and Neonatal Medicine, 2008, 21, 267-273. | 1.5 | 48 |
| 126 | Medical abortion in the first trimester: The use of serum hCG and endometrial thickness as markers of completeness. <i>European Journal of Contraception and Reproductive Health Care</i> , 2007, 12, 366-371. | 1.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Failed medical termination of twin pregnancy with mifepristone: a case report. <i>Contraception</i> , 2005, 71, 231-233. | 1.5 | 10 |
| 128 | Heterogeneous expression of CD59 on human Purkinje cells. <i>Neuroscience Letters</i> , 2004, 362, 21-25. | 2.1 | 8 |
| 129 | Paroxysmal nocturnal hemoglobinuria in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 1067-1071. | 2.8 | 39 |
| 130 | Early pregnancy termination with mifepristone and misoprostol in Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 1056-1061. | 2.8 | 13 |
| 131 | Early pregnancy termination with mifepristone and misoprostol in Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 1056-1061. | 2.8 | 28 |
| 132 | Decreased expression of protectin (CD59) in gut epithelium in ulcerative colitis and Crohn's disease*1. <i>Human Pathology</i> , 1999, 30, 1427-1430. | 2.0 | 22 |
| 133 | Complement-regulatory proteins in ovarian malignancies. , 1997, 70, 14-25. | | 106 |
| 134 | Soluble CD59 in pregnancy and infancy. <i>Immunology Letters</i> , 1993, 36, 233. | 2.5 | 23 |
| 135 | Symptomatic or asymptomatic recurrence of ovarian cancer: does it influence survival?. <i>International Journal of Gynecological Cancer</i> , 0, , ijgc-2022-003361. | 2.5 | 0 |