

Florencia Cidre-Aranaz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2512781/florencia-cidre-aranaz-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24
papers

621
citations

10
h-index

24
g-index

34
ext. papers

976
ext. citations

14
avg, IF

3.63
L-index

#	Paper	IF	Citations
24	Integrative gene network and functional analyses identify a prognostically relevant key regulator of metastasis in Ewing sarcoma.. <i>Molecular Cancer</i> , 2022 , 21, 1	42.1	3
23	Translational evidence for RRM2 as a prognostic biomarker and therapeutic target in Ewing sarcoma. <i>Molecular Cancer</i> , 2021 , 20, 97	42.1	3
22	Therapeutic targeting of the PLK1-PRC1-axis triggers cell death in genomically silent childhood cancer. <i>Nature Communications</i> , 2021 , 12, 5356	17.4	1
21	Drug Screening by Resazurin Colorimetry in Ewing Sarcoma. <i>Methods in Molecular Biology</i> , 2021 , 2226, 159-166	1.4	1
20	Analysis of Migration and Invasion in Ewing Sarcoma. <i>Methods in Molecular Biology</i> , 2021 , 2226, 167-179	1.4	0
19	Tumor Growth Analysis of Ewing Sarcoma Cell Lines Using Subcutaneous Xenografts in Mice. <i>Methods in Molecular Biology</i> , 2021 , 2226, 191-199	1.4	1
18	Ewing Sarcoma-Specific (Re)expression Models. <i>Methods in Molecular Biology</i> , 2021 , 2226, 119-138	1.4	0
17	Oncogenic hijacking of a developmental transcription factor evokes vulnerability toward oxidative stress in Ewing sarcoma. <i>Nature Communications</i> , 2020 , 11, 2423	17.4	17
16	High Specificity of BCL11B and GLG1 for EWSR1-FLI1 and EWSR1-ERG Positive Ewing Sarcoma. <i>Cancers</i> , 2020 , 12,	6.6	6
15	A comparative view on the expression patterns of PD-L1 and PD-1 in soft tissue sarcomas. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1353-1362	7.4	18
14	Integrative clinical transcriptome analysis reveals TMPRSS2-ERG dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 2036-2046	7.5	7
13	Sarcoma treatment in the era of molecular medicine. <i>EMBO Molecular Medicine</i> , 2020 , 12, e11131	12	48
12	Cooperation of cancer drivers with regulatory germline variants shapes clinical outcomes. <i>Nature Communications</i> , 2019 , 10, 4128	17.4	38
11	Gene expression and immunohistochemical analyses identify SOX2 as major risk factor for overall survival and relapse in Ewing sarcoma patients. <i>EBioMedicine</i> , 2019 , 47, 156-162	8.8	10
10	Targeting the CALCB/RAMP1 axis inhibits growth of Ewing sarcoma. <i>Cell Death and Disease</i> , 2019 , 10, 116	9.8	16
9	Targeting the undruggable: exploiting neomorphic features of fusion oncoproteins in childhood sarcomas for innovative therapies. <i>Cancer and Metastasis Reviews</i> , 2019 , 38, 625-642	9.6	19
8	Functional genomics identifies AMPD2 as a new prognostic marker for undifferentiated pleomorphic sarcoma. <i>International Journal of Cancer</i> , 2019 , 144, 859-867	7.5	6

7	Ewing sarcoma. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 5	51.1	255
6	The second European interdisciplinary Ewing sarcoma research summit--A joint effort to deconstructing the multiple layers of a complex disease. <i>Oncotarget</i> , 2016 , 7, 8613-24	3.3	38
5	Chimeric EWSR1-FLI1 regulates the Ewing sarcoma susceptibility gene EGR2 via a GGAA microsatellite. <i>Nature Genetics</i> , 2015 , 47, 1073-8	36.3	103
4	EWS/FLI1 Target Genes and Therapeutic Opportunities in Ewing Sarcoma. <i>Frontiers in Oncology</i> , 2015 , 5, 162	5.3	27
3	Oncogenic hijacking of a developmental transcription factor evokes therapeutic vulnerability for ROS-induction in Ewing sarcoma		1
2	Systematic multi-omics cell line profiling uncovers principles of Ewing sarcoma fusion oncogene-mediated gene regulation		1
1	Oncofusion-driven de novo enhancer assembly promotes malignancy in Ewing sarcoma via aberrant expression of the stereociliary protein LOXHD1		1