MaÅ,gorzata Adamska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2512948/publications.pdf

Version: 2024-02-01

933447 940533 24 275 10 16 citations g-index h-index papers 25 25 25 455 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	First report of <i>Blastocystis</i> <ir> <ir> <ir> <ir> <ir> <ir> <ir> <i< td=""><td>2.7</td><td>9</td></i<></ir></ir></ir></ir></ir></ir></ir>	2.7	9
2	Colorectal cancer and Blastocystis sp. infection. Parasites and Vectors, 2021, 14, 200.	2.5	20
3	The role of different species of wild ungulates and Ixodes ricinus ticks in the circulation of genetic variants of Anaplasma phagocytophilum in a forest biotope in north-western Poland. Ticks and Tick-borne Diseases, 2020, 11, 101465.	2.7	12
4	Acanthamoeba – pathogen and vector of highly pathogenic bacteria strains to healthy and immunocompromised individuals. Central-European Journal of Immunology, 2020, 45, 228-232.	1.2	7
5	Molecular detection of Toxoplasma gondii in natural surface water bodies in Poland. Journal of Water and Health, 2018, 16, 657-660.	2.6	8
6	Molecular evidence for Toxoplasma gondii in feeding and questing Ixodes ricinus ticks. Ticks and Tick-borne Diseases, 2017, 8, 259-261.	2.7	6
7	Molecular detecting of piroplasms in feeding and questing lxodes ricinus ticks. Annals of Parasitology, 2017, 63, 21-26.	0.1	5
8	Molecular Characterization of <i>Acanthamoeba</i> spp. Occurring in Water Bodies and Patients in Poland and Redefinition of Polish T16 Genotype. Journal of Eukaryotic Microbiology, 2016, 63, 262-270.	1.7	7
9	Molecular evidence for bacterial pathogens in Ixodes ricinus ticks infesting Shetland ponies. Experimental and Applied Acarology, 2016, 69, 179-189.	1.6	9
10	Assessment of molecular methods as a tool for detecting pathogenic protozoa isolated from water bodies. Journal of Water and Health, 2015, 13, 953-959.	2.6	7
11	Molecular characterization of Cryptosporidium and Giardia occurring in natural water bodies in Poland. Parasitology Research, 2015, 114, 687-692.	1.6	20
12	Thermophilic potentially pathogenic amoebae isolated from natural water bodies in Poland and their molecular characterization. Acta Parasitologica, 2014, 59, 433-41.	1.1	17
13	Molecular Detection of Bartonella Sp. in Wild Ruminants and Analysis of its Genetic Diversity on the Basis of 16S–23S Rrna Intergenic Spacer (ITS). Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2012, 56, 15-19.	0.4	0
14	Recovery of Cryptosporidium from spiked water and stool samples measured by PCR and real time PCR. Veterinarni Medicina, 2012, 57, 224-232.	0.6	8
15	Recovery of DNA ofGiardia intestinaliscysts from surface water concentrates measured with PCR and real time PCR. Parasite, 2011, 18, 341-343.	2.0	4
16	PCR and Real Time PCR for the Detection of <i>Cryptosporidium parvum</i> Oocyst DNA. Folia Biologica, 2011, 59, 115-120.	0.5	4
17	Molecular evidence of vector-borne pathogens coinfecting dogs from Poland. Acta Veterinaria Hungarica, 2011, 59, 215-223.	0.5	29
18	Comparison of efficiency of various DNA extraction methods from cysts of <i> Giardia intestinalis </i> measured by PCR and TaqMan real time PCR. Parasite, 2010, 17, 299-305.	2.0	26

#	Article	IF	CITATIONS
19	Wild ruminants in the area of the North-Western Poland as potential reservoir hosts of Bartonella schoenbuchensis and B. bovis. Acta Parasitologica, 2008, 53, 407.	1.1	11
20	Coexistence of tick-borne pathogens in game animals and ticks in western Poland. Veterinarni Medicina, 2008, 53, 668-675.	0.6	21
21	Wild game as a reservoir of Anaplasma phagocytophilum in north-western Poland. Annals of Parasitology, 2007, 53, 103-7.	0.1	10
22	Detection of Bartonella DNA in roe deer (Capreolus capreolus) and in ticks removed from deer. European Journal of Wildlife Research, 2005, 51, 287-290.	1.4	10
23	Prevalence of DNA and antibodies to Borrelia burgdorferi sensu lato in dogs suspected of borreliosis. Annals of Agricultural and Environmental Medicine, 2005, 12, 199-205.	1.0	15
24	Blood DNA analysis for Ehrlichia (Anaplasma) phagocytophila and Babesia spp. in Dogs from Northern Poland. Acta Veterinaria Brno, 2004, 73, 347-351.	0.5	8