

# Major Singh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2513345/publications.pdf>

Version: 2024-02-01

76  
papers

1,648  
citations

304743

22  
h-index

345221

36  
g-index

77  
all docs

77  
docs citations

77  
times ranked

1737  
citing authors

#	ARTICLE	IF	CITATIONS
1	Embryo rescue: A potential tool for improvement of economically important crops. , 2022, , 259-282.		0
2	Meristem culture: A potential technique for in vitro virus-free plants production in vegetatively propagated crops. , 2022, , 325-343.		0
3	Rhizosphere soil microbiomes: As driver of agriculture commodity and industrial application. , 2021, , 183-195.		3
4	Engineered BcZAT12 gene mitigates salt stress in tomato seedlings. Physiology and Molecular Biology of Plants, 2021, 27, 535-541.	3.1	3
5	Co-overexpression of AtDREB1A and BcZAT12 increases drought tolerance and fruit production in double transgenic tomato ( <i>Solanum lycopersicum</i> ) plants. Environmental and Experimental Botany, 2021, 184, 104396.	4.2	14
6	Overexpression of AtDREB1 and BcZAT12 genes confers drought tolerance by reducing oxidative stress in double transgenic tomato ( <i>Solanum lycopersicum</i> L.). Plant Cell Reports, 2021, 40, 2173-2190.	5.6	12
7	Development of an embryo germination protocol for shy-seeded grape ( <i>Vitis vinifera</i> L.). Plant Genetic Resources: Characterisation and Utilisation, 2021, 19, 252-260.	0.8	2
8	Entomopathogenic Microbes for Sustainable Crop Protection: Future Perspectives. Environmental and Microbial Biotechnology, 2021, , 469-497.	0.7	2
9	Transgenic tomatoes for abiotic stress tolerance: status and way ahead. 3 Biotech, 2019, 9, 143.	2.2	56
10	Screening of Tomato Genotypes Against Root-Knot Nematode and Validation of Mi 1 Gene Linked Markers. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2018, 88, 65-72.	1.0	6
11	Genome wide expression analysis of WRKY genes in tomato ( <i>Solanum lycopersicum</i> ) under drought stress. Plant Gene, 2018, 13, 8-17.	2.3	69
12	Proline-Rich Proteins May Regulate Free Cellular Proline Levels during Drought Stress in Tomato. Current Science, 2018, 114, 915.	0.8	18
13	Impact of land use change on soil aggregate dynamics in the dry tropics. Restoration Ecology, 2017, 25, 962-971.	2.9	21
14	Possible role of endothelin receptor against hyperhomocysteinemia and $\beta$ -amyloid induced AD type of vascular dementia in rats. Brain Research Bulletin, 2017, 133, 31-41.	3.0	13
15	Impact of Climate Change on Vegetable Production and Adaptation Measures. , 2017, , 413-428.		8
16	The Southeastern Asian house mouse ( <i>Mus musculus castaneus</i> Linn.) as a new passenger host for <i>Cryptococcus neoformans</i> var. <i>grubii</i> molecular type VNI. Medical Mycology, 2017, 55, 820-827.	0.7	6
17	TDZ-induced plant regeneration in <i>Brassica oleracea</i> L. var. <i>botrytis</i> : effect of antioxidative enzyme activity and genetic stability in regenerated plantlets. In Vitro Cellular and Developmental Biology - Plant, 2017, 53, 598-605.	2.1	11
18	Regeneration of soapnut tree through somatic embryogenesis and assessment of genetic fidelity through ISSR and RAPD markers. Physiology and Molecular Biology of Plants, 2016, 22, 381-389.	3.1	21

#	ARTICLE	IF	CITATIONS
19	Gene expression analysis of <i>Solanum lycopersicum</i> and <i>Solanum habrochaites</i> under drought conditions. <i>Genomics Data</i> , 2016, 9, 40-41.	1.3	10
20	Microarray analyses for identifying genes conferring resistance to pepper leaf curl virus in chilli pepper ( <i>Capsicum</i> spp.). <i>Genomics Data</i> , 2016, 9, 140-142.	1.3	4
21	Identification of transcription factors in tomato, potentially related to early blight resistance at invasion in host tissue, using microarray expression profiling. <i>South African Journal of Botany</i> , 2016, 106, 165-173.	2.5	7
22	Microbial Biomass Dynamics in a Tropical Agroecosystem: Influence of Herbicide and Soil Amendments. <i>Pedosphere</i> , 2016, 26, 257-264.	4.0	11
23	Microarray analyses during early stage of the tomato/ <i>Alternaria solani</i> interaction. <i>Genomics Data</i> , 2015, 6, 170-172.	1.3	7
24	De Novo Assembly of Bitter Gourd Transcriptomes: Gene Expression and Sequence Variations in Gynoecious and Monoecious Lines. <i>PLoS ONE</i> , 2015, 10, e0128331.	2.5	19
25	Detection of tomato leaf curl virus resistance and inheritance in tomato ( <i>Solanum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50	1.3	20
26	Micropropagation of <i>Phyllanthus fraternus</i> Webster (Euphorbiaceae) from field-derived shoot tip explant and assessment of its genetic fidelity. <i>Revista Brasileira De Botanica</i> , 2015, 38, 517-525.	1.3	4
27	Soil CO <sub>2</sub> flux and carbon storage in the dry tropics: Impact of land-use change involving bioenergy crop plantation. <i>Biomass and Bioenergy</i> , 2015, 83, 123-130.	5.7	15
28	Genetic and molecular characterisations of Tomato leaf curl virus resistance in tomato ( <i>Solanum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	1.9	4
29	Bioactive compounds of tomato fruits from transgenic plants tolerant to drought. <i>LWT - Food Science and Technology</i> , 2015, 61, 609-614.	5.2	10
30	Selection of tomato genotypes resistant to tomato leaf curl virus disease using biochemical and physiological markers. <i>Journal of Agricultural Science</i> , 2015, 153, 646-655.	1.3	12
31	Protein modeling and molecular dynamics simulation of SIWRKY4 protein cloned from drought tolerant tomato ( <i>Solanum habrochaites</i> ) line EC520061. <i>Journal of Molecular Modeling</i> , 2015, 21, 255.	1.8	14
32	QTL mapping for important horticultural traits in pepper ( <i>Capsicum annum</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 2015, 24, 154-160.	1.7	21
33	Pyramiding <i>Tc2</i> and <i>Tc3</i> genes for resistance to monopartite and bipartite tomato leaf curl viruses of India. <i>Plant Pathology</i> , 2015, 64, 256-264.	2.4	95
34	Marker assisted gene pyramiding for enhanced Tomato leaf curl virus disease resistance in tomato cultivars. <i>Biologia Plantarum</i> , 2014, 58, 792-797.	1.9	18
35	Virulence and genotypic characterization of <i>Listeria monocytogenes</i> isolated from vegetable and soil samples. <i>BMC Microbiology</i> , 2014, 14, 241.	3.3	58
36	Assessment of factors on shoot proliferation potential of nodal explants of <i>Phyllanthus fraternus</i> and assessment of genetic fidelity of micropropagated plants using RAPD marker. <i>Biologia (Poland)</i> , 2014, 69, 1685-1692.	1.5	2

#	ARTICLE	IF	CITATIONS
37	Ex Situ Conservation of <i>Phyllanthus fraternus</i> Webster and Evaluation of Genetic Fidelity in Regenerates Using DNA-Based Molecular Marker. <i>Applied Biochemistry and Biotechnology</i> , 2014, 174, 2195-2208.	2.9	8
38	Rhizospheric fungal community structure of a <i>Bt</i> brinjal and a near isogenic variety. <i>Journal of Applied Microbiology</i> , 2014, 117, 750-765.	3.1	19
39	Genetic analysis to identify good combiners for ToLCV resistance and yield components in tomato using interspecific hybridization. <i>Journal of Genetics</i> , 2014, 93, 623-629.	0.7	12
40	Transcription factors in abiotic stress tolerance. <i>Indian Journal of Plant Physiology</i> , 2014, 19, 306-316.	0.8	60
41	Expression of ZAT12 transcripts in transgenic tomato under various abiotic stresses and modeling of ZAT12 protein in silico. <i>BioMetals</i> , 2014, 27, 1231-1247.	4.1	11
42	Variation in soil microbial biomass in the dry tropics: impact of land-use change. <i>Soil Research</i> , 2014, 52, 299.	1.1	16
43	Monogenic recessive resistance to Pepper leaf curl virus in an interspecific cross of <i>Capsicum</i> . <i>Scientia Horticulturae</i> , 2014, 172, 34-38.	3.6	34
44	Shoot and fruit borer resistant transgenic eggplant ( <i>Solanum melongena</i> L.) expressing <i>cry1Aa3</i> gene: Development and bioassay. <i>Crop Protection</i> , 2013, 53, 37-45.	2.1	13
45	Changes in Actinomycetes community structure under the influence of <i>Bt</i> transgenic brinjal crop in a tropical agroecosystem. <i>BMC Microbiology</i> , 2013, 13, 122.	3.3	29
46	Genetic diversity in <i>Capsicum</i> germplasm based on microsatellite and random amplified microsatellite polymorphism markers. <i>Physiology and Molecular Biology of Plants</i> , 2013, 19, 575-586.	3.1	45
47	Expression of <i>rd29A::AtDREB1A/CBF3</i> in tomato alleviates drought-induced oxidative stress by regulating key enzymatic and non-enzymatic antioxidants. <i>Plant Physiology and Biochemistry</i> , 2013, 69, 90-100.	5.8	81
48	Genetic diversity in Indian cucumber based on microsatellite and morphological markers. <i>Biochemical Systematics and Ecology</i> , 2013, 51, 19-27.	1.3	22
49	Effect of heat-shock induced oxidative stress is suppressed in <i>BcZAT12</i> expressing drought tolerant tomato. <i>Phytochemistry</i> , 2013, 95, 109-117.	2.9	29
50	Adaptation Options for Sustainable Production of Cucurbitaceous Vegetable Under Climate Change Situation. , 2013, , 137-146.		1
51	Engineering drought tolerant tomato plants over-expressing <i>BcZAT12</i> gene encoding a C2H2 zinc finger transcription factor. <i>Phytochemistry</i> , 2013, 85, 44-50.	2.9	57
52	Bacterial Community Structure in the Rhizosphere of a <i>Cry1Ac Bt</i> -Brinjal Crop and Comparison to Its Non-transgenic Counterpart in the Tropical Soil. <i>Microbial Ecology</i> , 2013, 66, 927-939.	2.8	18
53	Assessment of Molecular Diversity in Chickpea ( <i>Cicer arietinum</i> L.) Rhizobia and Structural Analysis of 16S rDNA Sequences from <i>Mesorhizobium ciceri</i> . <i>Polish Journal of Microbiology</i> , 2013, 62, 253-262.	1.7	9
54	Mixed infections of begomoviruses in pumpkins with yellow vein mosaic disease in north India. <i>Archives of Phytopathology and Plant Protection</i> , 2012, 45, 938-941.	1.3	13

#	ARTICLE	IF	CITATIONS
55	Monitoring the genetic fidelity of micropropagated plantlets of <i>Spondias mangifera</i> Willd. using RAPD marker assays. <i>Journal of Horticultural Science and Biotechnology</i> , 2012, 87, 451-454.	1.9	5
56	Effects of explant age, germination medium, pre-culture parameters, inoculation medium, pH, washing medium, and selection regime on <i>Agrobacterium</i> -mediated transformation of tomato. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2012, 48, 565-578.	2.1	44
57	Effect of water withdrawal on formation of free radical, proline accumulation and activities of antioxidant enzymes in ZAT12-transformed transgenic tomato plants. <i>Plant Physiology and Biochemistry</i> , 2012, 61, 108-114.	5.8	81
58	In vitro propagation of spine gourd ( <i>Momordica dioica</i> Roxb.) and assessment of genetic fidelity of micropropagated plants using RAPD analysis. <i>Physiology and Molecular Biology of Plants</i> , 2012, 18, 273-280.	3.1	15
59	A Review on Molecular Characterization of Pepper for Capsaicin and Oleoresin. <i>International Journal of Plant Breeding and Genetics</i> , 2011, 5, 99-110.	0.3	13
60	Changes in methanotrophic community composition after rice crop harvest in tropical soils. <i>Biology and Fertility of Soils</i> , 2010, 46, 471-479.	4.3	20
61	Molecular Characterization of Tomato leaf curl Palampur virus and Pepper leaf curl betasatellite Naturally Infecting Pumpkin ( <i>Cucurbita moschata</i> ) in India. <i>Indian Journal of Virology: an Official Organ of Indian Virological Society</i> , 2010, 21, 128-132.	0.7	32
62	Tomato cultivar tolerant to <i>Tomato leaf curl New Delhi virus</i> infection induces virus-specific short interfering RNA accumulation and defence-associated host gene expression. <i>Molecular Plant Pathology</i> , 2010, 11, 531-544.	4.2	63
63	Fault tolerant application execution model in computing grid. , 2010, , .		0
64	The population genomics of begomoviruses: global scale population structure and gene flow. <i>Virology Journal</i> , 2010, 7, 220.	3.4	33
65	Impact of Leguminous Biomulching on Soil Properties, Leaf Yield and Cocoon Productivity of Tropical Tasarculture under Rain-Fed Conditions. <i>Journal of Entomology</i> , 2010, 7, 219-226.	0.2	4
66	Validation of SCAR markers, diversity analysis of male sterile (S-) cytoplasm and isolation of an alloplasmic S-cytoplasm in <i>Capsicum</i> . <i>Scientia Horticulturae</i> , 2009, 120, 167-172.	3.6	17
67	Development and bioassay of <i>Cry1Ac</i> transgenic eggplant ( <i>Solanum melongena</i> L.) resistant to shoot and fruit borer. <i>Journal of Horticultural Science and Biotechnology</i> , 2009, 84, 434-438.	1.9	22
68	Genetic diversity in Indian ash gourd ( <i>Benincasa hispida</i> ) accessions as revealed by quantitative traits and RAPD markers. <i>Scientia Horticulturae</i> , 2008, 118, 80-86.	3.6	27
69	Genetics and distribution of fertility restoration associated RAPD markers in inbreds of pepper ( <i>Capsicum annum</i> L.). <i>Scientia Horticulturae</i> , 2007, 111, 197-202.	3.6	30
70	Identification of host plant resistance to pepper leaf curl virus in chilli ( <i>Capsicum</i> species). <i>Scientia Horticulturae</i> , 2006, 110, 359-361.	3.6	50
71	Shoot initiation and multiplication from a mature tree of <i>Terminalia arjuna</i> roxb. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2006, 42, 389-393.	2.1	27
72	Inheritance of Gynoecism in Bitter Gourd ( <i>Momordica charantia</i> L.). <i>Journal of Heredity</i> , 2006, 97, 294-295.	2.4	46

#	ARTICLE	IF	CITATIONS
73	In vitro selection of NaCl-tolerant callus lines and regeneration of plantlets in a bamboo ( <i>Dendrocalamus strictus</i> Nees). <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2003, 39, 229-233.	2.1	14
74	Thidiazuron-induced Shoot Multiplication and Plant Regeneration in Bamboo ( <i>Dendrocalamus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	1.7	23
75	Effect of gamma radiations on the crossability of wheat, triticale and rye and on meiosis, pollen grain germination and pollen tube growth.. <i>Cytologia</i> , 1988, 53, 123-130.	0.6	6
76	De novo assembly, differential gene expression and pathway analyses for anthracnose resistance in chilli ( <i>Capsicum annuum</i> L.). <i>Journal of Plant Biochemistry and Biotechnology</i> , 0, , 1.	1.7	3