Leung Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2514860/publications.pdf

Version: 2024-02-01

713444 759190 27 453 12 21 citations h-index g-index papers 27 27 27 799 citing authors all docs docs citations times ranked

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Comparison of Chemoembolization, Radioembolization, and Transarterial Ethanol Ablation for Huge Hepatocellular Carcinoma (≥ 10Âcm) in Tumour Response and Long-Term Survival Outcome. CardioVascular and Interventional Radiology, 2022, 45, 172-181. | 2.0 | 7 |
| 2 | Total Neoadjuvant Therapy for High Risk Rectal Cancer in Western and Asian Populations – Current Evidence and Clinical Applications. Clinical Colorectal Cancer, 2022, 21, 45-54. | 2.3 | 2 |
| 3 | Selective Internal Radiation Therapy with Yttrium-90 Resin Microspheres Followed by Gemcitabine plus Cisplatin for Unresectable Intrahepatic Cholangiocarcinoma: A Phase 2 Single-Arm Multicenter Clinical Trial. Liver Cancer, 2022, 11, 451-459. | 7.7 | 3 |
| 4 | Identification of optimal contemporary antiemetic prophylaxis for doxorubicin-cyclophosphamide chemotherapy in Chinese cancer patients: post-hoc analysis of 3 prospective studies. Cancer Biology and Medicine, 2021, 18, 825-832. | 3.0 | 0 |
| 5 | Dynamic Changes of Post-Radiotherapy Plasma Epstein–Barr Virus DNA in a Randomized Trial of Adjuvant Chemotherapy Versus Observation in Nasopharyngeal Cancer. Clinical Cancer Research, 2021, 27, 2827-2836. | 7.0 | 13 |
| 6 | A phase II clinical study on the efficacy and predictive biomarker of pegylated recombinant arginase on hepatocellular carcinoma. Investigational New Drugs, 2021, 39, 1375-1382. | 2.6 | 20 |
| 7 | Quality of Life Associated with Nausea and Vomiting from Anthracycline-Based Chemotherapy: A Pooled Data Analysis from Three Prospective Trials. Oncologist, 2021, 26, e2288-e2296. | 3.7 | 6 |
| 8 | Dataset on chemotherapy-induced nausea and vomiting (CINV) and quality of life (QOL) during multiple chemotherapy cycles among a Chinese breast cancer patient population who were randomized to antiemetic regimens with or without olanzapine. Data in Brief, 2020, 30, 105421. | 1.0 | 4 |
| 9 | Bone Health in Premenopausal Chinese Patients after Adjuvant Chemotherapy for Early Breast Cancer. Breast Care, 2020, 15, 655-666. | 1.4 | 1 |
| 10 | Menopausal symptoms in relationship to breast cancer-specific quality of life after adjuvant cytotoxic treatment in young breast cancer survivors. Health and Quality of Life Outcomes, 2020, 18, 24. | 2.4 | 15 |
| 11 | A randomized study of olanzapine-containing versus standard antiemetic regimens for the prevention of chemotherapy-induced nausea and vomiting in Chinese breast cancer patients. Breast, 2020, 50, 30-38. | 2.2 | 19 |
| 12 | NEPA efficacy and tolerability during (neo)adjuvant breast cancer chemotherapy with cyclophosphamide and doxorubicin. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2019-002037. | 1.6 | 5 |
| 13 | Status of inflammation in relation to health related quality of life in hepatocellular carcinoma patients. Quality of Life Research, 2019, 28, 2597-2607. | 3.1 | 4 |
| 14 | The association of liver function and quality of life of patients with liver cancer. BMC Gastroenterology, 2019, 19, 66. | 2.0 | 21 |
| 15 | Correlations of health-related quality of life with serum inflammatory indicators IL-8 and mIBI in patients with hepatocellular carcinoma /p>. Cancer Management and Research, 2019, Volume 11, 2719-2727. | 1.9 | 8 |
| 16 | Ablative Chemoembolization for Hepatocellular Carcinoma: A Prospective Phase I Case-Control Comparison with Conventional Chemoembolization. Radiology, 2018, 287, 340-348. | 7.3 | 4 |
| 17 | Efficacy, Safety, and Pharmacokinetics of Axitinib in Nasopharyngeal Carcinoma: A Preclinical and Phase II Correlative Study. Clinical Cancer Research, 2018, 24, 1030-1037. | 7.0 | 41 |
| 18 | Prospective evaluation of plasma Epstein–Barr virus DNA clearance and fluorodeoxyglucose positron emission scan in assessing early response to chemotherapy in patients with advanced or recurrent nasopharyngeal carcinoma. British Journal of Cancer, 2018, 118, 1051-1055. | 6.4 | 24 |

LEUNG LI

| # | Article | IF | CITATION |
|----|--|-----|----------|
| 19 | Quality of life of young Chinese breast cancer patients after adjuvant chemotherapy. Cancer Management and Research, 2018, Volume 10, 383-389. | 1.9 | 10 |
| 20 | Prognostic values of EORTC QLQ-C30 and QLQ-HCC18 index-scores in patients with hepatocellular carcinoma $\hat{a} \in \text{``clinical application of health-related quality-of-life data. BMC Cancer, 2017, 17, 8.}$ | 2.6 | 38 |
| 21 | A phase 2 study of the efficacy and biomarker on the combination of transarterial chemoembolization and axitinib in the treatment of inoperable hepatocellular carcinoma. Cancer, 2017, 123, 3977-3985. | 4.1 | 22 |
| 22 | Value of quality of life analysis in liver cancer: A clinician's perspective. World Journal of Hepatology, 2017, 9, 867. | 2.0 | 31 |
| 23 | Phase I, multicenter, openâ€label, doseâ€escalation study of sonidegib in Asian patients with advanced solid tumors. Cancer Science, 2016, 107, 1477-1483. | 3.9 | 16 |
| 24 | Applicability of <scp>BALAD</scp> score in prognostication of hepatitis <scp>B</scp> â€related hepatocellular carcinoma. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 1529-1535. | 2.8 | 14 |
| 25 | Phase I/II study of temsirolimus for patients with unresectable Hepatocellular Carcinoma (HCC)- a correlative study to explore potential biomarkers for response. BMC Cancer, 2015, 15, 395. | 2.6 | 96 |
| 26 | A phase II clinical trial on combined axitinib and transarterial chemoembolization (TACE) for hepatocellular carcinoma (HCC): Final results and evaluation of clinical predictor for response Journal of Clinical Oncology, 2015, 33, 4073-4073. | 1.6 | 0 |
| 27 | Colorectal cancer in Chinese patients: current and emerging treatment options. OncoTargets and Therapy, 2014, 7, 1817. | 2.0 | 29 |