

Gabriel Araújo Tavares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2516868/publications.pdf>

Version: 2024-02-01

9
papers

65
citations

1684188

5
h-index

1588992

8
g-index

9
all docs

9
docs citations

9
times ranked

87
citing authors

#	ARTICLE	IF	CITATIONS
1	Early Life Stress and the Onset of Obesity: Proof of MicroRNAs™ Involvement Through Modulation of Serotonin and Dopamine Systems™ Homeostasis. <i>Frontiers in Physiology</i> , 2020, 11, 925.	2.8	18
2	Early weaning leads to disruption of homeostatic and hedonic eating behaviors and modulates serotonin (5HT) and dopamine (DA) systems in male adult rats. <i>Behavioural Brain Research</i> , 2020, 383, 112531.	2.2	13
3	Early life stress induced by maternal separation during lactation alters the eating behavior and serotonin system in middle-aged rat female offspring. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 192, 172908.	2.9	11
4	Dual exposure to stress in different stages of development affects eating behavior of male Wistar rats. <i>Physiology and Behavior</i> , 2020, 214, 112769.	2.1	8
5	Effects of perinatal protein malnutrition and fenfluramine action on food intake and neuronal activation in the hypothalamus and raphe nuclei of neonate rats. <i>Physiology and Behavior</i> , 2016, 165, 35-42.	2.1	7
6	Early weaning disrupts feeding patterns in female juvenile rats through 5HT-system modulations. <i>Behavioural Processes</i> , 2020, 170, 103981.	1.1	5
7	Early weaning modulates eating behavior and promotes hypofunction of the serotonergic (5HT) system in juvenile male rats. <i>International Journal of Developmental Neuroscience</i> , 2020, 80, 209-219.	1.6	2
8	Blockade of Opioidergic System During Early Weaning Reverts Feeding Behavior Altered Patterns. <i>Neuroscience</i> , 2021, 463, 254-263.	2.3	1
9	PERINATAL PROTEIN MALNUTRITION MODULATES THE IMMUNOREACTIVITY OF 5-HT1B AND DENSITY OF 5-HT IN THE NUCLEUS OF THE SOLITARY TRACT (NTS) OF YOUNG RATS IN RESPONSE TO A FEEDING STIMULUS / DESNUTRIÇÃO PROTÉICA PERINATAL MODULA A IMUNORREATIVIDADE DE 5-HT1B E A DENSIDADE DE 5-HT NO NÚCLEO DO TRATO SOLITÁRIO (NTS) DE RATOS JOVENS EM RESPOSTA À ESTIMULO ALIMENTAR. <i>Brazilian Journal of Development</i> , 2020, 6, 65497-65508.	0	0