

Roberto Flavio Pecoits-Filho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2517108/publications.pdf>

Version: 2024-02-01

320
papers

16,065
citations

23500

58
h-index

22102

113
g-index

335
all docs

335
docs citations

335
times ranked

14970
citing authors

#	ARTICLE	IF	CITATIONS
1	Aspects of Immune Dysfunction in End-stage Renal Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1526-1533.	2.2	831
2	IL-10, IL-6, and TNF- α : Central factors in the altered cytokine network of uremia—The good, the bad, and the ugly. <i>Kidney International</i> , 2005, 67, 1216-1233.	2.6	738
3	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. <i>Lancet</i> , 2017, 390, 1888-1917.	6.3	662
4	KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. <i>Kidney International</i> , 2021, 99, S1-S87.	2.6	497
5	The malnutrition, inflammation, and atherosclerosis (MIA) syndrome - the heart of the matter. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 28-31.	0.4	473
6	Serum Albumin, C-Reactive Protein, Interleukin 6, and Fetuin A as Predictors of Malnutrition, Cardiovascular Disease, and Mortality in Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2006, 47, 139-148.	2.1	442
7	Changes in the worldwide epidemiology of peritoneal dialysis. <i>Nature Reviews Nephrology</i> , 2017, 13, 90-103.	4.1	384
8	Associations between circulating inflammatory markers and residual renal function in CRF patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 1212-1218.	2.1	371
9	Interleukin-6 is an independent predictor of mortality in patients starting dialysis treatment. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1684-1688.	0.4	345
10	Left Ventricular Mass in Chronic Kidney Disease and ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, S79-S91.	2.2	294
11	Low fetuin-A levels are associated with cardiovascular death: Impact of variations in the gene encoding fetuin. <i>Kidney International</i> , 2005, 67, 2383-2392.	2.6	274
12	Potassium homeostasis and management of dyskalemia in kidney diseases: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2020, 97, 42-61.	2.6	260
13	Heart failure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 1304-1317.	2.6	232
14	Coronary Artery Disease in End-Stage Renal Disease: No Longer a Simple Plumbing Problem. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1927-1939.	3.0	208
15	Peritoneal Dialysis for Acute Kidney Injury. <i>Peritoneal Dialysis International</i> , 2014, 34, 494-517.	1.1	191
16	Truncal fat mass as a contributor to inflammation in end-stage renal disease. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1222-1229.	2.2	187
17	Chronic kidney disease and arrhythmias: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>European Heart Journal</i> , 2018, 39, 2314-2325.	1.0	186
18	Plasma and dialysate IL-6 and VEGF concentrations are associated with high peritoneal solute transport rate. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1480-1486.	0.4	183

#	ARTICLE	IF	CITATIONS
19	A pre-specified analysis of the DAPA-CKD trial demonstrates the effects of dapagliflozin on major adverse kidney events in patients with IgA nephropathy. <i>Kidney International</i> , 2021, 100, 215-224.	2.6	182
20	Executive summary of the KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. <i>Kidney International</i> , 2021, 99, 559-569.	2.6	169
21	Adiponectin in renal disease: Relationship to phenotype and genetic variation in the gene encoding adiponectin. <i>Kidney International</i> , 2004, 65, 274-281.	2.6	160
22	Mortality, malnutrition, and atherosclerosis in ESRD: What is the role of interleukin-6?. <i>Kidney International</i> , 2002, 61, S103-S108.	2.6	159
23	Plasma Pentosidine Is Associated with Inflammation and Malnutrition in End-Stage Renal Disease Patients Starting on Dialysis Therapy. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1614-1622.	3.0	131
24	Associations between renal function, volume status and endotoxaemia in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2788-2794.	0.4	128
25	Blood pressure and volume management in dialysis: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2020, 97, 861-876.	2.6	126
26	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part I – Assessment and Management of Various Cardiovascular Risk Factors. <i>Peritoneal Dialysis International</i> , 2015, 35, 379-387.	1.1	123
27	Traditional and non-traditional risk factors as contributors to atherosclerotic cardiovascular disease in end-stage renal disease. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 405-416.	1.4	114
28	Associations between plasma ghrelin levels and body composition in end-stage renal disease: a longitudinal study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 421-426.	0.4	110
29	A Global Overview of the Impact of Peritoneal Dialysis First or Favored Policies: An Opinion. <i>Peritoneal Dialysis International</i> , 2015, 35, 406-420.	1.1	110
30	Interactions between kidney disease and diabetes: dangerous liaisons. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 50.	1.2	108
31	The dapagliflozin and prevention of adverse outcomes in chronic kidney disease (DAPA-CKD) trial: baseline characteristics. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1700-1711.	0.4	107
32	A functional variant of the myeloperoxidase gene is associated with cardiovascular disease in end-stage renal disease patients. <i>Kidney International</i> , 2003, 63, S172-S176.	2.6	105
33	Controversies in optimal anemia management: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Conference. <i>Kidney International</i> , 2021, 99, 1280-1295.	2.6	103
34	Roxadustat for Treating Anemia in Patients with CKD Not on Dialysis: Results from a Randomized Phase 3 Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 737-755.	3.0	102
35	Patient and Caregiver Priorities for Outcomes in Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 74-83.	2.2	101
36	Systemic and Intraperitoneal Interleukin-6 System during the First Year of Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2006, 26, 53-63.	1.1	98

#	ARTICLE	IF	CITATIONS
37	Occupational Heat Stress and Kidney Health: From Farms to Factories. <i>Kidney International Reports</i> , 2017, 2, 998-1008.	0.4	94
38	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 Diseases, 2020, 75, 404-412.	2.1	92
39	Diastolic Heart Failure in Dialysis Patients: Mechanisms, Diagnostic Approach, and Treatment. <i>Seminars in Dialysis</i> , 2012, 25, 35-41.	0.7	83
40	Chronic kidney disease and valvular heart disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 96, 836-849.	2.6	80
41	Update on interleukin-6 and its role in chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1042-1045.	0.4	78
42	Geographic and Educational Factors and Risk of the First Peritonitis Episode in Brazilian Peritoneal Dialysis Study (BRAZPD) Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1944-1951.	2.2	78
43	An international Delphi survey helped develop consensus-based core outcome domains for trials in peritoneal dialysis. <i>Kidney International</i> , 2019, 96, 699-710.	2.6	73
44	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 342-349.	2.2	72
45	Soluble leptin receptors and serum leptin in end-stage renal disease: relationship with inflammation and body composition. <i>European Journal of Clinical Investigation</i> , 2002, 32, 811-817.	1.7	70
46	Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018, 93, 1281-1292.	2.6	69
47	Establishing a Core Outcome Measure for Fatigue in Patients on Hemodialysis: A Standardized Outcomes in Nephrology Hemodialysis (SONG-HD) Consensus Workshop Report. <i>American Journal of Kidney Diseases</i> , 2018, 72, 104-112.	2.1	69
48	Anemia and iron deficiency among chronic kidney disease Stages 3-5ND patients in the Chronic Kidney Disease Outcomes and Practice Patterns Study: often unmeasured, variably treated. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 613-624.	1.4	68
49	Cloth Masks May Prevent Transmission of COVID-19: An Evidence-Based, Risk-Based Approach. <i>Annals of Internal Medicine</i> , 2020, 173, 489-491.	2.0	68
50	Burden of Chronic Kidney Disease by KDIGO Categories of Glomerular Filtration Rate and Albuminuria: A Systematic Review. <i>Advances in Therapy</i> , 2021, 38, 180-200.	1.3	66
51	Effect of preload reduction by hemodialysis on left atrial volume and echocardiographic Doppler parameters in patients with end-stage renal disease. <i>American Journal of Cardiology</i> , 2004, 94, 1208-1210.	0.7	65
52	Insulin Resistance and Glucose Homeostasis in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2009, 29, 145-148.	1.1	65
53	The prognostic impact of fluctuating levels of C-reactive protein in Brazilian haemodialysis patients: a prospective study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2803-2809.	0.4	64
54	Impact of Cholecalciferol Treatment on Biomarkers of Inflammation and Myocardial Structure in Hemodialysis Patients Without Hyperparathyroidism. , 2012, 22, 284-291.		64

#	ARTICLE	IF	CITATIONS
55	Predictive Value of Malnutrition Markers for Mortality in Peritoneal Dialysis Patients. , 2011, 21, 176-183.		63
56	Report of the Standardized Outcomes in Nephrology“Hemodialysis (SONG-HD) Consensus Workshop on Establishing a Core Outcome Measure for“Hemodialysis Vascular Access. American Journal of Kidney Diseases, 2018, 71, 690-700.	2.1	62
57	Increased Plasma and Endothelial Cell Expression of Chemokines and Adhesion Molecules in Chronic Kidney Disease. Nephron Clinical Practice, 2009, 111, c117-c126.	2.3	61
58	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. American Journal of Clinical Nutrition, 2005, 82, 342-349.	2.2	60
59	Blood pressure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. Kidney International, 2019, 95, 1027-1036.	2.6	60
60	Establishing core outcome domains in pediatric kidney disease: report of the Standardized Outcomes in Nephrology“Children and Adolescents (SONG-KIDS) consensus workshops. Kidney International, 2020, 98, 553-565.	2.6	58
61	Reduced gene expression of adiponectin in fat tissue from patients with end-stage renal disease. Kidney International, 2004, 66, 46-50.	2.6	57
62	Impact of patient training patterns on peritonitis rates in a large national cohort study. Nephrology Dialysis Transplantation, 2015, 30, 137-142.	0.4	57
63	Genetic and environmental risk factors for chronic kidney disease. Kidney International Supplements, 2017, 7, 88-106.	4.6	57
64	Inflammation, Malnutrition and Atherosclerosis in End-Stage Renal Disease: A Global Perspective. Blood Purification, 2002, 20, 454-458.	0.9	55
65	Elevated cardiac troponin T in predialysis patients is associated with inflammation and predicts mortality. Journal of Internal Medicine, 2003, 253, 153-160.	2.7	55
66	Plasma Cysteine/Cystine Reduction Potential Correlates with Plasma Creatinine Levels in Chronic Kidney Disease. Blood Purification, 2012, 34, 231-237.	0.9	55
67	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part II “Management of Various Cardiovascular Complications. Peritoneal Dialysis International, 2015, 35, 388-396.	1.1	55
68	Nutrition for the post“renal transplant recipients. Transplantation Proceedings, 2004, 36, 1650-1654.	0.3	54
69	Association between Biomarkers of Carbonyl Stress with Increased Systemic Inflammatory Response in Different Stages of Chronic Kidney Disease and after Renal Transplantation. Nephron Clinical Practice, 2010, 116, c294-c299.	2.3	54
70	Characterization of the Brazpd ii Cohort and Description of Trends in Peritoneal Dialysis Outcome across Time Periods. Peritoneal Dialysis International, 2014, 34, 714-723.	1.1	54
71	The malnutrition and inflammation axis in pediatric patients with chronic kidney disease. Pediatric Nephrology, 2007, 22, 864-873.	0.9	51
72	Inflammation and the Peritoneal Membrane: Causes and Impact on Structure and Function during Peritoneal Dialysis. Mediators of Inflammation, 2012, 2012, 1-4.	1.4	51

#	ARTICLE	IF	CITATIONS
73	Renal replacement therapy in Latin American end-stage renal disease. CKJ: Clinical Kidney Journal, 2014, 7, 431-436.	1.4	51
74	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. Kidney International, 2019, 96, 983-994.	2.6	51
75	Standardized Outcomes in Nephrology – Peritoneal Dialysis (SONG-PD): Study Protocol for Establishing a Core Outcome Set in PD. Peritoneal Dialysis International, 2017, 37, 639-647.	1.1	50
76	Composing a new song for trials: the Standardized Outcomes in Nephrology (SONG) initiative. Nephrology Dialysis Transplantation, 2017, 32, 1963-1966.	0.4	50
77	Chronic inflammation in peritoneal dialysis: the search for the holy grail?. Peritoneal Dialysis International, 2004, 24, 327-39.	1.1	50
78	Systemic and intraperitoneal interleukin-6 system during the first year of peritoneal dialysis. Peritoneal Dialysis International, 2006, 26, 53-63.	1.1	50
79	Length of time on peritoneal dialysis and encapsulating peritoneal sclerosis: position paper for ISPD. Peritoneal Dialysis International, 2009, 29, 595-600.	1.1	49
80	Association between Vitamin D Receptor Gene Polymorphisms and Susceptibility to Chronic Kidney Disease and Periodontitis. Blood Purification, 2007, 25, 411-419.	0.9	48
81	Burden of disease: prevalence and incidence of ESRD in Latin America. Clinical Nephrology, 2015, 83 (2015), 3-6.	0.4	47
82	The CKD Outcomes and Practice Patterns Study (CKDopps): Rationale and Methods. American Journal of Kidney Diseases, 2016, 68, 402-413.	2.1	47
83	Economic and quality of life burden of anemia on patients with CKD on dialysis: a systematic review. Journal of Medical Economics, 2019, 22, 593-604.	1.0	47
84	Association Among Oral Health Parameters, Periodontitis, and Its Treatment and Mortality in Patients Undergoing Hemodialysis. Journal of Periodontology, 2014, 85, e169-78.	1.7	46
85	Forgotten Technology in the COVID-19 Pandemic: Filtration Properties of Cloth and Cloth Masks – A Narrative Review. Mayo Clinic Proceedings, 2020, 95, 2204-2224.	1.4	46
86	Meaning of empowerment in peritoneal dialysis: focus groups with patients and caregivers. Nephrology Dialysis Transplantation, 2020, 35, 1949-1958.	0.4	46
87	Acute hyperkalemia in the emergency department: a summary from a Kidney Disease: Improving Global Outcomes conference. European Journal of Emergency Medicine, 2020, 27, 329-337.	0.5	46
88	Impact of Residual Renal Function on Volume Status in Chronic Renal Failure. Blood Purification, 2004, 22, 285-292.	0.9	45
89	Sevelamer Decreases Systemic Inflammation in Parallel to a Reduction in Endotoxemia. Blood Purification, 2010, 29, 352-356.	0.9	45
90	Low Serum Potassium Levels Increase the Infectious-Caused Mortality in Peritoneal Dialysis Patients: A Propensity-Matched Score Study. PLoS ONE, 2015, 10, e0127453.	1.1	45

#	ARTICLE	IF	CITATIONS
91	Echocardiography in Chronic Kidney Disease: Diagnostic and Prognostic Implications. <i>Nephron Clinical Practice</i> , 2010, 114, c242-c247.	2.3	44
92	A Gut Feeling on Endotoxemia: Causes and Consequences in Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2011, 118, c165-c172.	2.3	41
93	Management of Blood Pressure in Patients With Chronic Kidney Disease Not Receiving Dialysis: Synopsis of the 2021 KDIGO Clinical Practice Guideline. <i>Annals of Internal Medicine</i> , 2021, 174, 1270-1281.	2.0	41
94	Leptin, ghrelin, and proinflammatory cytokines: compounds with nutritional impact in chronic kidney disease?. <i>Advances in Chronic Kidney Disease</i> , 2003, 10, 332-345.	2.2	40
95	Malnutrition and inflammation are associated with impaired pulmonary function in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1823-1828.	0.4	40
96	Chronic kidney disease and inflammation in pediatric patients: from bench to playground. <i>Pediatric Nephrology</i> , 2005, 20, 714-720.	0.9	39
97	The Brazilian Peritoneal Dialysis Multicenter Study (BRAZPD): Characterization of the cohort. <i>Kidney International</i> , 2008, 73, S145-S151.	2.6	39
98	The Impact of Uremic Toxicity Induced Inflammatory Response on the Cardiovascular Burden in Chronic Kidney Disease. <i>Toxins</i> , 2018, 10, 384.	1.5	39
99	Overview of Peritoneal Dialysis in Latin America. <i>Peritoneal Dialysis International</i> , 2007, 27, 316-321.	1.1	38
100	Icodextrin reduces insulin resistance in non-diabetic patients undergoing automated peritoneal dialysis: results of a randomized controlled trial (STARCH). <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1905-1911.	0.4	37
101	Impact of longer term phosphorus control on cardiovascular mortality in hemodialysis patients using an area under the curve approach: results from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1794-1801.	0.4	37
102	Serum Biomarkers of Iron Stores Are Associated with Increased Risk of All-Cause Mortality and Cardiovascular Events in Nondialysis CKD Patients, with or without Anemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2020-2030.	3.0	37
103	Oral health in Brazilian patients with chronic renal disease. <i>Revista Medica De Chile</i> , 2008, 136, .	0.1	36
104	Vascular Damage in Kidney Disease: Beyond Hypertension. <i>International Journal of Hypertension</i> , 2011, 2011, 1-5.	0.5	36
105	Capturing and monitoring global differences in untreated and treated end-stage kidney disease, kidney replacement therapy modality, and outcomes. <i>Kidney International Supplements</i> , 2020, 10, e3-e9.	4.6	36
106	Prescription of renin-angiotensin-aldosterone system inhibitors (RAASi) and its determinants in patients with advanced CKD under nephrologist care. <i>Journal of Clinical Hypertension</i> , 2019, 21, 991-1001.	1.0	35
107	Chronic kidney disease progression and mortality risk profiles in Germany: results from the Chronic Kidney Disease Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 803-810.	0.4	35
108	High sodium intake is associated with important risk factors in a large cohort of chronic kidney disease patients. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 786-790.	1.3	34

#	ARTICLE	IF	CITATIONS
109	From bench to the hemodialysis clinic: protein-bound uremic toxins modulate NF- κ B/Nrf2 expression. <i>International Urology and Nephrology</i> , 2018, 50, 347-354.	0.6	34
110	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. , 2020, 30, 404-414.		34
111	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. <i>PLoS ONE</i> , 2020, 15, e0243431.	1.1	32
112	Immune Mechanisms Involved in Cardiovascular Complications of Chronic Kidney Disease. <i>Blood Purification</i> , 2010, 29, 114-120.	0.9	31
113	Uremic Toxicity-Induced Eryptosis and Monocyte Modulation: The Erythrophagocytosis as a Novel Pathway to Renal Anemia. <i>Blood Purification</i> , 2016, 41, 317-323.	0.9	31
114	Usefulness of Left Atrial Volume for the Differentiation of Normal from Pseudonormal Diastolic Function Pattern in Patients on Hemodialysis. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 359-365.	1.2	30
115	Are SGLT2 Inhibitors Ready for Prime Time for CKD?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 318-320.	2.2	30
116	Analysis of IL1 gene polymorphisms and transcript levels in periodontal and chronic kidney disease. <i>Cytokine</i> , 2012, 60, 76-82.	1.4	29
117	Uremia Impacts VE-Cadherin and ZO-1 Expression in Human Endothelial Cell-to-Cell Junctions. <i>Toxins</i> , 2018, 10, 404.	1.5	29
118	Family Income and Survival in Brazilian Peritoneal Dialysis Multicenter Study Patients (BRAZPD). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1676-1683.	2.2	28
119	Atherosclerosis and endothelial dysfunction in patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2010, 30, 1411-1416.	1.5	27
120	Hypovitaminosis D Is Associated with Systemic Inflammation and Concentric Myocardial Geometric Pattern in Hemodialysis Patients with Low iPTH Levels. <i>Nephron Clinical Practice</i> , 2011, 118, c384-c391.	2.3	27
121	Genetic approaches in the clinical investigation of complex disorders: Malnutrition, inflammation, and atherosclerosis (MIA) as a prototype. <i>Kidney International</i> , 2003, 63, S162-S167.	2.6	26
122	Elevated Serum 8-Oxo-dG in Hemodialysis Patients: A Marker of Systemic Inflammation?. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 2169-2173.	2.5	26
123	Hypertension in patients on dialysis: diagnosis, mechanisms, and management. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2019, 41, 400-411.	0.4	26
124	Chronic kidney disease and arrhythmias: highlights from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018, 94, 231-234.	2.6	26
125	Gene Polymorphism Association Studies in Dialysis: The Nutrition-Inflammation Axis. <i>Seminars in Dialysis</i> , 2005, 18, 322-330.	0.7	25
126	Sevelamer Carbonate Reduces Inflammation and Endotoxemia in an Animal Model of Uremia. <i>Blood Purification</i> , 2010, 30, 153-158.	0.9	25

#	ARTICLE	IF	CITATIONS
127	Diagnostic Performance of a Saliva Urea Nitrogen Dipstick to Detect Kidney Disease in Malawi. <i>Kidney International Reports</i> , 2017, 2, 219-227.	0.4	25
128	Saliva urea nitrogen dipstick – a novel bedside diagnostic tool for acute kidney injury. <i>Clinical Nephrology</i> , 2014, 82 (2014), 358-366.	0.4	25
129	Nephrologists™ Perspectives on Gender Disparities in CKD and Dialysis. <i>Kidney International Reports</i> , 2022, 7, 424-435.	0.4	25
130	Association Between Body Mass Index and Body Fat in Chronic Kidney Disease Stages 3 to 5, Hemodialysis, and Peritoneal Dialysis Patients. , 2008, 18, 424-429.		24
131	Automated Peritoneal Dialysis Is Associated with Better Survival Rates Compared to Continuous Ambulatory Peritoneal Dialysis: A Propensity Score Matching Analysis. <i>PLoS ONE</i> , 2015, 10, e0134047.	1.1	24
132	Impact of Baseline Health-Related Quality of Life Scores on Survival of Incident Patients on Peritoneal Dialysis: A Cohort Study. <i>Nephron</i> , 2015, 129, 97-103.	0.9	24
133	Development of a framework for minimum and optimal safety and quality standards for hemodialysis and peritoneal dialysis. <i>Kidney International Supplements</i> , 2020, 10, e55-e62.	4.6	24
134	End-stage renal disease: a state of chronic inflammation and hyperleptinemia. <i>European Journal of Clinical Investigation</i> , 2003, 33, 527-528.	1.7	23
135	Rationale, design, and baseline characteristics of the Acetylcystein for Contrast-Induced nephropaThy (ACT) Trial: a pragmatic randomized controlled trial to evaluate the efficacy of acetylcysteine for the prevention of contrast-induced nephropathy. <i>Trials</i> , 2009, 10, 38.	0.7	23
136	Peritonitis as a risk factor for long-term cardiovascular mortality in peritoneal dialysis patients: The case of a friendly fire?. <i>Nephrology</i> , 2018, 23, 253-258.	0.7	23
137	A real-world longitudinal study of anemia management in non-dialysis-dependent chronic kidney disease patients: a multinational analysis of CKDopps. <i>Scientific Reports</i> , 2021, 11, 1784.	1.6	23
138	Impact of COVID-19 and malaria coinfection on clinical outcomes: a retrospective cohort study. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1152.e1-1152.e6.	2.8	23
139	IL-8 but not other biomarkers of endothelial damage is associated with disease activity in patients with ankylosing spondylitis without treatment with anti-TNF agents. <i>Rheumatology International</i> , 2013, 33, 1779-1783.	1.5	22
140	Novel Predictors of Peritonitis-Related Outcomes in the BRAZPD Cohort. <i>Peritoneal Dialysis International</i> , 2014, 34, 179-187.	1.1	22
141	Demographic Associations of High Estimated Sodium Intake and Frequency of Consumption of High-Sodium Foods in People With Chronic Kidney Disease Stage 3 in England. , 2014, 24, 236-242.		22
142	Identifying critically important vascular access outcomes for trials in haemodialysis: an international survey with patients, caregivers and health professionals. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 657-668.	0.4	22
143	Effect of hemodiafiltration on measured physical activity: primary results of the HDFIT randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1057-1070.	0.4	22
144	Workforce capacity for the care of patients with kidney failure across world countries and regions. <i>BMJ Global Health</i> , 2021, 6, e004014.	2.0	22

#	ARTICLE	IF	CITATIONS
145	Uremia and Hypoxia Independently Induce Eryptosis and Erythrocyte Redox Imbalance. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 794-804.	1.1	22
146	Interleukin-1 Gene Cluster Polymorphisms Are Associated with Nutritional Status and Inflammation in Patients with End-Stage Renal Disease. <i>Blood Purification</i> , 2005, 23, 384-393.	0.9	21
147	Sevelamer reduces endothelial inflammatory response to advanced glycation end products. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 89-98.	1.4	21
148	Contribution of the uremic milieu to an increased pro-inflammatory monocytic phenotype in chronic kidney disease. <i>Scientific Reports</i> , 2019, 9, 10236.	1.6	21
149	Establishing a Core Outcome Set for Autosomal Dominant Polycystic Kidney Disease: Report of the Standardized Outcomes in Nephrologyâ€“Polycystic Kidney Disease (SONG-PKD) Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2021, 77, 255-263.	2.1	21
150	The influence of hepatitis C and iron replacement therapy on plasma pentosidine levels in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3112-3116.	0.4	20
151	Associations between the CYBA 242C/T and the MPO â€“463G/A Polymorphisms, Oxidative Stress and Cardiovascular Disease in Chronic Kidney Disease Patients. <i>Blood Purification</i> , 2007, 25, 210-218.	0.9	20
152	Saliva Urea Nitrogen Continuously Reflects Blood Urea Nitrogen after Acute Kidney Injury Diagnosis and Management: Longitudinal Observational Data from a Collaborative, International, Prospective, Multicenter Study. <i>Blood Purification</i> , 2016, 42, 64-72.	0.9	19
153	Uremic toxins promote accumulation of oxidized protein and increased sensitivity to hydrogen peroxide in endothelial cells by impairing the autophagic flux. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 123-129.	1.0	19
154	Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , 2021, 6, 437-448.	0.4	19
155	Association between Left Atrium Enlargement and Intradialytic Hypotension: Role of Diastolic Dysfunction in the Hemodynamic Complications during Hemodialysis. <i>Echocardiography</i> , 2009, 26, 767-771.	0.3	18
156	Similar Outcomes of Catheters Implanted by Nephrologists and Surgeons: Analysis of the Brazilian Peritoneal Dialysis Multicentric Study. <i>Seminars in Dialysis</i> , 2012, 25, 565-568.	0.7	18
157	Development of a Formula for Estimation of Sodium Intake from Spot Urine in People with Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2014, 128, 61-66.	2.3	18
158	Dialysis funding, eligibility, procurement, and protocols in low- and middle-income settings: results from the International Society of Nephrology collection survey. <i>Kidney International Supplements</i> , 2020, 10, e10-e18.	4.6	18
159	Serum biomarkers of iron stores are associated with worse physical health-related quality of life in nondialysis-dependent chronic kidney disease patients with or without anemia. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1694-1703.	0.4	18
160	Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. <i>Kidney Medicine</i> , 2021, 3, 619-634.	1.0	18
161	Peritoneal dialysis in Brazil: twenty-five years of experience in a single center. <i>Peritoneal Dialysis International</i> , 2009, 29, 492-8.	1.1	18
162	Can we cure diabetic kidney disease? Present and future perspectives from a nephrologist's point of view. <i>Journal of Internal Medicine</i> , 2022, 291, 165-180.	2.7	18

#	ARTICLE	IF	CITATIONS
163	Future of icodextrin as an osmotic agent in peritoneal dialysis. <i>Kidney International</i> , 2002, 62, S80-S87.	2.6	17
164	Increased Calcification and Protein Nitration in Arteries of Chronic Kidney Disease Patients. <i>Blood Purification</i> , 2011, 32, 296-302.	0.9	17
165	N-acetylcysteine as a potential strategy to attenuate the oxidative stress induced by uremic serum in the vascular system. <i>Life Sciences</i> , 2015, 121, 110-116.	2.0	17
166	Relationships between Neighborhood Walkability and Objectively Measured Physical Activity Levels in Hemodialysis Patients. <i>Blood Purification</i> , 2018, 45, 236-244.	0.9	17
167	Adverse outcomes of proton pump inhibitors in patients with chronic kidney disease: The CKD-REIN cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2967-2976.	1.1	17
168	How common is hyperkalaemia? A systematic review and meta-analysis of the prevalence and incidence of hyperkalaemia reported in observational studies. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 727-737.	1.4	17
169	Dietary Protein Intake and Kidney Disease in Western Diet. , 2007, 155, 102-112.		16
170	Sodium Intake and Blood Pressure in Patients with Chronic Kidney Disease: A Salty Relationship. <i>Blood Purification</i> , 2018, 45, 166-172.	0.9	16
171	Hydration Status and Kidney Health of Factory Workers Exposed to Heat Stress: A Pilot Feasibility Study. <i>Annals of Nutrition and Metabolism</i> , 2019, 74, 30-37.	1.0	16
172	Metabolic Impact of Peritoneal Dialysis. <i>Contributions To Nephrology</i> , 2009, 163, 117-123.	1.1	15
173	Role of Organic Anion Transporters in the Uptake of Protein-Bound Uremic Toxins by Human Endothelial Cells and Monocyte Chemoattractant Protein-1 Expression. <i>Journal of Vascular Research</i> , 2017, 54, 170-179.	0.6	15
174	Inhibition of the sodium-glucose co-transporter 2 in the elderly: clinical and mechanistic insights into safety and efficacy. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 70-86.	0.3	15
175	Incidence and Associations of Chronic Kidney Disease in Community Participants With Diabetes: A 5-Year Prospective Analysis of the EXTEND45 Study. <i>Diabetes Care</i> , 2020, 43, 982-990.	4.3	15
176	The Role of Eryptosis in the Pathogenesis of Renal Anemia: Insights From Basic Research and Mathematical Modeling. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 598148.	1.8	15
177	Sex-Specific Differences in Mortality and Incident Dialysis in the Chronic Kidney Disease Outcomes and Practice Patterns Study. <i>Kidney International Reports</i> , 2022, 7, 410-423.	0.4	15
178	Avaliação e manejo da doença cardiovascular em pacientes com doença renal crônica. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2010, 32, 120-127.	0.4	14
179	Analysis of the association of an MMP1 promoter polymorphism and transcript levels with chronic periodontitis and end-stage renal disease in a Brazilian population. <i>Archives of Oral Biology</i> , 2012, 57, 954-963.	0.8	14
180	Peritonitis in Children on Chronic Peritoneal Dialysis: The Experience of a Large National Pediatric Cohort. <i>Blood Purification</i> , 2018, 45, 118-125.	0.9	14

#	ARTICLE	IF	CITATIONS
181	The Influences of Adherence to Tamoxifen and <i>CYP2D6</i> Pharmacogenetics on Plasma Concentrations of the Active Metabolite (Z)-Endoxifen in Breast Cancer. <i>Clinical and Translational Science</i> , 2020, 13, 284-292.	1.5	14
182	p-cresol but not p-cresyl sulfate stimulate MCP-1 production via NF- κ B p65 in human vascular smooth muscle cells. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2016, 38, 153-60.	0.4	14
183	Overview of peritoneal dialysis in Latin America. <i>Peritoneal Dialysis International</i> , 2007, 27, 316-21.	1.1	14
184	Beyond the membrane—The role of new PD solutions in enhancing global biocompatibility. <i>Kidney International</i> , 2003, 64, S124-S132.	2.6	13
185	Analysis of the association of polymorphism in the osteoprotegerin gene with susceptibility to chronic kidney disease and periodontitis. <i>Journal of Periodontal Research</i> , 2008, 43, 578-584.	1.4	13
186	Longitudinal Changes in Health-Related Quality of Life Scores in Brazilian Incident Peritoneal Dialysis Patients (Brazpd): Socio-Economic Status Not a Barrier. <i>Peritoneal Dialysis International</i> , 2013, 33, 687-696.	1.1	13
187	Diagnostic performance of salivary urea nitrogen dipstick to detect and monitor acute kidney disease in patients with malaria. <i>Malaria Journal</i> , 2018, 17, 477.	0.8	13
188	Achieving high convective volume in hemodiafiltration: Lessons learned after successful implementation in the HDFit trial. <i>Hemodialysis International</i> , 2021, 25, 50-59.	0.4	13
189	Hyperkalemia excursions are associated with an increased risk of mortality and hospitalizations in hemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1760-1769.	1.4	13
190	Insulin Resistance Is Associated With Circulating Fibrinogen Levels in Nondiabetic Patients Receiving Peritoneal Dialysis. , 2007, 17, 132-137.		12
191	Inflammation in Peritoneal Dialysis: A Latin-American Perspective. <i>Peritoneal Dialysis International</i> , 2007, 27, 347-352.	1.1	12
192	Understanding the role of genetic polymorphisms in chronic kidney disease. <i>Pediatric Nephrology</i> , 2008, 23, 1941-1949.	0.9	12
193	Geografia da diálise peritoneal no Brasil: análise de uma coorte de 5.819 pacientes (BRAZPD). <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2010, 32, 268-274.	0.4	12
194	Kidney disease in Latin America: current status, challenges, and the role of the ISN in the development of nephrology in the region. <i>Kidney International</i> , 2018, 94, 1069-1072.	2.6	12
195	Updates on medical management of hyperkalemia. <i>Current Opinion in Nephrology and Hypertension</i> , 2019, 28, 417-423.	1.0	12
196	Diagnostic performance of a point-of-care saliva urea nitrogen dipstick to screen for kidney disease in low-resource settings where serum creatinine is unavailable. <i>BMJ Global Health</i> , 2020, 5, e002312.	2.0	12
197	Beta-2 microglobulin and all-cause mortality in the era of high-flux hemodialysis: results from the Dialysis Outcomes and Practice Patterns Study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1436-1442.	1.4	12
198	Association between Albuminuria, Glomerular Filtration Rate and Mortality or Recurrence in Stroke Patients. <i>Nephron Clinical Practice</i> , 2011, 117, c246-c252.	2.3	11

#	ARTICLE	IF	CITATIONS
199	Periodontal Diseases and Systemic Inflammation. <i>Seminars in Dialysis</i> , 2013, 26, 23-28.	0.7	11
200	Reduction in sodium intake is independently associated with improved blood pressure control in people with chronic kidney disease in primary care. <i>British Journal of Nutrition</i> , 2015, 114, 936-942.	1.2	11
201	Effect of PKC- β Signaling Pathway on Expression of MCP-1 and VCAM-1 in Different Cell Models in Response to Advanced Glycation End Products (AGEs). <i>Toxins</i> , 2015, 7, 1722-1737.	1.5	11
202	Inflammation in Chronic Kidney Disease. , 2015, , 199-212.		11
203	Impact of Pre-Dialysis Care on Clinical Outcomes in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2016, 43, 104-111.	1.4	11
204	Impact of the Karnofsky Performance Status on Survival and its Dynamics during the Terminal Year of Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2018, 38, 24-29.	1.1	11
205	Methods and rationale of the DISCOVER CKD global observational study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1570-1578.	1.4	11
206	Peritoneal dialysis in the developing world: recommendations from a symposium at the ISPD meeting 2008. <i>Peritoneal Dialysis International</i> , 2009, 29, 618-22.	1.1	11
207	Association of Ethnicity and Survival in Peritoneal Dialysis: A Cohort Study of Incident Patients in Brazil. <i>American Journal of Kidney Diseases</i> , 2013, 62, 89-96.	2.1	10
208	Impact of Renin-Angiotensin Aldosterone System Inhibition on Serum Potassium Levels among Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017, 46, 150-155.	1.4	10
209	International variation in the management of mineral bone disorder in patients with chronic kidney disease: Results from CKDopps. <i>Bone</i> , 2019, 129, 115058.	1.4	10
210	Establishing Core Cardiovascular Outcome Measures for Trials in Hemodialysis: Report of an International Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2020, 76, 109-120.	2.1	10
211	Management of Anemia in Nondialysis Chronic Kidney Disease: Current Recommendations, Real-World Practice, and Patient Perspectives. <i>Kidney360</i> , 2020, 1, 855-862.	0.9	10
212	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Latin America. <i>Kidney International Supplements</i> , 2021, 11, e35-e46.	4.6	10
213	Fatores associados à qualidade de vida de pacientes incidentes em diálise peritoneal no Brasil (BRAZPD). <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2011, 33, 38-44.	0.4	10
214	Diabetes Prevalence, Treatment, Control, and Outcomes Among Hemodialysis Patients in the Gulf Cooperation Council Countries. <i>Kidney International Reports</i> , 2022, 7, 1093-1102.	0.4	10
215	Clinical trial experiences with Physioneal®,ç. <i>Kidney International</i> , 2003, 64, S100-S104.	2.6	9
216	Age dependent impact of estimated glomerular filtration rate on long-term survival after ischaemic stroke. <i>Nephrology</i> , 2012, 17, 725-732.	0.7	9

#	ARTICLE	IF	CITATIONS
217	Increase in BMI Over Time Is Associated With Fluid Overload and Signs of Wasting in Incident Peritoneal Dialysis Patients. , 2013, 23, e51-e57.		9
218	Associations Between Global Population Health Indicators and Dialysis Variables in the Monitoring Dialysis Outcomes (MONDO) Consortium. Blood Purification, 2015, 39, 125-136.	0.9	9
219	Evaluation of Salt Intake, Urinary Sodium Excretion and Their Relationship to Overhydration in Chronic Kidney Disease Patients. Blood Purification, 2015, 40, 59-65.	0.9	9
220	Cliniciansâ€™ and researchersâ€™ perspectives on establishing and implementing core outcomes in haemodialysis: semistructured interview study. BMJ Open, 2018, 8, e021198.	0.8	9
221	Design and methodology of the impact of HemoDiaFiltration on physical activity and self-reported outcomes: a randomized controlled trial (HDFIT trial) in Brazil. BMC Nephrology, 2019, 20, 98.	0.8	9
222	Low-Fiber Intake Is Associated With High Production of Intraperitoneal Inflammation Biomarkers. , 2019, 29, 322-327.		9
223	Effect of Hemodiafiltration on Self-Reported Sleep Duration: Results from a Randomized Controlled Trial. Blood Purification, 2020, 49, 168-177.	0.9	9
224	Factors contributing to the differences in peritonitis rates between centers and regions. Peritoneal Dialysis International, 2007, 27 Suppl 2, S281-5.	1.1	9
225	Oral health in Brazilian patients with chronic renal disease. Revista Medica De Chile, 2008, 136, 741-6.	0.1	9
226	Increased Left Ventricular Mass in Chronic Kidney Disease and End-Stage Renal Disease: What Are the Implications?. Dialysis and Transplantation, 2010, 39, 16-19.	0.2	8
227	The establishment and validation of novel therapeutic targets to retard progression of chronic kidney disease. Kidney International Supplements, 2017, 7, 130-137.	4.6	8
228	GlycA, a marker of protein glycosylation, is related to albuminuria and estimated glomerular filtration rate: the ELSA-Brasil study. BMC Nephrology, 2017, 18, 367.	0.8	8
229	A Salivary Urea Nitrogen Dipstick to Detect Obstetric-Related Acute Kidney Disease in Malawi. Kidney International Reports, 2018, 3, 178-184.	0.4	8
230	Back to Basics: Pitting Edema and the Optimization of Hypertension Treatment in Incident Peritoneal Dialysis Patients (BRAZPD). PLoS ONE, 2012, 7, e36758.	1.1	8
231	The recommendations from the International Society for Peritoneal Dialysis for Peritonitis Treatment: a single-center historical comparison. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2004, 20, 74-7.	0.1	8
232	Is UCP2 Gene Polymorphism Associated With Decreased Resting Energy Expenditure in Nondialyzed Chronic Kidney Disease Patients?. , 2008, 18, 489-494.		7
233	Association between Inflammatory Markers and Left Atrial Enlargement in Patients on Hemodialysis. Arquivos Brasileiros De Cardiologia, 2013, 100, 141-146.	0.3	7
234	Does parasitemia level increase the risk of acute kidney injury in patients with malaria? Results from an observational study in Angola. Scientific African, 2020, 7, e00232.	0.7	7

#	ARTICLE	IF	CITATIONS
235	Uremia and Inadequate Oxygen Supply Induce Eryptosis and Intracellular Hypoxia in Red Blood Cells. Cellular Physiology and Biochemistry, 2021, 55, 449-459.	1.1	7
236	Hyperkalemia with Mineralocorticoid Receptor Antagonist Use in People with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 455-457.	2.2	7
237	High-volume hemodiafiltration decreases the pre-dialysis concentrations of indoxyl sulfate and p-cresyl sulfate compared to hemodialysis: a post-hoc analysis from the HDFit randomized controlled trial. Journal of Nephrology, 2022, 35, 1449-1456.	0.9	7
238	The Impact of Living Donor Kidney Transplantation on Markers of Cardiovascular Risk in Chronic Kidney Disease Patients. Blood Purification, 2007, 25, 233-241.	0.9	6
239	Peritoneal Dialysis in the Developing World: Lessons from the Sudan. Peritoneal Dialysis International, 2007, 27, 529-530.	1.1	6
240	Biomarkers of cardio-renal syndrome in uremic myocardopathy animal model. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2018, 40, 105-111.	0.4	6
241	Public health investments and mortality risk in Brazilian peritoneal dialysis patients. CKJ: Clinical Kidney Journal, 2020, 13, 1012-1016.	1.4	6
242	Fluid overload is associated with use of a higher number of antihypertensive drugs in hemodialysis patients. Hemodialysis International, 2020, 24, 397-405.	0.4	6
243	Low Adherence to Kidney Disease: Improving Global Outcomes 2012 CKD Clinical Practice Guidelines Despite Clear Evidence of Utility. Kidney International Reports, 2022, 7, 2059-2070.	0.4	6
244	Establishing an islet transplantation program in a developing country. Transplantation Proceedings, 2004, 36, 1700-1703.	0.3	5
245	Vascular Endothelial Growth Factor in Dialysate in Relation to Intensity of Peritoneal Inflammation. International Journal of Artificial Organs, 2008, 31, 535-544.	0.7	5
246	Interaction of anemia and decrease in renal function on survival of patients with heart failure. International Journal of Cardiology, 2012, 154, 338-340.	0.8	5
247	AvaliaçŁo da aterosclerose subclĀnica e de nĀveis plasmĀticos de LDL minimamente modificada em pacientes com espondilite anquilosante e sua correlaçŁo com a atividade da doenĀsa. Revista Brasileira De Reumatologia, 2013, 53, 470-475.	0.8	5
248	Can your work affect your kidney's health?. Reviews on Environmental Health, 2019, 34, 441-446.	1.1	5
249	Diagnosis of Acute Kidney Injury in Children Hospitalized in a Sub-Saharan African Unit by Saliva Urea Nitrogen Dipstick Test. Blood Purification, 2020, 49, 185-196.	0.9	5
250	Impact of hemodialysis and post-dialysis period on granular activity levels. BMC Nephrology, 2020, 21, 197.	0.8	5
251	Policies and health care financing issues for dialysis in Latin America: extracts from the roundtable discussion on the economics of dialysis and chronic kidney disease. Peritoneal Dialysis International, 2009, 29 Suppl 2, S222-6.	1.1	5
252	Assessment of dipyridamole stress echocardiography for risk stratification of diabetic patients. Cardiovascular Ultrasound, 2015, 13, 35.	0.5	4

#	ARTICLE	IF	CITATIONS
253	Systemic lupus erythematosus and clinical outcomes in peritoneal dialysis. <i>Lupus</i> , 2015, 24, 290-298.	0.8	4
254	Racial and social disparities in the access to automated peritoneal dialysis - results of a national PD cohort. <i>Scientific Reports</i> , 2017, 7, 5214.	1.6	4
255	Impacts of dialysis adequacy and intradialytic hypotension on changes in dialysis recovery time. <i>BMC Nephrology</i> , 2020, 21, 529.	0.8	4
256	Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. <i>Peritoneal Dialysis International</i> , 2021, 41, 292-297.	1.1	4
257	High prevalence of biochemical disturbances of chronic kidney disease - mineral and bone disorders (CKD-MBD) in a nation-wide peritoneal dialysis cohort: are guideline goals too hard to achieve?. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, 43, 173-181.	0.4	4
258	Cardiovascular mortality in peritoneal dialysis: the impact of mineral disorders. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, 43, 182-190.	0.4	4
259	Urgent-start dialysis in patients referred early to a nephrologist—the CKD-REIN prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1500-1510.	0.4	4
260	Scope and heterogeneity of outcomes reported in randomized trials in patients receiving peritoneal dialysis. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1817-1825.	1.4	4
261	Peritoneal dialysis in the developing world: lessons from the Sudan. <i>Peritoneal Dialysis International</i> , 2007, 27, 529-30.	1.1	4
262	Clinical performance, intermediate and long-term outcomes of high-volume hemodiafiltration in patients with kidney failure. <i>Seminars in Dialysis</i> , 0, , .	0.7	4
263	Reciprocal Influences Between Ambulatory Peritoneal Dialysis and Pulmonary Function. <i>Artificial Organs</i> , 2001, 25, 876-881.	1.0	3
264	Lack of Adequate Predialysis Care and Previous Hemodialysis, but Not Hemoglobin Variability, Are Independent Predictors of Anemia-Associated Mortality in Incident Brazilian Peritoneal Dialysis Patients: Results from the BRAZPD Study. <i>Blood Purification</i> , 2012, 34, 298-305.	0.9	3
265	Impact of Glucose Exposure on Outcomes of a Nation-Wide Peritoneal Dialysis Cohort — Results of the BRAZPD II Cohort. <i>Frontiers in Physiology</i> , 2019, 10, 150.	1.3	3
266	Is a treat-to-target approach to lipid-lowering therapy appropriate in patients with chronic kidney disease? A prospective French cohort study. <i>Journal of Nephrology</i> , 2021, 34, 1467-1477.	0.9	3
267	Noncommunicable diseases and their common risk factors in Curitiba, Brazil: results of a cross-sectional, population-based study. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018, 42, 1-10.	0.6	3
268	Risk Factors for Incident Kidney Disease in Older Adults: an Australian Prospective Population-Based Study. <i>Internal Medicine Journal</i> , 2020, , .	0.5	3
269	Cost of End-of-Life Inpatient Encounters in Patients with Chronic Kidney Disease in the United States: A Report from the DISCOVER CKD Retrospective Cohort. <i>Advances in Therapy</i> , 2022, 39, 1432-1445.	1.3	3
270	The peritoneal cavity: a room with a view to the endothelium. <i>Peritoneal Dialysis International</i> , 2005, 25, 432-4.	1.1	3

#	ARTICLE	IF	CITATIONS
271	Inflammation in peritoneal dialysis: a Latin-American perspective. <i>Peritoneal Dialysis International</i> , 2007, 27, 347-52.	1.1	3
272	Potential Surrogate Outcomes for Kidney Failure in Advanced CKD: Evaluation of Power and Predictive Ability in CKDopps. <i>Kidney Medicine</i> , 2022, 4, 100395.	1.0	3
273	Assessing the impact of screening, early identification and intervention programmes for chronic kidney disease: protocol for a scoping review. <i>BMJ Open</i> , 2021, 11, e053857.	0.8	3
274	Glycemic and lipidic profile in diabetic patients undergoing dialysis. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2010, 54, 793-800.	1.3	2
275	Systemic IL-6 levels predict survival after peritoneal dialysis. <i>Nature Reviews Nephrology</i> , 2013, 9, 708-710.	4.1	2
276	Unchain the heart: impact of left ventricular myocardial hypertrophy regression in kidney transplant outcomes. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1025-1026.	0.4	2
277	Development and Validation of Equations to Estimate 24-H Urinary Sodium Excretion from Urine Samples of Patients with Chronic Kidney Disease. <i>Nephron</i> , 2019, 143, 255-263.	0.9	2
278	Patient perception of vitality and measured physical activity in patients receiving haemodialysis. <i>Nephrology</i> , 2020, 25, 865-871.	0.7	2
279	The Environmental Role of Hydration in Kidney Health and Disease. <i>Contributions To Nephrology</i> , 2021, 199, 252-265.	1.1	2
280	Prescription of Direct Oral Anticoagulants to Patients With Moderate-to-Advanced CKD: Too Little or Just Right?. <i>Kidney International Reports</i> , 2021, 6, 2496-2500.	0.4	2
281	Association between Clinical and Doppler Echocardiographic Parameters with Sudden Death in Hemodialysis Patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 107, 124-30.	0.3	2
282	Peritoneal dialysis modality transition and impact on phosphate and potassium serum levels. <i>PLoS ONE</i> , 2021, 16, e0257140.	1.1	2
283	COMPARATIVE METABOLOMIC STUDY OF HIGH-FLUX HEMODIALYSIS AND HIGH VOLUME ONLINE HEMODIAFILTRATION IN THE REMOVAL OF UREMIC TOXINS USING 1H NMR SPECTROSCOPY. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 208, 114460.	1.4	2
284	Challenges and Opportunities of a Virtual Nephrology Meeting: The ISN World Congress of Nephrology 2021. <i>Kidney International Reports</i> , 2022, 7, 133-137.	0.4	2
285	Low-calcium peritoneal dialysis solution is effective in bringing PTH levels to the range recommended by current guidelines in patients with PTH levels < 150 pg/dL. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2010, 32, 275-80.	0.4	2
286	Fatigue in incident peritoneal dialysis and mortality: A real-world side-by-side study in Brazil and the United States. <i>PLoS ONE</i> , 2022, 17, e0270214.	1.1	2
287	Gene Expression Profiling: A "Fishing Expedition"™ in Search of Dialysis Biocompatibility. <i>Blood Purification</i> , 2006, 24, 234-235.	0.9	1
288	Influence of Single-Nucleotide Polymorphisms on C-Reactive Protein Levels in Chronic Kidney Disease Before and After Kidney Transplantation. <i>Transplantation Proceedings</i> , 2008, 40, 3349-3353.	0.3	1

#	ARTICLE	IF	CITATIONS
289	Indução de resposta inflamatória sistêmica e espessamento de artérias subepicárdicas em um modelo animal de uremia. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2011, 33, 408-412.	0.4	1
290	Brazilian Peritoneal Dialysis Multicenter Study (BRAZPD): From Conception to Execution of a National Peritoneal Dialysis Reality Check. <i>Contributions To Nephrology</i> , 2012, 178, 23-29.	1.1	1
291	Lipoic acid does not improve renal function markers in 5/6 nephrectomy model: possible role of Nrf2 inactivation. <i>Renal Failure</i> , 2016, 38, 558-563.	0.8	1
292	Inflammation in Chronic Kidney Disease. , 2020, , 355-373.		1
293	European hemodialysis patient satisfaction with phosphate binders is associated with serum phosphorus levels: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1886-1893.	1.4	1
294	Effectiveness and Tolerance of Renin-Angiotensin System Inhibitors With Aging in Chronic Kidney Disease. <i>Journal of the American Medical Directors Association</i> , 2021, , .	1.2	1
295	Hyperkalemia excursions and risk of mortality and hospitalizations in hemodialysis patients: results from DOPPS-Italy. <i>Journal of Nephrology</i> , 2022, 35, 707-709.	0.9	1
296	Applying translational research in understanding complications and defining targets for intervention: inflammation in PD as a model. <i>Peritoneal Dialysis International</i> , 2009, 29, 135-41.	1.1	1
297	Uremic toxins activate CREB/ATF1 in endothelial cells related to chronic kidney disease. <i>Biochemical Pharmacology</i> , 2022, 198, 114984.	2.0	1
298	Low levels of triiodothyronine as an independent risk factor for death in hemodialysis patients. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 74-75.	2.0	0
299	Managing a Peritoneal Dialysis Patient with High Risk for Cardiovascular Disease. <i>Nephron Clinical Practice</i> , 2010, 116, c283-c288.	2.3	0
300	SP332SEVELAMER CARBONATE REDUCES INFLAMMATION IN HUMAN ENDOTHELIAL CELLS EXPOSED TO ADVANCED GLYCATION END PRODUCTS (AGES). <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i201-i201.	0.4	0
301	SP375UREMIC TOXINS ALTER ENDOTHELIAL CELL-TO-CELL JUNCTIONS™ STRUCTURE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i472-i473.	0.4	0
302	FP495PATIENT AND CAREGIVER PRIORITIES FOR OUTCOMES IN PERITONEAL DIALYSIS: AN INTERNATIONAL NOMINAL GROUP STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i205-i205.	0.4	0
303	Temporal Trends and Factors Associated with Medication Prescription Patterns in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2018, 38, 293-301.	1.1	0
304	The authors reply. <i>Kidney International</i> , 2019, 96, 1038-1039.	2.6	0
305	P0855ASSOCIATIONS BETWEEN A COMPREHENSIVE PANEL OF BIOMARKERS WITH ESA HYPORESPONSIVENESS: ROLE OF IMMUNE DYSFUNCTION IN THE PATHOPHYSIOLOGY OF CKD ANEMIA. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
306	P1070ONLINE HIGH-VOLUME HEMODIAFILTRATION REDUCES PRE-DIALYSIS LEVELS OF INDOXYL SULFATE COMPARED TO HIGH-FLUX HEMODIALYSIS: RESULTS FROM HDFIT MULTICENTRIC RANDOMIZED CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0

#	ARTICLE	IF	CITATIONS
307	P0816CLINICAL CHARACTERISTICS AND EGFR AND UACR DISTRIBUTION ACCORDING TO THE 2012 KDIGO CKD CLASSIFICATION: A REPORT FROM THE US DISCOVER CKD COHORT. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
308	MO490SYMPTOM BURDEN AND ITS IMPACT ON QUALITY OF LIFE IN PATIENTS WITH MODERATE TO ADVANCED CKD. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
309	Salivary Urea Nitrogen as a Biomarker for Renal Dysfunction. , 2015, , 1-19.		0
310	Salivary Urea Nitrogen as a Biomarker for Renal Dysfunction. , 2016, , 647-665.		0
311	Current management of diabetic patients with kidney disease: a renalâ€cardioâ€endocrine perspective. Panminerva Medica, 2017, 59, 67-75.	0.2	0
312	Pilot Study of Probiotic Supplementation on Uremic Toxicity and Inflammatory Cytokines in Chronic Kidney Patients. Current Nutrition and Food Science, 2020, 16, 470-480.	0.3	0
313	Authorsâ€™ Reply. Journal of the American Society of Nephrology: JASN, 2022, , ASN.2021111504.	3.0	0
314	Vitamin D Receptor Gene Polymorphisms and Environment Influencing the Impact on Survival in Hemodialysis Patients. Iranian Journal of Kidney Diseases, 2018, 12, 223-231.	0.1	0
315	Ideal Sodium Dialysate Concentration: A Brazilian Perspective. Kidney and Dialysis, 2022, 2, 138-139.	0.5	0
316	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431.		0
317	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431.		0
318	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431.		0
319	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431.		0
320	The DOPPS Practice Monitorâ€Peritoneal Dialysis (DPM-PD): From Practice to Policy and Policy to Practice. American Journal of Kidney Diseases, 2022, 80, 301-303.	2.1	0