## Jun-Gu Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2518857/publications.pdf

Version: 2024-02-01

759233 610901 32 612 12 24 citations h-index g-index papers 32 32 32 710 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of Glucosinolate Profiles in Different Tissues of Nine Brassica Crops. Molecules, 2015, 20, 15827-15841.	3.8	135
2	Response to Salt Stress in Lettuce: Changes in Chlorophyll Fluorescence Parameters, Phytochemical Contents, and Antioxidant Activities. Agronomy, 2020, 10, 1627.	3.0	67
3	Effect of Drought Stress on Chlorophyll Fluorescence Parameters, Phytochemical Contents, and Antioxidant Activities in Lettuce Seedlings. Horticulturae, 2021, 7, 238.	2.8	55
4	Evaluation of Glucosinolate Variation in a Collection of Turnip (Brassica rapa) Germplasm by the Analysis of Intact and Desulfo Glucosinolates. Journal of Agricultural and Food Chemistry, 2013, 61, 3984-3993.	5.2	54
5	Ripening-Dependent Changes in Antioxidants, Color Attributes, and Antioxidant Activity of Seven Tomato ( <i>Solanum lycopersicum</i> L.) Cultivars. Journal of Analytical Methods in Chemistry, 2016, 2016, 1-13.	1.6	41
6	Evaluation of chlorophyll fluorescence parameters and proline content in tomato seedlings grown under different salt stress conditions. Horticulture Environment and Biotechnology, 2020, 61, 433-443.	2.1	34
7	A Rice B-Box Protein, OsBBX14, Finely Regulates Anthocyanin Biosynthesis in Rice. International Journal of Molecular Sciences, 2018, 19, 2190.	4.1	26
8	Genotypic variation in carotenoid, ascorbic acid, total phenolic, and flavonoid contents, and antioxidant activity in selected tomato breeding lines. Horticulture Environment and Biotechnology, 2016, 57, 440-452.	2.1	24
9	Monitoring of Salinity, Temperature, and Drought Stress in Grafted Watermelon Seedlings Using Chlorophyll Fluorescence. Frontiers in Plant Science, 2021, 12, 786309.	3.6	21
10	Profiling of Individual Desulfo-Glucosinolate Content in Cabbage Head (Brassica oleracea var.) Tj ETQq0 0 0 rgBT	Oyerlock	2 10 ∏f 50 382
11	Optimization of temperature and light, and cultivar selection for the production of high-quality head lettuce in a closed-type plant factory. Horticulture Environment and Biotechnology, 2019, 60, 207-216.	2.1	16
12	Comparative analysis of individual glucosinolates, phytochemicals, and antioxidant activities in broccoli breeding lines. Horticulture Environment and Biotechnology, 2016, 57, 392-403.	2.1	12
13	Effect of LED mixed light conditions on the glucosinolate pathway in brassica rapa. Journal of Plant Biotechnology, 2015, 42, 245-256.	0.4	11
14	Application of maximum quantum yield, a parameter of chlorophyll fluorescence, for early determination of bacterial wilt in tomato seedlings. Horticulture Environment and Biotechnology, 2019, 60, 821-829.	2.1	10
15	Selection of broccoli (Brassica oleracea var. italica) on composition and content of glucosinolates and hydrolysates. Scientia Horticulturae, 2022, 298, 110984.	3.6	10
16	Glucosinolate variability between turnip organs during development. PLoS ONE, 2019, 14, e0217862.	2.5	8
17	Variation of Glucosinolate Contents among Domestic Broccoli (Brassica oleracea L. var. italica) Accessions. Horticultural Science and Technology, 2012, 30, 743-750.	0.6	8
18	Morphological and Biochemical Variation in Carrot Genetic Resources Grown under Open Field Conditions: The Selection of Functional Genotypes for a Breeding Program. Agronomy, 2022, 12, 553.	3.0	8

#	Article	IF	CITATIONS
19	Investigation of the Maturity Changes of Cherry Tomato Using Magnetic Resonance Imaging. Applied Sciences (Switzerland), 2020, 10, 5188.	2.5	7
20	Seasonal variation in agronomic characteristics and sugar content of cabbage genotypes. Chilean Journal of Agricultural Research, 2021, 81, 80-91.	1.1	7
21	Abscisic acid, carbohydrate, and Glucosinolate metabolite profiles in Kimchi cabbage treated with extremely high temperatures and chitosan foliar application. Scientia Horticulturae, 2022, 304, 111311.	3.6	7
22	Estimation of Leaf Area, Leaf Fresh Weight, and Leaf Dry Weight of Irwin Mango Grown in Greenhouse using Leaf Length, Leaf Width, Petiole Length, and SPAD Value. Protected Horticulture and Plant Factory, 2016, 25, 146-152.	0.4	6
23	The Influence of Red and Blue Light Ratios on Growth Performance, Secondary Metabolites, and Antioxidant Activities of Centella asiatica (L.) Urban. Horticulturae, 2022, 8, 601.	2.8	5
24	Molecular Characterization and Expression Analysis of MYB Transcription Factors Involved in the Glucosinolate Pathway in Chinese Cabbage (Brassica rapa ssp. pekinensis). Agronomy, 2019, 9, 807.	3.0	4
25	The BrGI Circadian Clock Gene Is Involved in the Regulation of Glucosinolates in Chinese Cabbage. Genes, 2021, 12, 1664.	2.4	4
26	Changes of Growth and Yield by using Rootstocks in Tomato. Protected Horticulture and Plant Factory, 2020, 29, 456-463.	0.4	3
27	Rapid monitoring of proline accumulation in paprika leaf sap relative to leaf position and water stress. Horticulture Environment and Biotechnology, 2018, 59, 483-489.	2.1	2
28	Improving Growth and Yield in Cherry Tomato by Using Rootstocks. Saengmul Hwan'gyeong Jo'jeol Haghoeji, 2021, 30, 196-205.	0.8	2
29	Application of Chlorophyll Fluorescence Parameters for the Detection of Water Stress Ranges in Grafted Watermelon Seedlings. Protected Horticulture and Plant Factory, 2019, 28, 461-470.	0.4	2
30	Determination of Optimal Collecting Date and Exogenous Auxin Dipping Treatments in Cutting Transplants of â€~Seolhyang' Strawberry(Fragaria × ananassa Duch.). Protected Horticulture and Plant Factory, 2020, 29, 252-258.	0.4	2
31	Evaluation of Individual Glucosinolates, Phytochemical Contents, and Antioxidant Activities under Various Red to Far-Red Light Ratios in Three Brassica Sprouts. Protected Horticulture and Plant Factory, 2018, 27, 415-423.	0.4	1
32	Analysis of Bacterial Wilt Symptoms using Micro Sap Flow Sensor in Tomatoes. Protected Horticulture and Plant Factory, 2019, 28, 212-217.	0.4	1