
Jorge Aparicio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/252006/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Chemoradiation, surgery and adjuvant chemotherapy versus induction chemotherapy followed by chemoradiation and surgery: long-term results of the Spanish GCR-3 phase II randomized trial. Annals of Oncology, 2015, 26, 1722-1728.	0.6	271
2	Viable Malignant Cells After Primary Chemotherapy for Disseminated Nonseminomatous Germ Cell Tumors: Prognostic Factors and Role of Postsurgery Chemotherapy—Results From an International Study Group. Journal of Clinical Oncology, 2001, 19, 2647-2657.	0.8	264
3	ESMO Consensus Conference on testicular germ cell cancer: diagnosis, treatment and follow-up. Annals of Oncology, 2018, 29, 1658-1686.	0.6	228
4	Risk-Adapted Management for Patients With Clinical Stage I Seminoma: The Second Spanish Germ Cell Cancer Cooperative Group Study. Journal of Clinical Oncology, 2005, 23, 8717-8723.	0.8	202
5	Chemotherapy As an Alternative to Radiotherapy in the Treatment of Stage IIA and IIB Testicular Seminoma: A Spanish Germ Cell Cancer Group Study. Journal of Clinical Oncology, 2008, 26, 5416-5421.	0.8	117
6	Clinical Pattern and Therapeutic Results Achieved in 1490 Patients with Germ-Cell Tumours of the Testis: the Experience of the Spanish Germ-Cell Cancer Group (GG). European Urology, 2002, 42, 553-563.	0.9	115
7	Multicenter study evaluating a dual policy of postorchiectomy surveillance and selective adjuvant single-agent carboplatin for patients with clinical stage I seminoma. Annals of Oncology, 2003, 14, 867-872.	0.6	115
8	Risk-Adapted Treatment in Clinical Stage I Testicular Seminoma: The Third Spanish Germ Cell Cancer Group Study. Journal of Clinical Oncology, 2011, 29, 4677-4681.	0.8	113
9	Prognostic factors for relapse in stage I seminoma: a new nomogram derived from three consecutive, risk-adapted studies from the Spanish Germ Cell Cancer Group (SGCCG). Annals of Oncology, 2014, 25, 2173-2178.	0.6	103
10	Brain Metastases in Patients With Germ Cell Tumors: Prognostic Factors and Treatment Options—An Analysis From the Global Germ Cell Cancer Group. Journal of Clinical Oncology, 2016, 34, 345-351.	0.8	69
11	Preoperative Chemotherapy in Patients With Intermediate-Risk Rectal Adenocarcinoma Selected by High-Resolution Magnetic Resonance Imaging: The GEMCAD 0801 Phase II Multicenter Trial. Oncologist, 2014, 19, 1042-1043.	1.9	66
12	Personalizing, not patronizing: the case for patient autonomy by unbiased presentation of management options in stage I testicular cancer. Annals of Oncology, 2015, 26, 833-838.	0.6	57
13	Multicentre risk-adapted management for stage I non-seminomatous germ cell tumours. Annals of Oncology, 2005, 16, 1915-1920.	0.6	55
14	Outcome of Men With Relapse After Adjuvant Carboplatin for Clinical Stage I Seminoma. Journal of Clinical Oncology, 2017, 35, 194-200.	0.8	41
15	SEOM clinical guidelines for diagnosis and treatment of metastatic colorectal cancer (2018). Clinical and Translational Oncology, 2019, 21, 46-54.	1.2	40
16	Metastatic Colorectal Cancer. First Line Therapy for Unresectable Disease. Journal of Clinical Medicine, 2020, 9, 3889.	1.0	35
17	E400P in advanced seminoma of good prognosis according to the International Germ Cell Cancer Collaborative Group (IGCCCG) classification: The Spanish Germ Cell Cancer Group experience. Annals of Oncology, 2001, 12, 487-491.	0.6	31
18	FOLFOX Alternated with FOLFIRI as First-Line Chemotherapy for Metastatic Colorectal Cancer. Clinical Colorectal Cancer. 2005. 5, 263-267.	1.0	30

JORGE APARICIO

#	Article	lF	CITATIONS
19	First-line bevacizumab and capecitabine–oxaliplatin in elderly patients with mCRC: GEMCAD phase II BECOX study. British Journal of Cancer, 2014, 111, 241-248.	2.9	29
20	Raltitrexed in the treatment of elderly patients with advanced colorectal cancer. European Journal of Cancer, 2002, 38, 1204-1211.	1.3	28
21	SEOM clinical guidelines in gestational trophoblastic disease (2017). Clinical and Translational Oncology, 2018, 20, 38-46.	1.2	28
22	SEOM clinical guidelines for diagnosis and treatment of metastatic colorectal cancer 2015. Clinical and Translational Oncology, 2015, 17, 972-981.	1.2	26
23	Outcome of Men With Relapses After Adjuvant Bleomycin, Etoposide, and Cisplatin for Clinical Stage I Nonseminoma. Journal of Clinical Oncology, 2020, 38, 1322-1331.	0.8	23
24	Multicenter phase II trial evaluating a three-weekly schedule of irinotecan plus raltitrexed in patients with 5-fluorouracil-refractory advanced colorectal cancer. Annals of Oncology, 2003, 14, 1121-1125.	0.6	19
25	Synchronous versus metachronous brain metastasis from testicular germ cell tumors (TGCT): an analysis from the Spanish Germ Cell Cancer Group data base. Clinical and Translational Oncology, 2014, 16, 959-965.	1.2	16
26	SEOM clinical guidelines for the management of germ cell testicular cancer (2016). Clinical and Translational Oncology, 2016, 18, 1187-1196.	1.2	16
27	Recommendations for follow-up of colorectal cancer survivors. Clinical and Translational Oncology, 2019, 21, 1302-1311.	1.2	15
28	SEOM clinical guidelines for diagnosis and treatment of testicular seminoma (2010). Clinical and Translational Oncology, 2011, 13, 560-564.	1.2	13
29	A Risk-Adapted Approach to Patients with Stage I Seminoma according to the Status of Rete Testis: The Fourth Spanish Germ Cell Cancer Group Study. Oncology, 2018, 95, 8-12.	0.9	12
30	First-Line Treatment with Irinotecan and Raltitrexed in Metastatic Colorectal Cancer. Oncology, 2005, 68, 58-63.	0.9	11
31	SEOM Clinical Guideline of localized rectal cancer (2016). Clinical and Translational Oncology, 2016, 18, 1163-1171.	1.2	10
32	Management options for stage I seminoma. Expert Review of Anticancer Therapy, 2010, 10, 1077-1085.	1.1	9
33	Multicenter Phase I Study of Irinotecan plus Raltitrexed in Patients with 5-Fluorouracil-Refractory Advanced Colorectal Cancer. Oncology, 2002, 63, 42-47.	0.9	7
34	SEOM clinicalÂguidelines to primary prevention of cancer (2018). Clinical and Translational Oncology, 2019, 21, 106-113.	1.2	7
35	Correlation of RECIST, Computed Tomography Morphological Response, and Pathological Regression in Hepatic Metastasis Secondary to Colorectal Cancer: The AVAMET Study. Cancers, 2020, 12, 2259.	1.7	6
36	The Sword of Damocles and the Treatment of Stage I Seminoma. Journal of Clinical Oncology, 2006, 24, 2599-2600.	0.8	5

JORGE APARICIO

#	Article	IF	CITATIONS
37	Positron emission tomography (PET) is not indicated in the postchemotherapy evaluation of advanced non-seminomatous testicular germ cell tumors. Clinical and Translational Oncology, 2014, 16, 509-510.	1.2	5
38	Patterns of relapse and treatment outcome after active surveillance or adjuvant carboplatin for stage I seminoma: a retrospective study of the Spanish Germ Cell Cancer Group. Clinical and Translational Oncology, 2021, 23, 58-64.	1.2	5
39	Myths and Facts on Adjuvant Carboplatin for Stage I Seminoma. Journal of Clinical Oncology, 2006, 24, e40-e40.	0.8	4
40	Treatment of Stage I Testicular Germ-Cell Tumors. Medical Oncology, 2006, 23, 305-316.	1.2	2
41	Consensus Recommendations from the Spanish Germ Cell Cancer Group on the Use of High-dose Chemotherapy in Germ Cell Cancer. European Urology Focus, 2017, 3, 280-286.	1.6	2
42	Prognostic factors for relapse in stage I testicular seminoma: tumor size and rete testis invasion revisited. Clinical and Translational Oncology, 2018, 20, 1358-1359.	1.2	2
43	Re: Mette SaksÃ, Mortensen, Jakob Lauritsen, Maria Gry Gundgaard, et al. A Nationwide Cohort Study of Stage I Seminoma Patients Followed on a Surveillance Program. Eur Urol 2014;66:1172–8. European Urology, 2015, 67, e93-e94.	0.9	1
44	Controversies in the management of stage I seminoma: adjuvant carboplatin revisited. Clinical and Translational Oncology, 2019, 21, 246-247.	1.2	1
45	Reply to F. Herrera et al. Journal of Clinical Oncology, 2012, 30, 2022-2022.	0.8	0
46	Avances recientes en el tratamiento de tumores de células germinales no seminomatosos en estadio i. Actas UrolÃ3gicas Españolas, 2021, 45, 326-327.	0.3	0