Chin Wen Tan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2520941/publications.pdf

Version: 2024-02-01

1478505 1372567 21 118 10 6 citations h-index g-index papers 33 33 33 104 citing authors all docs docs citations times ranked

#	Article	IF	Citations
1	Parturients' Stated Preferences for Labor Analgesia: A Discrete Choice Experiment. Patient Preference and Adherence, 2022, Volume 16, 983-994.	1.8	O
2	Factors associated with women's preferences for labor epidural analgesia in Singapore: a survey approach. Scientific Reports, 2022, 12, .	3.3	2
3	Prediction of breakthrough pain during labour neuraxial analgesia: comparison of machine learning and multivariable regression approaches. International Journal of Obstetric Anesthesia, 2021, 45, 99-110.	0.4	18
4	Perceived stress during labor and its association with depressive symptomatology, anxiety, and pain catastrophizing. Scientific Reports, 2021, 11, 17005.	3.3	7
5	Association of Childbirth Pain with Postnatal Depressive and Anxiety Disorders in Nulliparous Parturients: A Prospective Study. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 2625-2636.	2.2	2
6	Use of wireless respiratory rate sensor monitoring during opioid patient-controlled analgesia after gynaecological surgery: A prospective cohort study. Indian Journal of Anaesthesia, 2021, 65, 146.	1.0	2
7	Association of Pain Catastrophizing and Depressive States with Multidimensional Early Labor Pain Assessment in Nulliparous Women Having Epidural Analgesia – A Secondary Analysis. Journal of Pain Research, 2021, Volume 14, 3099-3107.	2.0	6
8	Machine learning approach to needle insertion site identification for spinal anesthesia in obese patients. BMC Anesthesiology, 2021, 21, 246.	1.8	10
9	The use of pre-operative virtual reality to reduce anxiety in women undergoing gynecological surgeries: a prospective cohort study. BMC Anesthesiology, 2020, 20, 261.	1.8	18
10	<p>Association of Pain Catastrophizing with Postnatal Depressive States in Nulliparous Parturients: A Prospective Study</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1853-1862.	2.2	8
11	Investigating the association between labour epidural analgesia and postpartum depression. European Journal of Anaesthesiology, 2020, 37, 796-802.	1.7	15
12	<p>The Association Between Preoperative Pain Catastrophizing and Chronic Pain After Hysterectomy – Secondary Analysis of a Prospective Cohort Study</p> . Journal of Pain Research, 2020, Volume 13, 2151-2162.	2.0	3
13	Peripartum factors associated with subacute pain after childbirth. Regional Anesthesia and Pain Medicine, 2020, 45, 1017-1018.	2.3	3
14	The effects of labor on airway outcomes with Supremeâ, laryngeal mask in women undergoing cesarean delivery under general anesthesia: a cohort study. BMC Anesthesiology, 2020, 20, 213.	1.8	2
15	Correlation of patient characteristics with arm and finger measurements in Asian parturients: a preliminary study. BMC Anesthesiology, 2020, 20, 218.	1.8	1
16	A preliminary assessment of vital-signs-integrated patient-assisted intravenous opioid analgesia (VPIA) for postsurgical pain. BMC Anesthesiology, 2020, 20, 145.	1.8	2
17	<p>Factors Associated with the Development of Postnatal Depression After Cesarean Delivery: A Prospective Study</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 715-727.	2.2	12
18	Patients' preferences and trade-off during labour epidural analgesia: A discrete choice experiment. Journal of Clinical Anesthesia, 2020, 66, 109919.	1.6	0

#	Article	IF	CITATIONS
19	<p>Risk Factors Associated with Development of Acute and Sub-Acute Post-Cesarean Pain: A Prospective Cohort Study</p> . Journal of Pain Research, 2020, Volume 13, 2317-2328.	2.0	4
20	Implications of diabetes in obstetric anaesthesia. Trends in Anaesthesia and Critical Care, 2019, 24, 26-31.	0.9	0
21	Persistent post-Caesarean pain. Trends in Anaesthesia and Critical Care, 2018, 20, 26-31.	0.9	3