Blanca Rueda-Medina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2520961/publications.pdf

Version: 2024-02-01

84 papers 2,544 citations

218592 26 h-index 206029 48 g-index

85 all docs 85 docs citations

85 times ranked 3720 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010, 42, 426-429.	9.4	351
2	Identification of Novel Genetic Markers Associated with Clinical Phenotypes of Systemic Sclerosis through a Genome-Wide Association Strategy. PLoS Genetics, 2011, 7, e1002178.	1.5	201
3	The STAT4 gene influences the genetic predisposition to systemic sclerosis phenotype. Human Molecular Genetics, 2009, 18, 2071-2077.	1.4	163
4	The IL23R Arg381Gln non-synonymous polymorphism confers susceptibility to ankylosing spondylitis. Annals of the Rheumatic Diseases, 2008, 67, 1451-1454.	0.5	142
5	A loss-of-function variant of PTPN22 is associated with reduced risk of systemic lupus erythematosus. Human Molecular Genetics, 2008, 18, 569-579.	1.4	106
6	BANK1 functional variants are associated with susceptibility to diffuse systemic sclerosis in Caucasians. Annals of the Rheumatic Diseases, 2010, 69, 700-705.	0.5	96
7	Genetic basis ofÂrheumatoid arthritis. Biomedicine and Pharmacotherapy, 2006, 60, 656-662.	2.5	77
8	A rare polymorphism in the gene for Tollâ€like receptor 2 is associated with systemic sclerosis phenotype and increases the production of inflammatory mediators. Arthritis and Rheumatism, 2012, 64, 264-271.	6.7	77
9	Analysis of the influence of PTPN22 gene polymorphisms in systemic sclerosis. Annals of the Rheumatic Diseases, 2011, 70, 454-462.	0.5	75
10	A replication study confirms the association of <i>TNFSF4 (OX40L)</i> polymorphisms with systemic sclerosis in a large European cohort. Annals of the Rheumatic Diseases, 2011, 70, 638-641.	0.5	63
11	A functional variant of vascular endothelial growth factor is associated with severe ischemic complications in giant cell arteritis. Journal of Rheumatology, 2005, 32, 1737-41.	1.0	61
12	Investigation of the IL23R gene in a Spanish rheumatoid arthritis cohort. Human Immunology, 2007, 68, 681-684.	1.2	52
13	Genetic association of vasoactive intestinal peptide receptor with rheumatoid arthritis: Altered expression and signal in immune cells. Arthritis and Rheumatism, 2008, 58, 1010-1019.	6.7	50
14	Association of <i>PTPN22 </i> gene functional variants with development of pulmonary tuberculosis in Moroccan population. Tissue Antigens, 2009, 74, 228-232.	1.0	50
15	The TRAF1-C5 region on chromosome 9q33 is associated with multiple autoimmune diseases. Annals of the Rheumatic Diseases, 2010, 69, 696-699.	0.5	49
16	C1858T Functional Variant of PTPN22 Gene Is Not Associated With Celiac Disease Genetic Predisposition. Human Immunology, 2005, 66, 848-852.	1.2	42
17	Analysis of interleukin-23 receptor (IL23R) gene polymorphisms in systemic lupus erythematosus. Tissue Antigens, 2007, 70, 233-237.	1.0	41
18	Protein tyrosine phosphatase gene (PTPN22) polymorphism in multiple sclerosis. Journal of Neurology, 2005, 252, 994-995.	1.8	38

#	Article	IF	CITATIONS
19	A large multicentre analysis of CTGF -945 promoter polymorphism does not confirm association with systemic sclerosis susceptibility or phenotype. Annals of the Rheumatic Diseases, 2009, 68, 1618-1620.	0.5	36
20	A new allele within the transmembrane region of the human MICA gene with seven GCT repeats. Tissue Antigens, 2002, 60, 526-528.	1.0	33
21	The interleukin 23 receptor gene does not confer risk to systemic sclerosis and is not associated with systemic sclerosis disease phenotype. Annals of the Rheumatic Diseases, 2009, 68, 253-256.	0.5	31
22	The Association of Body Mass Index and Body Composition with Pain, Disease Activity, Fatigue, Sleep and Anxiety in Women with Fibromyalgia. Nutrients, 2019, 11, 1193.	1.7	31
23	Beneficial effect of Mediterranean diet on disease activity and cardiovascular risk in systemic lupus erythematosus patients: a cross-sectional study. Rheumatology, 2021, 60, 160-169.	0.9	31
24	Association between functional haplotypes of vascular endothelial growth factor and renal complications in Henoch-SchĶnlein purpura. Journal of Rheumatology, 2006, 33, 69-73.	1.0	31
25	Interleukin-18-promoter polymorphisms are not relevant in rheumatoid arthritis. Tissue Antigens, 2005, 65, 544-548.	1.0	30
26	Analysis of Vascular Endothelial Growth Factor (VEGF) Functional Variants in Rheumatoid Arthritis. Human Immunology, 2005, 66, 864-868.	1.2	27
27	The Prognostic Nutritional Index and Nutritional Risk Index Are Associated with Disease Activity in Patients with Systemic Lupus Erythematosus. Nutrients, 2019, 11, 638.	1.7	27
28	Analysis of a GT Microsatellite in the Promoter of the foxp3/scurfin Gene in Autoimmune Diseases. Human Immunology, 2005, 66, 869-873.	1.2	25
29	Dietary inflammatory index and cardiovascular risk factors in Spanish children and adolescents. Research in Nursing and Health, 2018, 41, 448-458.	0.8	25
30	CTLA4/CT60 polymorphism is not relevant in susceptibility to autoimmune inflammatory intestinal disorders. Human Immunology, 2005, 66, 321-325.	1.2	23
31	Functional polymorphism of the NFKB1 gene promoter is not relevant in predisposition to celiac disease. Scandinavian Journal of Gastroenterology, 2006, 41, 420-423.	0.6	23
32	Involvement of macrophage migration inhibitory factor gene in celiac disease susceptibility. Genes and Immunity, 2007, 8, 168-170.	2.2	23
33	Association of CD24 gene polymorphisms with susceptibility to biopsy-proven giant cell arteritis. Journal of Rheumatology, 2008, 35, 850-4.	1.0	23
34	A functional variant of IFN \hat{I}^3 gene is associated with coeliac disease. Genes and Immunity, 2004, 5, 517-519.	2.2	22
35	Waist circumference shows the highest predictive value for metabolic syndrome, and waist-to-hip ratio for its components, in Spanish adolescents. Nutrition Research, 2017, 45, 38-45.	1.3	21
36	Dietary inflammatory index, bone health and body composition in a population of young adults: a cross-sectional study. International Journal of Food Sciences and Nutrition, 2018, 69, 1013-1019.	1.3	21

#	Article	IF	Citations
37	Influence of interleukin 10 promoter polymorphisms in susceptibility to giant cell arteritis in Northwestern Spain. Journal of Rheumatology, 2007, 34, 1535-9.	1.0	20
38	Assessing health science students' health literacy and its association with health behaviours. Health and Social Care in the Community, 2020, 28, 2134-2139.	0.7	18
39	The Effects of Body Composition, Dietary Intake, and Physical Activity on Calcaneus Quantitative Ultrasound in Spanish Young Adults. Biological Research for Nursing, 2016, 18, 439-444.	1.0	16
40	A functional variant in the CD209 promoter is associated with DQ2-negative celiac disease in the Spanish population. World Journal of Gastroenterology, 2006, 12, 4397.	1.4	16
41	Associations between body composition, nutrition, and physical activity in young adults. American Journal of Human Biology, 2017, 29, e22903.	0.8	14
42	Dietary Inflammatory Index Score and Cardiovascular Disease Risk Markers in Women with Systemic Lupus Erythematosus. Journal of the Academy of Nutrition and Dietetics, 2020, 120, 280-287.	0.4	14
43	Polymorphisms of the WNT16 gene are associated with the heel ultrasound parameter in young adults. Osteoporosis International, 2016, 27, 1057-1061.	1.3	11
44	Molecular screening and association study of IL15 gene polymorphisms in rheumatoid arthritis. Cytokine, 2007, 38, 84-89.	1.4	10
45	Assessment of dietary intake in Spanish university students of health sciences. Endocrinologia, Diabetes Y NutriciÓn, 2018, 65, 265-273.	0.1	10
46	Dietary intake and nutritional status in patients with systemic lupus erythematosus. Endocrinologia, Diabetes Y NutriciÓn, 2018, 65, 533-539.	0.1	10
47	COVID-19 vaccine literacy in patients with systemic autoimmune diseases. Current Psychology, 2023, 42, 13769-13784.	1.7	10
48	Functional Variants of Fc Gamma Receptor (FCGR2A) and FCGR3A Are Not Associated with Susceptibility to Systemic Sclerosis in a Large European Study (EUSTAR). Journal of Rheumatology, 2010, 37, 1673-1679.	1.0	9
49	Polymorphism of the inducible nitric oxide synthase gene in celiac disease. Human Immunology, 2002, 63, 1062-1065.	1.2	8
50	CA microsatellite polymorphism of the nuclear factor kappa B1 gene in celiac disease. International Journal of Immunogenetics, 2004, 31, 129-132.	1.2	8
51	Analysis of SNP-SNP interactions and bone quantitative ultrasound parameter in early adulthood. BMC Medical Genetics, 2017, 18, 107.	2.1	8
52	A Cross-Sectional Study of the Association of VDR Gene, Calcium Intake, and Heel Ultrasound Measures in Early Adulthood. Calcified Tissue International, 2016, 98, 226-234.	1.5	7
53	<i>SOX6</i> rs7117858 polymorphism is associated with osteoporosis and obesityâ€related phenotypes. European Journal of Clinical Investigation, 2018, 48, e13011.	1.7	7
54	Mediterranean Diet, Body Composition, and Activity Associated With Bone Health in Women With Fibromyalgia Syndrome. Nursing Research, 2019, 68, 358-364.	0.8	7

#	Article	IF	Citations
55	The Relationships of High-Sensitivity C-Reactive Protein and Homocysteine Levels With Disease Activity, Damage Accrual, and Cardiovascular Risk in Systemic Lupus Erythematosus. Biological Research for Nursing, 2020, 22, 169-177.	1.0	7
56	Dietary Energy Density is Associated with Body Mass Index and Fat Mass in Early Adulthood. Clinical Nursing Research, 2021, 30, 591-598.	0.7	7
57	A Combination of Self-debriefing and Instructor-led Debriefing Improves Team Effectiveness in Health Science Students. Nurse Educator, 2021, 46, E7-E11.	0.6	7
58	Investigation of CD69 as a new candidate gene for rheumatoid arthritis. Tissue Antigens, 2008, 72, 206-210.	1.0	6
59	<i>AKAP11</i> gene polymorphism is associated with bone mass measured by quantitative ultrasound in young adults. International Journal of Medical Sciences, 2018, 15, 999-1004.	1.1	6
60	Dietary Intake of Free Sugars is Associated with Disease Activity and Dyslipidemia in Systemic Lupus Erythematosus Patients. Nutrients, 2020, 12, 1094.	1.7	6
61	Low intakes of vitamins C and A are associated with obesity in early adulthood. International Journal for Vitamin and Nutrition Research, 2022, 92, 204-213.	0.6	6
62	Dietary antioxidant quality score (DAQs) is associated with bone mass assessed by calcaneal quantitative ultrasound in young women. Nutricion Hospitalaria, 2017, 34, 613.	0.2	6
63	Vitamin D Levels are Associated with Disease Activity and Damage Accrual in Systemic Lupus Erythematosus Patients. Biological Research for Nursing, 2021, 23, 455-463.	1.0	6
64	The impact of obesity on disease activity, damage accrual, inflammation markers and cardiovascular risk factors in systemic lupus erythematosus. Panminerva Medica, 2020, 62, 75-82.	0.2	5
65	The Functional Polymorphism 844 A>G in Fcî±RI (CD89) Does Not Contribute to Systemic Sclerosis or Rheumatoid Arthritis Susceptibility. Journal of Rheumatology, 2011, 38, 446-449.	1.0	4
66	The RSPO3 gene as genetic markers for bone mass assessed by quantitative ultrasound in a population of young adults. Annals of Human Genetics, 2018, 82, 143-149.	0.3	4
67	Diet Quality and High-Sensitivity C-Reactive Protein in Patients With Systemic Lupus Erythematosus. Biological Research for Nursing, 2019, 21, 107-113.	1.0	4
68	Peer Debriefing Versus Instructor-Led Debriefing for Nursing Simulation. Journal of Nursing Education, 2021, 60, 90-95.	0.4	4
69	Dietary Intake Assessment, Severity of Symptoms, and Pain in Women with Fibromyalgia. Clinical Nursing Research, 2021, 30, 1164-1173.	0.7	4
70	Clinical and serological associations of autoantibodies in patients with systemic lupus erythematosus. Journal of Investigative Medicine, 2021, 69, jim-2021-001887.	0.7	4
71	Dietary Sodium, Potassium, and Sodium to Potassium Ratio in Patients With Systemic Lupus Erythematosus. Biological Research for Nursing, 2022, 24, 235-244.	1.0	4
72	The rs3736228 polymorphism in the LRP5 gene is associated with calcaneal ultrasound parameter but not with body composition in a cohort of young Caucasian adults. Journal of Bone and Mineral Metabolism, 2017, 35, 694-700.	1.3	3

#	Article	IF	CITATIONS
7 3	Estrogen Receptor 1 (ESR1) Gene Polymorphisms and Obesity Phenotypes in a Population of Young Adults. Clinical Nursing Research, 2018, 27, 936-949.	0.7	3
74	Influence of Calcium and Vitamin D Intakes on Body Composition in Children and Adolescents. Clinical Nursing Research, 2020, 29, 243-248.	0.7	3
75	Clinical course of Covid-19 in a cohort of patients with Behçet disease. Medicina ClÃnica, 2022, 159, 262-267.	0.3	3
76	The Relationship Between Health Literacy and Quality of Life, Attitudes and Perceptions of Covid-19 and Vaccination Among Patients with Systemic Autoimmune Diseases. Clinical Nursing Research, 2022, , 105477382210905.	0.7	3
77	RANKL/RANK/OPG Polymorphisms and Heel Quantitative Ultrasound in Young Adults. Nursing Research, 2017, 66, 145-151.	0.8	2
78	Disease Damage Accrual and Low Bone Mineral Density in Female Patients with Systemic Lupus Erythematosus. Biological Research for Nursing, 2021, 23, 575-583.	1.0	2
79	Normative data for quantitative calcaneal ultrasound in young males and females. American Journal of Human Biology, 2017, 29, e23030.	0.8	1
80	Association study of estrogen receptor alpha gene polymorphisms with bone mass assessed by quantitative ultrasound in young adults. Rheumatology International, 2017, 37, 1281-1286.	1.5	0
81	Assessment of dietary intake in Spanish university students of health sciences. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2018, 65, 265-273.	0.1	O
82	Associations Between Bone Mass in Women With Fibromyalgia and Widespread Pressure Pain Hypersensitivity, Tenderness, Perceived Pain Level, and Disability. Biological Research for Nursing, 2019, 21, 272-278.	1.0	0
83	Analysis of lifestyle and bone mineralization in a population of Spanish young adults. Colombia Medica, 2018, 49, 213-218.	0.7	O
84	Vitamin D Supplementation Is Associated with Disease Activity in Systemic Lupus Erythematosus Patients., 2020, 61,.		0