

J John Mann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2521916/publications.pdf>

Version: 2024-02-01

305
papers

33,613
citations

8208

78
h-index

4983

173
g-index

317
all docs

317
docs citations

317
times ranked

31819
citing authors

#	ARTICLE	IF	CITATIONS
1	The importance of social activity to risk of major depression in older adults. <i>Psychological Medicine</i> , 2023, 53, 2634-2642.	2.7	7
2	Brain 5-HT1A Receptor PET Binding, Cortisol Responses to Stress, and the Familial Transmission of Suicidal Behavior. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 36-45.	1.0	7
3	Plasma testosterone levels and subsequent suicide attempts in males with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 223-225.	2.2	7
4	Serotonin 1A Receptor Binding of [11C]CUMI-101 in Bipolar Depression Quantified using Positron Emission Tomography: Relationship to Psychopathology and Antidepressant Response. <i>International Journal of Neuropsychopharmacology</i> , 2022, , .	1.0	2
5	Source-to-Target Automatic Rotating Estimation (STARE) – A publicly available, blood-free quantification approach for PET tracers with irreversible kinetics: Theoretical framework and validation for [18F]FDG. <i>NeuroImage</i> , 2022, 249, 118901.	2.1	3
6	Ketamine vs midazolam: Mood improvement reduces suicidal ideation in depression. <i>Journal of Affective Disorders</i> , 2022, 300, 10-16.	2.0	7
7	Twenty-six years of psychosocial interventions to reduce suicide risk in adolescents: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 300, 511-531.	2.0	10
8	Proton magnetic resonance spectroscopy thermometry: Impact of separately acquired full water or partially suppressed water data on quantification and measurement error. <i>NMR in Biomedicine</i> , 2022, 35, e4681.	1.6	3
9	Effect of non-suicidal self-injury on suicidal ideation: real-time monitoring study. <i>British Journal of Psychiatry</i> , 2022, 221, 485-487.	1.7	4
10	Geolocation features differentiate healthy from remitted depressed adults.. , 2022, 131, 341-349.		4
11	Resting State MRI Amplitude of Low Frequency Fluctuations Associated With Suicidal Ideation in Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	1.1	4
12	Dysregulation of adult hippocampal neuroplasticity in major depression: pathogenesis and therapeutic implications. <i>Molecular Psychiatry</i> , 2022, 27, 2689-2699.	4.1	90
13	Altered adult neurogenesis and gliogenesis in patients with mesial temporal lobe epilepsy. <i>Nature Neuroscience</i> , 2022, 25, 493-503.	7.1	30
14	Association of Social Determinants of Health and Vaccinations With Child Mental Health During the COVID-19 Pandemic in the US. <i>JAMA Psychiatry</i> , 2022, 79, 610.	6.0	37
15	Improving the reproducibility of proton magnetic resonance spectroscopy brain thermometry: Theoretical and empirical approaches. <i>NMR in Biomedicine</i> , 2022, 35, e4749.	1.6	1
16	Ventral prefrontal serotonin 1A receptor binding: a neural marker of vulnerability for mood disorder and suicidal behavior?. <i>Molecular Psychiatry</i> , 2022, 27, 4136-4143.	4.1	4
17	Highly variable suicidal ideation: a phenotypic marker for stress induced suicide risk. <i>Molecular Psychiatry</i> , 2021, 26, 5079-5086.	4.1	25
18	Large-scale network dynamics in neural response to emotionally negative stimuli linked to serotonin 1A binding in major depressive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2393-2401.	4.1	11

#	ARTICLE	IF	CITATIONS
19	Characteristics of depressed suicide attempters with remitted substance use disorders. <i>Journal of Psychiatric Research</i> , 2021, 137, 572-578.	1.5	9
20	Coping strategies that reduce suicidal ideation: An ecological momentary assessment study. <i>Journal of Psychiatric Research</i> , 2021, 133, 32-37.	1.5	19
21	Examining the relationship between gray matter volume and a continuous measure of bipolarity in unmedicated unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2021, 280, 105-113.	2.0	2
22	Association of serotonin system-related genes with homicidal behavior and criminal aggression in a prison population of Pakistani Origin. <i>Scientific Reports</i> , 2021, 11, 1670.	1.6	4
23	The Role of Past Suicidal Behavior on Current Suicidality: A Retrospective Study in the Israeli Military. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 649.	1.2	6
24	Relationships between inflammatory markers and suicide risk status in major depression. <i>Journal of Psychiatric Research</i> , 2021, 134, 192-199.	1.5	22
25	Bipolar disorder and the gut microbiome: A systematic review. <i>Bipolar Disorders</i> , 2021, 23, 544-564.	1.1	35
26	Progress in PET Imaging of Neuroinflammation Targeting COX-2 Enzyme. <i>Molecules</i> , 2021, 26, 3208.	1.7	39
27	Temporal Trends in Suicidal Ideation and Attempts Among US Adolescents by Sex and Race/Ethnicity, 1991-2019. <i>JAMA Network Open</i> , 2021, 4, e2113513.	2.8	72
28	Relationship of Brain Glutamate Response to D-Cycloserine and Lurasidone to Antidepressant Response in Bipolar Depression: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 653026.	1.3	9
29	Diffusion tensor imaging brain structural clustering patterns in major depressive disorder. <i>Human Brain Mapping</i> , 2021, 42, 5023-5036.	1.9	9
30	Improving Suicide Prevention Through Evidence-Based Strategies: A Systematic Review. <i>American Journal of Psychiatry</i> , 2021, 178, 611-624.	4.0	208
31	Suicide-related calls to a national crisis chat hotline service during the COVID-19 pandemic and lockdown. <i>Journal of Psychiatric Research</i> , 2021, 139, 193-196.	1.5	30
32	Ventromedial prefrontal cortex/anterior cingulate cortex Glx, glutamate, and GABA levels in medication-free major depressive disorder. <i>Translational Psychiatry</i> , 2021, 11, 419.	2.4	45
33	The rapid anti-suicidal ideation effect of ketamine: A systematic review. <i>Preventive Medicine</i> , 2021, 152, 106524.	1.6	19
34	Age effects on clinical and neurocognitive risk factors for suicide attempt in depression â€” Findings from the AFSP lifespan study. <i>Journal of Affective Disorders</i> , 2021, 295, 123-130.	2.0	7
35	Detecting suicidal thoughts: The power of ecological momentary assessment. <i>Depression and Anxiety</i> , 2021, 38, 8-16.	2.0	51
36	Influence of the GABA Receptor Subunit Gene Polymorphism and Childhood Sexual Abuse on Processing Speed in Major Depression and Suicide Attempt. <i>Frontiers in Psychiatry</i> , 2021, 12, 712231.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Can Knowledge of Genetic and Environmental Causal Factors of Fatal and Nonfatal Suicidal Behavior Be Translated Into Better Prevention?. <i>American Journal of Psychiatry</i> , 2021, 178, 994-997.	4.0	3
38	Neural predictors and effects of cognitive behavioral therapy for depression: the role of emotional reactivity and regulation. <i>Psychological Medicine</i> , 2020, 50, 146-160.	2.7	18
39	Default mode dysfunction underpins suicidal activity in mood disorders. <i>Psychological Medicine</i> , 2020, 50, 1214-1223.	2.7	49
40	The Need for Innovation in Health Care Systems to Improve Suicide Prevention. <i>JAMA Psychiatry</i> , 2020, 77, 96.	6.0	26
41	Deficits of white matter axial diffusivity in bipolar disorder relative to major depressive disorder: No relationship to cerebral perfusion or body mass index. <i>Bipolar Disorders</i> , 2020, 22, 296-302.	1.1	16
42	Dual pharmacological inhibitor of endocannabinoid degrading enzymes reduces depressive-like behavior in female rats. <i>Journal of Psychiatric Research</i> , 2020, 120, 103-112.	1.5	14
43	Sociodemographic Characteristics, Financial Worries and Serious Psychological Distress in U.S. Adults. <i>Community Mental Health Journal</i> , 2020, 56, 606-613.	1.1	33
44	In vivo comparison of N-11CH ₃ vs O-11CH ₃ radiolabeled microtubule targeted PET ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 126785.	1.0	6
45	Assessment of Relationship of Ketamine Dose With Magnetic Resonance Spectroscopy of Glx and GABA Responses in Adults With Major Depression. <i>JAMA Network Open</i> , 2020, 3, e2013211.	2.8	37
46	Dissecting clinical heterogeneity of bipolar disorder using multiple polygenic risk scores. <i>Translational Psychiatry</i> , 2020, 10, 314.	2.4	42
47	Smaller left hippocampal subfield CA1 volume is associated with reported childhood physical and/or sexual abuse in major depression: A pilot study. <i>Journal of Affective Disorders</i> , 2020, 272, 348-354.	2.0	13
48	Psychosocial risk factors and outcomes associated with suicide attempts in childhood: A retrospective study. <i>Journal of Psychiatric Research</i> , 2020, 125, 129-135.	1.5	8
49	Radiosynthesis and evaluation of [18F]FMTP, a COX-2 PET ligand. <i>Pharmacological Reports</i> , 2020, 72, 1433-1440.	1.5	8
50	Guidelines for the content and format of PET brain data in publications and archives: A consensus paper. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 1576-1585.	2.4	47
51	Interactions of the GABRG2 polymorphisms and childhood trauma on suicide attempt and related traits in depressed patients. <i>Journal of Affective Disorders</i> , 2020, 266, 447-455.	2.0	10
52	Toward a Distinct Mental Disorder—Suicidal Behavior. <i>JAMA Psychiatry</i> , 2020, 77, 661.	6.0	24
53	A Brain-Centric Model of Suicidal Behavior. <i>American Journal of Psychiatry</i> , 2020, 177, 902-916.	4.0	94
54	Lipocalin-2 is an anorexigenic signal in primates. <i>ELife</i> , 2020, 9, .	2.8	27

#	ARTICLE	IF	CITATIONS
55	Suicidal subtypes, stress responsivity and impulsive aggression. <i>Psychiatry Research</i> , 2019, 280, 112486.	1.7	25
56	Brain serotonin transporter binding, plasma arachidonic acid and depression severity: A positron emission tomography study of major depression. <i>Journal of Affective Disorders</i> , 2019, 257, 495-503.	2.0	22
57	Suicide ideation severity is associated with severe suicide attempts in a military setting. <i>European Psychiatry</i> , 2019, 61, 49-55.	0.1	7
58	Altered amygdala subregion-related circuits in treatment-naïve post-traumatic stress disorder comorbid with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 1092-1101.	0.3	19
59	Ketamine metabolite pilot study in a suicidal depression trial. <i>Journal of Psychiatric Research</i> , 2019, 117, 129-134.	1.5	28
60	Resilience Is Associated With Larger Dentate Gyrus, While Suicide Decedents With Major Depressive Disorder Have Fewer Granule Neurons. <i>Biological Psychiatry</i> , 2019, 85, 850-862.	0.7	70
61	Trustworthiness appraisal deficits in borderline personality disorder are associated with prefrontal cortex, not amygdala, impairment. <i>NeuroImage: Clinical</i> , 2019, 21, 101616.	1.4	16
62	Radiosynthesis and evaluation of [¹¹ C]CMP, a high affinity GSK3 ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 778-781.	1.0	10
63	Antidepressant medication exposure and 5-HT _{1A} autoreceptor binding in major depressive disorder. <i>Synapse</i> , 2019, 73, e22089.	0.6	18
64	Systematic Review of Gut Microbiota and Major Depression. <i>Frontiers in Psychiatry</i> , 2019, 10, 34.	1.3	368
65	Editorial: Involvement of Neuro-Immune Mechanism and Brain "Gut Axis in Pathophysiology of Mood Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 403.	1.3	2
66	Variability in Suicidal Ideation is Associated with Affective Instability in Suicide Attempters with Borderline Personality Disorder. <i>Psychiatry (New York)</i> , 2019, 82, 173-178.	0.3	47
67	Resting-state amplitude of low-frequency fluctuation is associated with suicidal ideation. <i>Depression and Anxiety</i> , 2019, 36, 433-441.	2.0	32
68	Early-Life Adversity, but Not Suicide, Is Associated With Less Prefrontal Cortex Gray Matter in Adulthood. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 349-357.	1.0	27
69	Cognitive and emotional impairments underpinning suicidal activity in patients with mood disorders: an fMRI study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 454-463.	2.2	23
70	Cortisol Stress Response and in Vivo PET Imaging of Human Brain Serotonin 1A Receptor Binding. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 329-338.	1.0	19
71	Quantifying Brain [¹⁸ F]FDG Uptake Noninvasively by Combining Medical Health Records and Dynamic PET Imaging Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 2576-2582.	3.9	10
72	Severity and Variability of Depression Symptoms Predicting Suicide Attempt in High-Risk Individuals. <i>JAMA Psychiatry</i> , 2019, 76, 603.	6.0	125

#	ARTICLE	IF	CITATIONS
73	Self-generated Unconscious Processing of Loss Linked to Less Severe Grieving. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 271-279.	1.1	5
74	Ongoing monitoring of mindwandering in avoidant grief through cortico-basal-ganglia interactions. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 163-172.	1.5	8
75	Neurocognition in Post-Treatment Lyme Disease and Major Depressive Disorder. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 466-480.	0.3	14
76	Gray matter volumetric study of major depression and suicidal behavior. <i>Psychiatry Research - Neuroimaging</i> , 2019, 283, 16-23.	0.9	23
77	Molecular docking, dynamics simulations and 3D-QSAR modeling of arylpiperazine derivatives of 3,5-dioxo-(2H,4H)-1,2,4-triazine as 5-HT1AR agonists. <i>Computational Biology and Chemistry</i> , 2019, 78, 108-115.	1.1	18
78	Reduced SNAP25 Protein Fragmentation Contributes to SNARE Complex Dysregulation in Schizophrenia Postmortem Brain. <i>Neuroscience</i> , 2019, 420, 112-128.	1.1	9
79	The SNAP25 Interactome in Ventromedial Caudate in Schizophrenia Includes the Mitochondrial Protein ARF1. <i>Neuroscience</i> , 2019, 420, 97-111.	1.1	10
80	Resting regional brain activity correlates of verbal learning deficit in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019, 283, 96-103.	0.9	4
81	Blood Vessels and Perivascular Phagocytes of Prefrontal White and Gray Matter in Suicide. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 15-30.	0.9	10
82	Molecular connectivity disruptions in males with major depressive disorder. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1623-1634.	2.4	7
83	5-HT _{1A} receptor, 5-HT _{2A} receptor and serotonin transporter binding in the human auditory cortex in depression. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 294-302.	1.4	16
84	[11C]Harmine Binding to Brain Monoamine Oxidase A: Test-Retest Properties and Noninvasive Quantification. <i>Molecular Imaging and Biology</i> , 2018, 20, 667-681.	1.3	13
85	Human Hippocampal Neurogenesis Persists throughout Aging. <i>Cell Stem Cell</i> , 2018, 22, 589-599.e5.	5.2	977
86	Association of BDNF Val66Met Polymorphism and Brain BDNF Levels with Major Depression and Suicide. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 528-538.	1.0	142
87	Toward subtyping of suicidality: Brief suicidal ideation is associated with greater stress response. <i>Journal of Affective Disorders</i> , 2018, 230, 87-92.	2.0	32
88	Will imaging individual raphe nuclei in males with major depressive disorder enhance diagnostic sensitivity and specificity?. <i>Depression and Anxiety</i> , 2018, 35, 411-420.	2.0	11
89	Negative Autobiographical Memory in Depression Reflects Elevated Amygdala-Hippocampal Reactivity and Hippocampally Associated Emotion Regulation. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 358-366.	1.1	22
90	Higher 5-HT1A autoreceptor binding as an endophenotype for major depressive disorder identified in high risk offspring – A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 276, 15-23.	0.9	19

#	ARTICLE	IF	CITATIONS
91	Suicidal ideation declines with improvement in the subjective symptoms of major depression. <i>Journal of Affective Disorders</i> , 2018, 227, 65-70.	2.0	31
92	Attentional Bias to Reminders of the Deceased as Compared With a Living Attachment in Grieving. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 107-115.	1.1	11
93	[¹¹ C]arachidonic acid incorporation measurement in human brain: Optimization for clinical use. <i>Synapse</i> , 2018, 72, e22018.	0.6	8
94	Pattern recognition of magnetic resonance imaging-based gray matter volume measurements classifies bipolar disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 498-505.	2.0	60
95	Longitudinal effects of cognitive behavioral therapy for depression on the neural correlates of emotion regulation. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 82-90.	0.9	33
96	Maternal Cerebrospinal Fluid Glutamate in Response to Variable Foraging Demand: Relationship to Cerebrospinal Fluid Serotonin Metabolites in Grown Offspring. <i>Chronic Stress</i> , 2018, 2, 247054701878562.	1.7	2
97	In vivo evaluation of [¹¹ C]TMI, a COX-2 selective PET tracer, in baboons. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 3592-3595.	1.0	23
98	Serotonin receptors and suicide, major depression, alcohol use disorder and reported early life adversity. <i>Translational Psychiatry</i> , 2018, 8, 279.	2.4	92
99	Exploratory genome-wide association analysis of response to ketamine and a polygenic analysis of response to scopolamine in depression. <i>Translational Psychiatry</i> , 2018, 8, 280.	2.4	26
100	Considerations for Assessing the Extent of Hippocampal Neurogenesis in the Adult and Aging Human Brain. <i>Cell Stem Cell</i> , 2018, 23, 782-783.	5.2	52
101	The impact of cognitive reserve on neurocognitive performance in Major Depressive Disorder. <i>Psychiatry Research</i> , 2018, 270, 211-218.	1.7	23
102	Depression. <i>Lancet</i> , The, 2018, 392, 2299-2312.	6.3	2,026
103	How lipids may affect risk for suicidal behavior. <i>Journal of Psychiatric Research</i> , 2018, 104, 16-23.	1.5	36
104	In Vivo Brain Imaging, Biodistribution, and Radiation Dosimetry Estimation of [¹¹ C]Celecoxib, a COX-2 PET Ligand, in Nonhuman Primates. <i>Molecules</i> , 2018, 23, 1929.	1.7	20
105	The lack of meaningful association between depression severity measures and neurocognitive performance. <i>Journal of Affective Disorders</i> , 2018, 241, 164-172.	2.0	23
106	Neurocognitive performance predicts treatment outcome with cognitive behavioral therapy for major depressive disorder. <i>Psychiatry Research</i> , 2018, 269, 376-385.	1.7	11
107	Targeting Kruppel-like Factor 9 in Excitatory Neurons Protects against Chronic Stress-Induced Impairments in Dendritic Spines and Fear Responses. <i>Cell Reports</i> , 2018, 23, 3183-3196.	2.9	28
108	Radiosynthesis and in vivo evaluation of [¹¹ C]MOV as a PET imaging agent for COX-2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2432-2435.	1.0	10

#	ARTICLE	IF	CITATIONS
109	Improving Firearm Safety in the United States: Response to Kapusta and Cramer. <i>American Journal of Psychiatry</i> , 2017, 174, 78-78.	4.0	0
110	In vivo evaluation of IGF1R/IR PET ligand [18 F]BMS-754807 in rodents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 941-943.	1.0	7
111	Friendship, Depression, and Suicide Attempts in Adults: Exploratory Analysis of a Longitudinal Follow-up Study. <i>Suicide and Life-Threatening Behavior</i> , 2017, 47, 660-671.	0.9	23
112	Lipid correlates of antidepressant response to omega-3 polyunsaturated fatty acid supplementation: A pilot study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 119, 38-44.	1.0	18
113	Tracking Deceased-Related Thinking With Neural Pattern Decoding of a Cortical-Basal Ganglia Circuit. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 421-429.	1.1	8
114	Radiosynthesis and in Vivo Evaluation of [11C]A1070722, a High Affinity GSK-3 PET Tracer in Primate Brain. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1697-1703.	1.7	16
115	Ketamine versus midazolam in bipolar depression with suicidal thoughts: A pilot midazolam-controlled randomized clinical trial. <i>Bipolar Disorders</i> , 2017, 19, 176-183.	1.1	134
116	Radiosynthesis and evaluation of IGF1R PET ligand [11 C]GSK1838705A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 2895-2897.	1.0	9
117	Characterization of lipid rafts in human platelets using nuclear magnetic resonance: A pilot study. <i>Biochemistry and Biophysics Reports</i> , 2017, 10, 132-136.	0.7	3
118	In vivo evaluation of [18 F]FECIMBI-36, an agonist 5-HT 2A/2C receptor PET radioligand in nonhuman primate. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 21-23.	1.0	11
119	A Review of the Functional and Anatomical Default Mode Network in Schizophrenia. <i>Neuroscience Bulletin</i> , 2017, 33, 73-84.	1.5	229
120	Utility of Molecular and Structural Brain Imaging to Predict Progression from Mild Cognitive Impairment to Dementia. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 939-947.	1.2	6
121	White matter tract integrity is associated with antidepressant response to lurasidone in bipolar depression. <i>Bipolar Disorders</i> , 2017, 19, 444-449.	1.1	12
122	White matter correlates of impaired attention control in major depressive disorder and healthy volunteers. <i>Journal of Affective Disorders</i> , 2017, 222, 103-111.	2.0	26
123	Biomarkers of Suicide Attempt Behavior: Towards a Biological Model of Risk. <i>Current Psychiatry Reports</i> , 2017, 19, 31.	2.1	161
124	Estimation of the binding potential BPND without a reference region or blood samples for brain PET studies. <i>NeuroImage</i> , 2017, 146, 121-131.	2.1	10
125	In vivo variation in same-day estimates of metabotropic glutamate receptor subtype 5 binding using [¹¹ C]ABP688 and [¹⁸ F]FPEB. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2716-2727.	2.4	49
126	Narcissistic Personality Disorder and suicidal behavior in mood disorders. <i>Journal of Psychiatric Research</i> , 2017, 85, 24-28.	1.5	26

#	ARTICLE	IF	CITATIONS
127	Dysregulation of Striatal Dopamine Receptor Binding in Suicide. <i>Neuropsychopharmacology</i> , 2017, 42, 974-982.	2.8	45
128	Fibre tract analysis using diffusion tensor imaging reveals aberrant connectivity in a rat model of depression. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 615-623.	1.3	13
129	Polymorphisms in dopaminergic system genes; association with criminal behavior and self-reported aggression in violent prison inmates from Pakistan. <i>PLoS ONE</i> , 2017, 12, e0173571.	1.1	16
130	The Economy and Suicide. <i>Crisis</i> , 2017, 38, 141-146.	0.9	27
131	Clinical Correlates of Planned and Unplanned Suicide Attempts. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 806-811.	0.5	26
132	GLUCOCORTICOID RECEPTOR-RELATED GENES: GENOTYPE AND BRAIN GENE EXPRESSION RELATIONSHIPS TO SUICIDE AND MAJOR DEPRESSIVE DISORDER. <i>Depression and Anxiety</i> , 2016, 33, 531-540.	2.0	44
133	PTSD REMISSION AFTER PROLONGED EXPOSURE TREATMENT IS ASSOCIATED WITH ANTERIOR CINGULATE CORTEX THINNING AND VOLUME REDUCTION. <i>Depression and Anxiety</i> , 2016, 33, 384-391.	2.0	34
134	<scp>d</scp>-Cycloserine, an NMDA Glutamate Receptor Glycine Site Partial Agonist, Induces Acute Increases in Brain Glutamate Plus Glutamine and GABA Comparable to Ketamine. <i>American Journal of Psychiatry</i> , 2016, 173, 1241-1242.	4.0	15
135	Greater hippocampal volume is associated with PTSD treatment response. <i>Psychiatry Research - Neuroimaging</i> , 2016, 252, 36-39.	0.9	50
136	Heart rate variability and suicidal behavior. <i>Psychiatry Research</i> , 2016, 240, 241-247.	1.7	45
137	Lack of association between the serotonin transporter and serotonin 1A receptor: an in vivo PET imaging study in healthy adults. <i>Psychiatry Research - Neuroimaging</i> , 2016, 255, 81-86.	0.9	8
138	Serotonin-reuptake inhibitors act centrally to cause bone loss in mice by counteracting a local anti-resorptive effect. <i>Nature Medicine</i> , 2016, 22, 1170-1179.	15.2	82
139	Psychological autopsy of seventy high school suicides: Combined qualitative/quantitative approach. <i>European Psychiatry</i> , 2016, 38, 8-14.	0.1	13
140	Positron Emission Tomographic Imaging of the Serotonergic System and Prediction of Risk and Lethality of Future Suicidal Behavior. <i>JAMA Psychiatry</i> , 2016, 73, 1048.	6.0	70
141	Prevention of Firearm Suicide in the United States: What Works and What Is Possible. <i>American Journal of Psychiatry</i> , 2016, 173, 969-979.	4.0	151
142	Short-term Effects of Risperidone Monotherapy on Spontaneous Brain Activity in First-episode Treatment-naïve Schizophrenia Patients: A Longitudinal fMRI Study. <i>Scientific Reports</i> , 2016, 6, 34287.	1.6	28
143	Risperidone-induced topological alterations of anatomical brain network in first-episode drug-naive schizophrenia patients: a longitudinal diffusion tensor imaging study. <i>Psychological Medicine</i> , 2016, 46, 2549-2560.	2.7	20
144	Relationship of recent stress to amygdala volume in depressed and healthy adults. <i>Journal of Affective Disorders</i> , 2016, 203, 136-142.	2.0	24

#	ARTICLE	IF	CITATIONS
145	Omega-3 polyunsaturated fatty acid supplementation and white matter changes in major depression. <i>Journal of Psychiatric Research</i> , 2016, 75, 65-74.	1.5	44
146	Autoradiographic Evaluation of [¹⁸ F]FECUMI-101, a High Affinity 5-HT _{1A} R Ligand in Human Brain. <i>ACS Medicinal Chemistry Letters</i> , 2016, 7, 482-486.	1.3	5
147	Transcranial Magnetic Stimulation of Left Dorsolateral Prefrontal Cortex Induces Brain Morphological Changes in Regions Associated with a Treatment Resistant Major Depressive Episode: An Exploratory Analysis. <i>Brain Stimulation</i> , 2016, 9, 577-583.	0.7	73
148	Quantitative mass spectrometry reveals changes in SNAP-25 isoforms in schizophrenia. <i>Schizophrenia Research</i> , 2016, 177, 44-51.	1.1	17
149	Further evidence of low baseline cortisol levels in suicide attempters. <i>Journal of Affective Disorders</i> , 2016, 190, 187-192.	2.0	60
150	Relationship of the serotonin transporter gene promoter polymorphism (5-HTTLPR) genotype and serotonin transporter binding to neural processing of negative emotional stimuli. <i>Journal of Affective Disorders</i> , 2016, 190, 494-498.	2.0	17
151	An effective suicide prevention program in the Israeli Defense Forces: A cohort study. <i>European Psychiatry</i> , 2016, 31, 37-43.	0.1	35
152	Reduced GABA neuron density in auditory cerebral cortex of subjects with major depressive disorder. <i>Journal of Chemical Neuroanatomy</i> , 2016, 76, 108-121.	1.0	28
153	The role of cytokines in the pathophysiology of suicidal behavior. <i>Psychoneuroendocrinology</i> , 2016, 63, 296-310.	1.3	160
154	Blunted HPA Axis Activity in Suicide Attempters Compared to those at High Risk for Suicidal Behavior. <i>Neuropsychopharmacology</i> , 2016, 41, 1447-1456.	2.8	103
155	A pilot in vivo proton magnetic resonance spectroscopy study of amino acid neurotransmitter response to ketamine treatment of major depressive disorder. <i>Molecular Psychiatry</i> , 2016, 21, 320-327.	4.1	121
156	Characterization of brain mGluR5 binding in a pilot study of late-life major depressive disorder using positron emission tomography and [¹¹ C]ABP688. <i>Translational Psychiatry</i> , 2015, 5, e693-e693.	2.4	35
157	A genome-wide association study of suicidal behavior. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 557-563.	1.1	80
158	DNA Methylation Perturbations in Genes Involved in Polyunsaturated Fatty Acid Biosynthesis Associated with Depression and Suicide Risk. <i>Frontiers in Neurology</i> , 2015, 6, 92.	1.1	66
159	A Genome-Wide Copy Number Variant Study of Suicidal Behavior. <i>PLoS ONE</i> , 2015, 10, e0128369.	1.1	16
160	Familial Pathways to Early-Onset Suicide Attempt. <i>JAMA Psychiatry</i> , 2015, 72, 160.	6.0	102
161	Cerebrospinal Fluid Neuropeptide Y Levels in Major Depression and Reported Childhood Trauma. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu023-pyu023.	1.0	17
162	Treatment-related improvement in neuropsychological functioning in suicidal depressed patients: Paroxetine vs. bupropion. <i>Psychiatry Research</i> , 2015, 225, 407-412.	1.7	53

#	ARTICLE	IF	CITATIONS
163	Positron Emission Tomography Quantification of Serotonin _{1A} Receptor Binding in Suicide Attempters With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 169.	6.0	98
164	Risk factors for suicide attempt among Israeli Defense Forces soldiers: A retrospective case-control study. <i>Journal of Affective Disorders</i> , 2015, 186, 232-240.	2.0	13
165	Isoform-level brain expression profiling of the spermidine/spermine N1-Acetyltransferase1 (SAT1) gene in major depression and suicide. <i>Neurobiology of Disease</i> , 2015, 79, 123-134.	2.1	28
166	Quantification of the Serotonin 1A Receptor Using PET: Identification of a Potential Biomarker of Major Depression in Males. <i>Neuropsychopharmacology</i> , 2015, 40, 1692-1699.	2.8	58
167	Increased SNARE Protein-Protein Interactions in Orbitofrontal and Anterior Cingulate Cortices in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 361-373.	0.7	52
168	Genetic vulnerability, timing of short-term stress and mood regulation: A rodent diffusion tensor imaging study. <i>European Neuropsychopharmacology</i> , 2015, 25, 2075-2085.	0.3	18
169	Synthesis and in vitro evaluation of [18F]FECIMBI-36: A potential agonist PET ligand for 5-HT _{2A/2C} receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 3933-3936.	1.0	17
170	Pathways of polyunsaturated fatty acid utilization: Implications for brain function in neuropsychiatric health and disease. <i>Brain Research</i> , 2015, 1597, 220-246.	1.1	182
171	PET Tracers for Serotonin Receptors and Their Applications. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2015, 14, 96-112.	0.5	43
172	Elevated cerebrospinal fluid 5-hydroxyindoleacetic acid in macaques following early life stress and inverse association with hippocampal volume: preliminary implications for serotonin-related function in mood and anxiety disorders. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 440.	1.0	18
173	Combining brain imaging data with electronic health records to non-invasively quantify [¹¹ C]DASB binding. , 2014, , .		2
174	Foxo1 regulates Dbh expression and the activity of the sympathetic nervous system in vivo. <i>Molecular Metabolism</i> , 2014, 3, 770-777.	3.0	13
175	Polyunsaturated fatty acid associations with dopaminergic indices in major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 383-391.	1.0	41
176	ANXIETY IN MAJOR DEPRESSION AND CEREBROSPINAL FLUID FREE GAMMA-AMINO BUTYRIC ACID. <i>Depression and Anxiety</i> , 2014, 31, 814-821.	2.0	45
177	Neuropsychological deficits in past suicide attempters with varying levels of depression severity. <i>Psychological Medicine</i> , 2014, 44, 2965-2974.	2.7	74
178	Characteristics of Soldiers with Self-Harm in the Israeli Defense Forces. <i>Archives of Suicide Research</i> , 2014, 18, 410-418.	1.2	10
179	Intact alternation performance in high lethality suicide attempters. <i>Psychiatry Research</i> , 2014, 219, 129-136.	1.7	22
180	Dopamine and serotonin signaling during two sensitive developmental periods differentially impact adult aggressive and affective behaviors in mice. <i>Molecular Psychiatry</i> , 2014, 19, 688-698.	4.1	132

#	ARTICLE	IF	CITATIONS
181	Optogenetic stimulation of DAergic VTA neurons increases aggression. <i>Molecular Psychiatry</i> , 2014, 19, 635-635.	4.1	12
182	Toward a Biosignature for Suicide. <i>American Journal of Psychiatry</i> , 2014, 171, 1259-1277.	4.0	238
183	Elevated serotonin and 5-HIAA in the brainstem and lower serotonin turnover in the prefrontal cortex of suicides. <i>Synapse</i> , 2014, 68, 127-130.	0.6	24
184	The neurobiology of suicide. <i>Lancet Psychiatry</i> , 2014, 1, 63-72.	3.7	379
185	Life events: a complex role in the timing of suicidal behavior among depressed patients. <i>Molecular Psychiatry</i> , 2014, 19, 902-909.	4.1	63
186	Low plasma eicosapentaenoic acid levels are associated with elevated trait aggression and impulsivity in major depressive disorder with a history of comorbid substance use disorder. <i>Journal of Psychiatric Research</i> , 2014, 57, 133-140.	1.5	30
187	Synthesis and evaluation of arylpiperazines derivatives of 3,5-dioxo-(2H,4H)-1,2,4-triazine as 5-HT _{1A} R ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4759-4762.	1.0	9
188	Genetic variation in brain-derived neurotrophic factor val66met allele is associated with altered serotonin-1A receptor binding in human brain. <i>NeuroImage</i> , 2014, 94, 33-39.	2.1	10
189	A diffusion tensor imaging study of suicide attempters. <i>Journal of Psychiatric Research</i> , 2014, 51, 60-67.	1.5	77
190	Correlations between interpersonal and cognitive difficulties: Relationship to suicidal ideation in military suicide attempters. <i>European Psychiatry</i> , 2014, 29, 498-502.	0.1	16
191	Transitions in the transcriptome of the serotonergic and dopaminergic systems in the human brain during adolescence. <i>European Neuropsychopharmacology</i> , 2014, 24, 1123-1132.	0.3	8
192	Increased DNA methylation in the suicide brain. <i>Dialogues in Clinical Neuroscience</i> , 2014, 16, 430-438.	1.8	74
193	Primary Health Care Utilization Prior to Suicide. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e817-e823.	1.1	16
194	Antidepressant Treatment Reduces Serotonin-1A Autoreceptor Binding in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2013, 74, 26-31.	0.7	101
195	Differentiating army suicide attempters from psychologically treated and untreated soldiers: A demographic, psychological and stress-reaction characterization. <i>Journal of Affective Disorders</i> , 2013, 150, 300-305.	2.0	15
196	The serotonergic system in mood disorders and suicidal behaviour. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120537.	1.8	170
197	Adiponectin Regulates Bone Mass via Opposite Central and Peripheral Mechanisms through FoxO1. <i>Cell Metabolism</i> , 2013, 17, 901-915.	7.2	198
198	Neuropsychological function and suicidal behavior: attention control, memory and executive dysfunction in suicide attempt. <i>Psychological Medicine</i> , 2013, 43, 539-551.	2.7	267

#	ARTICLE	IF	CITATIONS
199	Transgenerational Effects of Variable Foraging Demand Stress in Female Bonnet Macaques. <i>American Journal of Primatology</i> , 2013, 75, 509-517.	0.8	16
200	Regional Brain Glucose Uptake Distinguishes Suicide Attempters from Non-Attempters in Major Depression. <i>Archives of Suicide Research</i> , 2013, 17, 434-447.	1.2	73
201	Neuron density and serotonin receptor binding in prefrontal cortex in suicide. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 435-447.	1.0	82
202	Plasma kynurenine levels are elevated in suicide attempters with major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1272-1278.	2.0	211
203	The Impact of Soldier Suicide on a Base in Afghanistan: Lessons for Prevention and Postvention. <i>Psychiatry (New York)</i> , 2011, 74, 121-123.	0.3	0
204	The Columbiaâ€“Suicide Severity Rating Scale: Initial Validity and Internal Consistency Findings From Three Multisite Studies With Adolescents and Adults. <i>American Journal of Psychiatry</i> , 2011, 168, 1266-1277.	4.0	3,218
205	Suicide and Prescription Rates of Intranasal Corticosteroids and Nonsedating Antihistamines for Allergic Rhinitis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1423-1428.	1.1	22
206	Regional brain metabolic correlates of self-reported depression severity contrasted with clinician ratings. <i>Journal of Affective Disorders</i> , 2010, 126, 113-124.	2.0	24
207	Simultaneous Estimation of Input Functions: An Empirical Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 816-826.	2.4	50
208	Pittsburgh Compound B (11C-PIB) and Fluorodeoxyglucose (18 F-FDG) PET in Patients With Alzheimer Disease, Mild Cognitive Impairment, and Healthy Controls. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010, 23, 185-198.	1.2	103
209	<i>In Vivo</i> Quantification of Human Serotonin 1A Receptor Using ¹¹ C-CUMI-101, an Agonist PET Radiotracer. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1892-1900.	2.8	80
210	Clinical pleomorphism of major depression as a challenge to the study of its pathophysiology. <i>World Psychiatry</i> , 2010, 9, 167-168.	4.8	12
211	Higher Serotonin 1A Binding in a Second Major Depression Cohort: Modeling and Reference Region Considerations. <i>Biological Psychiatry</i> , 2010, 68, 170-178.	0.7	148
212	Genes and Environment: Multiple Pathways to Psychopathology. <i>Biological Psychiatry</i> , 2010, 68, 403-404.	0.7	35
213	Stress, genetics and epigenetic effects on the neurobiology of suicidal behavior and depression. <i>European Psychiatry</i> , 2010, 25, 268-271.	0.1	129
214	Elevated Serotonin 1A Binding in Remitted Major Depressive Disorder: Evidence for a Trait Biological Abnormality. <i>Neuropsychopharmacology</i> , 2009, 34, 2275-2284.	2.8	88
215	Substance use disorders and suicide attempts in bipolar subtypes. <i>Journal of Psychiatric Research</i> , 2009, 43, 230-238.	1.5	87
216	Positron Emission Tomography Quantification of Serotonin-1A Receptor Binding in Medication-Free Bipolar Depression. <i>Biological Psychiatry</i> , 2009, 66, 223-230.	0.7	113

#	ARTICLE	IF	CITATIONS
217	Evaluation of 14 nonlinear deformation algorithms applied to human brain MRI registration. <i>NeuroImage</i> , 2009, 46, 786-802.	2.1	1,988
218	Synthesis and evaluation of [¹¹ C]-4-(3-(4-(2-methoxyphenyl)-piperazin-1-yl)propoxy)-4-azatricyclo[5.2.1.0 ^{2,6}]deca-8-ene-3,5-dione as a 5-HT _{1A} receptor agonist PET ligand. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2008, 51, 132-136.		
219	No association between a TPH2 promoter polymorphism and mood disorders or monoamine turnover. <i>Journal of Affective Disorders</i> , 2008, 106, 117-121.	2.0	40
220	Attention deficit in depressed suicide attempters. <i>Psychiatry Research</i> , 2008, 159, 7-17.	1.7	183
221	Classification Trees Distinguish Suicide Attempters in Major Psychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 23-31.	1.1	107
222	Triggers for suicidal behavior in depressed older adolescents and young adults: Do alcohol use disorders make a difference?. <i>International Journal of Adolescent Medicine and Health</i> , 2007, 19, 91-8.	0.6	21
223	Familial Pathways to Early-Onset Suicidal Behavior: Familial and Individual Antecedents of Suicidal Behavior. <i>American Journal of Psychiatry</i> , 2007, 164, 1364-1370.	4.0	160
224	Optimal Metabolite Curve Fitting for Kinetic Modeling of ¹¹ C-WAY-100635. <i>Journal of Nuclear Medicine</i> , 2007, 48, 926-931.	2.8	27
225	A Review of Prospective Studies of Biologic Predictors of Suicidal Behavior in Mood Disorders. <i>Archives of Suicide Research</i> , 2007, 11, 3-16.	1.2	155
226	Synthesis and in vivo evaluation of [¹⁸ F]-4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide as a PET imaging probe for COX-2 expression. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1802-1807.	1.4	108
227	PET tracers for 5-HT _{1A} receptors and uses thereof. <i>Drug Discovery Today</i> , 2007, 12, 748-756.	3.2	55
228	In vivo assessment of [¹¹ C]MRB as a prospective PET ligand for imaging the norepinephrine transporter. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 688-693.	3.3	8
229	A new rebinning algorithm for 3D PET data. , 2006, , .		1
230	Altered Serotonin 1A Binding in Major Depression: A [carbonyl- ¹¹ C]WAY100635 Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2006, 59, 106-113.	0.7	324
231	Effects of Genes and Stress on the Neurobiology of Depression. <i>International Review of Neurobiology</i> , 2006, 73, 153-189.	0.9	27
232	Aggressiveness, not impulsiveness or hostility, distinguishes suicide attempters with major depression. <i>Psychological Medicine</i> , 2006, 36, 1779-1788.	2.7	116
233	A prospective study of the association of cerebrospinal fluid monoamine metabolite levels with lethality of suicide attempts in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2006, 8, 543-550.	1.1	61
234	Clinical predictors of suicidal acts after major depression in bipolar disorder: a prospective study. <i>Bipolar Disorders</i> , 2006, 8, 586-595.	1.1	99

#	ARTICLE	IF	CITATIONS
235	Aggression and substance abuse in bipolar disorder. <i>Bipolar Disorders</i> , 2006, 8, 496-502.	1.1	47
236	A comparison of the medical lethality of suicide attempts in bipolar and major depressive disorders. <i>Bipolar Disorders</i> , 2006, 8, 558-565.	1.1	73
237	Suicidal behavior in bipolar disorder: state of the biological, clinical and interventions evidence. <i>Bipolar Disorders</i> , 2006, 8, 523-525.	1.1	4
238	Prospective studies of suicidal behavior in major depressive and bipolar disorders: what is the evidence for predictive risk factors?. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 151-158.	2.2	243
239	Synthesis and in vivo evaluation of [O-methyl-11C] 2-(4-methoxyphenyl)-N-(4-methylbenzyl)-N-(1-methyl-2-pyrrolidinyl)ethanamine. <i>Radiopharmaceuticals</i> , 2006, 49, 1069-1077.	0.5	2
240	Can biological tests assist prediction of suicide in mood disorders?. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 465.	1.0	182
241	Omega-3 Polyunsaturated Essential Fatty Acid Status as a Predictor of Future Suicide Risk. <i>American Journal of Psychiatry</i> , 2006, 163, 1100-1102.	4.0	186
242	The WAIS-III and Major Depression: Absence of VIQ/PIQ Differences. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 1145-1157.	0.8	39
243	Quantitative wavelet domain image processing of dynamic PET data. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006, , .	0.5	0
244	Neuroanatomic Correlates of Psychopathologic Components of Major Depressive Disorder. <i>Archives of General Psychiatry</i> , 2005, 62, 397.	13.8	156
245	Regional Heterogeneity of 5-HT1A Receptors in Human Cerebellum as Assessed by Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 785-793.	2.4	114
246	Synthesis of [11C]celecoxib: a potential PET probe for imaging COX-2 expression. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2005, 48, 887-895.	0.5	45
247	Positron Emission Tomography of Regional Brain Metabolic Responses to a Serotonergic Challenge in Major Depressive Disorder with and without Borderline Personality Disorder. <i>Neuropsychopharmacology</i> , 2005, 30, 1163-1172.	2.8	46
248	Risk Factors for Suicide Completion in Major Depression: A Case-Control Study of Impulsive and Aggressive Behaviors in Men. <i>American Journal of Psychiatry</i> , 2005, 162, 2116-2124.	4.0	453
249	Family History of Suicidal Behavior and Mood Disorders in Proband With Mood Disorders. <i>American Journal of Psychiatry</i> , 2005, 162, 1672-1679.	4.0	117
250	High-Lethality Status in Patients with Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2005, 19, 386-399.	0.8	59
251	Suicide Prevention Strategies. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 2064.	3.8	2,352
252	Correlates of trait impulsiveness in performance measures and neuropsychological tests. <i>Psychiatry Research</i> , 2005, 135, 191-201.	1.7	124

#	ARTICLE	IF	CITATIONS
253	The relationship of aggression to suicidal behavior in depressed patients with a history of alcoholism. <i>Addictive Behaviors</i> , 2005, 30, 1144-1153.	1.7	113
254	The Medical Management of Depression. <i>New England Journal of Medicine</i> , 2005, 353, 1819-1834.	13.9	364
255	Mixture modeling for PET neuroreceptor studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S636-S636.	2.4	0
256	Prospective Study of Clinical Predictors of Suicidal Acts After a Major Depressive Episode in Patients With Major Depressive Disorder or Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2004, 161, 1433-1441.	4.0	510
257	Regional brain responses to serotonin in major depressive disorder. <i>Journal of Affective Disorders</i> , 2004, 82, 411-7.	2.0	24
258	Synthesis of [O-methyl-11C]-4-(1,3-dimethoxy-2-propylamino)-2,7-dimethyl-8-(2,4-dichlorophenyl)[1,5-a]pyrazolo-1,3,5-triazine ([11C]DMP696): a potential PET ligand for CRF1 receptors. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004, 47, 971-976.	0.5	8
259	An Efficient Palladium-Catalyzed Synthesis of 2-Arylbenzothiazoles.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
260	Synthesis of [O-Methyl-11C] 1-(2-chlorophenyl)-5-(4-methoxyphenyl)-4-methyl-1H-pyrazole-3-carboxylic Acid Piperidin-1-ylamide: A Potential PET Ligand for CB1 Receptors.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
261	Familial Transmission of Mood Disorders: Convergence and Divergence With Transmission of Suicidal Behavior. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 1259-1266.	0.3	88
262	Synthesis of [N-methyl-11C]-3-[(6-dimethylamino)pyridin-3-yl]-2,5-dimethyl-N,N-dipropylpyrazolo[1,5-a]pyrimidine-7-amine: A potential PET ligand for in vivo imaging of CRF1 receptors. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2003, 46, 1055-1065.	0.5	7
263	Facile Palladium-Catalyzed Synthesis of 3-Arylpyrazolo[1,5-a]pyrimidines.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
264	Neurobiology of suicidal behaviour. <i>Nature Reviews Neuroscience</i> , 2003, 4, 819-828.	4.9	1,086
265	Positron Emission Tomography of Regional Brain Metabolic Responses to a Serotonergic Challenge and Lethality of Suicide Attempts in Major Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 14.	13.8	286
266	Response of Cortical Metabolic Deficits to Serotonergic Challenge in Familial Mood Disorders. <i>American Journal of Psychiatry</i> , 2003, 160, 76-82.	4.0	52
267	Cerebrospinal Fluid Concentrations of Biogenic Amines and Corticotropin-releasing Factor in Adolescent Non-human Primates as a Function of the Timing of Adverse Early Rearing. <i>Stress</i> , 2002, 5, 185-193.	0.8	43
268	The Neurobiology and Genetics of Suicide and Attempted Suicide: A Focus on the Serotonergic System. <i>Neuropsychopharmacology</i> , 2001, 24, 467-477.	2.8	333
269	Prolactin Response to dl-Fenfluramine Challenge before and after Treatment with Paroxetine. <i>Neuropsychopharmacology</i> , 2001, 25, 395-401.	2.8	21
270	Serotonin 1A Receptors, Serotonin Transporter Binding and Serotonin Transporter mRNA Expression in the Brainstem of Depressed Suicide Victims. <i>Neuropsychopharmacology</i> , 2001, 25, 892-903.	2.8	325

#	ARTICLE	IF	CITATIONS
271	The Relationship of Childhood Abuse to Impulsivity and Suicidal Behavior in Adults With Major Depression. <i>American Journal of Psychiatry</i> , 2001, 158, 1871-1877.	4.0	339
272	Decreased Regional Brain Metabolism After ECT. <i>American Journal of Psychiatry</i> , 2001, 158, 305-308.	4.0	312
273	Neuropsychological Dysfunction in Depressed Suicide Attempters. <i>American Journal of Psychiatry</i> , 2001, 158, 735-741.	4.0	314
274	Treating the Substance-Abusing Suicidal Patient. <i>Annals of the New York Academy of Sciences</i> , 2001, 932, 78-93.	1.8	15
275	In vitro autoradiography of serotonin 5-HT _{2A/2C} receptor-activated G protein: Guanosine-5'-(?-[³⁵ S]thio)triphosphate binding in rat brain. <i>Journal of Neuroscience Research</i> , 2000, 61, 674-685.	1.3	42
276	Validation and Reproducibility of Measurement of 5-HT _{1A} Receptor Parameters with [carbonyl- ¹¹ C]WAY-100635 in Humans: Comparison of Arterial and Reference Tissue Input Functions. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 1111-1133.	2.4	211
277	Suicidal behavior in bipolar mood disorder: clinical characteristics of attempters and nonattempters. <i>Journal of Affective Disorders</i> , 2000, 59, 107-117.	2.0	257
278	Relationship of Psychopathology to the Human Serotonin _{1B} Genotype and Receptor Binding Kinetics in Postmortem Brain Tissue. <i>Neuropsychopharmacology</i> , 1999, 21, 238-246.	2.8	129
279	Role of the Serotonergic System in the Pathogenesis of Major Depression and Suicidal Behavior. <i>Neuropsychopharmacology</i> , 1999, 21, 99S-105S.	2.8	384
280	Stability of [¹²³ I]IBZM SPECT measurement of amphetamine-induced striatal dopamine release in humans. , 1999, 31, 302-308.		73
281	Toward a Clinical Model of Suicidal Behavior in Psychiatric Patients. <i>American Journal of Psychiatry</i> , 1999, 156, 181-189.	4.0	1,385
282	The neurobiology of suicide risk: a review for the clinician. <i>Journal of Clinical Psychiatry</i> , 1999, 60 Suppl 2, 7-11; discussion 18-20, 113-6.	1.1	24
283	The neurobiology of suicide. <i>Nature Medicine</i> , 1998, 4, 25-30.	15.2	435
284	Serotonin receptor 1A knockout: An animal model of anxiety-related disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14476-14481.	3.3	741
285	Neurobiological correlates of the antidepressant action of electroconvulsive therapy. <i>Journal of ECT</i> , 1998, 14, 172-80.	0.3	7
286	Characteristics of Borderline Personality Disorder Associated With Suicidal Behavior. <i>American Journal of Psychiatry</i> , 1997, 154, 1715-1719.	4.0	240
287	Possible association of a polymorphism of the tryptophan hydroxylase gene with suicidal behavior in depressed patients. <i>American Journal of Psychiatry</i> , 1997, 154, 1451-1453.	4.0	164
288	Cerebrospinal fluid amines and higher-lethality suicide attempts in depressed inpatients. <i>Biological Psychiatry</i> , 1997, 41, 162-171.	0.7	270

#	ARTICLE	IF	CITATIONS
289	Suicide Research.. Annals of the New York Academy of Sciences, 1997, 836, 1-11.	1.8	23
290	Assessing the Observed Relationship between Low Cholesterol and Violence-related Mortality.. Annals of the New York Academy of Sciences, 1997, 836, 57-80.	1.8	74
291	Postmortem Findings in Suicide Victims. Implications for in Vivo Imaging Studies. Annals of the New York Academy of Sciences, 1997, 836, 269-287.	1.8	104
292	A Synthesis of Current Findings Regarding Neurobiological Correlates and Treatment of Suicidal Behavior. Annals of the New York Academy of Sciences, 1997, 836, 352-364.	1.8	29
293	In Vivo Imaging of Neurotransmitter Systems Using Radiolabeled Receptor Ligands. Neuropsychopharmacology, 1997, 17, 293-307.	2.8	41
294	Suicide: Risk factors and prevention in refractory major depression. Depression and Anxiety, 1997, 5, 202-211.	2.0	40
295	Lower 3H-paroxetine binding in cerebral cortex of suicide victims is partly due to fewer high affinity, non-transporter sites. Journal of Neural Transmission, 1996, 103, 1337-1350.	1.4	46
296	Serotonin 5-HT ₃ receptor binding kinetics in the cortex of suicide victims are normal. Journal of Neural Transmission, 1996, 103, 165-171.	1.4	10
297	Validity of DSM-IV diagnosis by psychological autopsy: a comparison with clinician ante-mortem diagnosis. Acta Psychiatrica Scandinavica, 1996, 94, 337-343.	2.2	260
298	Differential Age-Related Loss of Pigmented Locus Coeruleus Neurons in Suicides, Alcoholics, and Alcoholic Suicides. Alcoholism: Clinical and Experimental Research, 1996, 20, 1141-1148.	1.4	18
299	Demonstration in vivo of reduced serotonin responsivity in the brain of untreated depressed patients [published erratum appears in Am J Psychiatry 1996 Apr;153(4):588]. American Journal of Psychiatry, 1996, 153, 174-182.	4.0	177
300	Prolactin Response to Fenfluramine and Suicide Attempt Lethality in Major Depression. British Journal of Psychiatry, 1996, 168, 324-329.	1.7	149
301	Delayed dispersal and elevated monoaminergic activity in free-ranging rhesus monkeys. American Journal of Primatology, 1995, 35, 229-234.	0.8	53
302	Blunted Serotonergic Responsivity in Depressed Inpatients. Neuropsychopharmacology, 1995, 13, 53-64.	2.8	125
303	Statistical issues in the identification of risk factors for suicidal behavior: The application of survival analysis. Psychiatry Research, 1990, 31, 99-108.	1.7	145
304	Biological Aspects of Suicidal Behaviour. , 0, , 65-77.		15
305	Mapping the genetic architecture of suicide attempt and suicide death using polygenic risk scores for clinically-related psychiatric disorders and traits. Psychological Medicine, 0, , 1-9.	2.7	0