

Tadeusz Namiotko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2523620/publications.pdf>

Version: 2024-02-01

48
papers

785
citations

567281

15
h-index

552781

26
g-index

49
all docs

49
docs citations

49
times ranked

969
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Accidental monstrosities: Taxonomic chimeras in Ostracoda (Crustacea). <i>Zootaxa</i> , 2022, 5116, 151-199. | 0.5 | 0 |
| 2 | Biodiversity of Non-Marine Ostracoda (Crustacea) of Botswana: An Annotated Checklist with Notes on Distribution. <i>Water (Switzerland)</i> , 2022, 14, 1441. | 2.7 | 2 |
| 3 | Stygobitic crustaceans in an anchialine cave with an archeological heritage at Vodeni Rat (Island of) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 1.0 | 1 |
| 4 | Taxonomic classification of the bacterial endosymbiont <i>Wolbachia</i> based on next-generation sequencing: is there molecular evidence for its presence in tardigrades?. <i>Genome</i> , 2021, 64, 951-958. | 2.0 | 13 |
| 5 | Diversity of Groundwater Crustaceans in Wells in Various Geologic Formations of Southern Poland. <i>Water (Switzerland)</i> , 2021, 13, 2193. | 2.7 | 3 |
| 6 | Two new Cypridopsinae Kaufmann, 1900 (Crustacea, Ostracoda) from southern Africa. <i>ZooKeys</i> , 2021, 1076, 83-107. | 1.1 | 8 |
| 7 | Co-cultured non-marine ostracods from a temporary wetland harbor host-specific microbiota of different metabolic profiles. <i>Hydrobiologia</i> , 2020, 847, 2503-2519. | 2.0 | 4 |
| 8 | Monophyletic status of European morphogenera of the subfamily Candoninae Kaufmann, 1900 (Ostracoda: Candonidae) in relation to their mtDNA phylogenies. <i>Journal of Crustacean Biology</i> , 2019, 39, 567-573. | 0.8 | 2 |
| 9 | Sieve-type pore canals in the Timiriaseviinae: A contribution to the comparative morphology and the systematics of the Limnocytheridae (Ostracoda, Crustacea). <i>Zootaxa</i> , 2018, 4495, 1-64. | 0.5 | 13 |
| 10 | Detection of bacterial endosymbionts in freshwater crustaceans: the applicability of non-degenerate primers to amplify the bacterial 16S rRNA gene. <i>PeerJ</i> , 2018, 6, e6039. | 2.0 | 15 |
| 11 | Evidence for higher-than-average air temperatures after the 8.2 ka event provided by a Central European $\delta^{18}O$ record. <i>Quaternary Science Reviews</i> , 2017, 172, 96-108. | 3.0 | 14 |
| 12 | Disentangling natural and anthropogenic drivers of changes in a shallow lake using palaeolimnology and historical archives. <i>Hydrobiologia</i> , 2016, 767, 301-320. | 2.0 | 12 |
| 13 | Palaeoecology of Late Glacial and Holocene profundal Ostracoda of pre-Alpine lake Mondsee (Austria) – A base for further (palaeo-)biological research. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 419, 23-36. | 2.3 | 16 |
| 14 | Redefinition of the genus <i>Typhlocypris</i> Vejdovsk, 1882 (Ostracoda, Candonidae). <i>Crustaceana</i> , 2014, 87, 952-984. | 0.3 | 20 |
| 15 | Linking present environment and the segregation of reproductive modes (geographical) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 <i>Journal of Biogeography</i> , 2013, 40, 2396-2408. | 3.0 | 20 |
| 16 | Extreme tolerance to environmental stress of sexual and parthenogenetic resting eggs of <i>Eucypris virens</i> (Crustacea, Ostracoda). <i>Freshwater Biology</i> , 2013, 58, 237-247. | 2.4 | 23 |
| 17 | Ostracod Assemblages in the Frasassi Caves and Adjacent Sulfidic Spring and Sentino River in the Northeastern Apennines of Italy. <i>Journal of Cave and Karst Studies</i> , 2013, , 11-27. | 0.6 | 13 |
| 18 | Predation by macroinvertebrates on <i>Heterocypris incongruens</i> (Ostracoda) in temporary ponds: impacts and responses. <i>Fundamental and Applied Limnology</i> , 2012, 181, 39-47. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Late Glacial and Holocene Ostracoda of the Gulf of Gdańsk, the Baltic Sea, Poland. <i>International Review of Hydrobiology</i> , 2012, 97, 301-313. | 0.9 | 5 |
| 20 | On the Leptocytheridae Ostracods of the Longlived Lake Ohrid: A Reappraisal of their Taxonomic Assignment and Biogeographic Origin. <i>International Review of Hydrobiology</i> , 2012, 97, 356-374. | 0.9 | 8 |
| 21 | The Impact of Environmental Factors on Diversity of Ostracoda in Freshwater Habitats of Subarctic and Temperate Europe. <i>Annales Zoologici Fennici</i> , 2012, 49, 193-218. | 0.6 | 23 |
| 22 | The non-marine Ostracoda of Lapland: changes over the past century. <i>Journal of Limnology</i> , 2012, 71, 26. | 1.1 | 6 |
| 23 | The non-marine Ostracoda of Lapland: changes over the past century. <i>Journal of Limnology</i> , 2012, 71, . | 1.1 | 0 |
| 24 | Exceptionally well-preserved giant spermatozoa in male and female specimens of an ostracod <i>Cypria ophthalmica</i> (Crustacea: Ostracoda) from Late Glacial lacustrine sediments of Southern Carpathians, Romania. <i>Die Naturwissenschaften</i> , 2012, 99, 587-590. | 1.6 | 10 |
| 25 | Distribution of subfossil ostracod assemblages in lacustrine profundal sediments of north-eastern Poland. <i>Revue De Micropaleontologie</i> , 2012, 55, 17-27. | 0.4 | 4 |
| 26 | Multi-proxy evidence for early to mid-Holocene environmental and climatic changes in northeastern Poland. <i>Boreas</i> , 2011, 40, 57-72. | 2.4 | 77 |
| 27 | Cladocera response to Late Glacial to Early Holocene climate change in a South Carpathian mountain lake. <i>Hydrobiologia</i> , 2011, 676, 223-235. | 2.0 | 25 |
| 28 | Environmental responses to Lateglacial climatic fluctuations recorded in the sediments of pre-Alpine Lake Mondsee (northeastern Alps). <i>Journal of Quaternary Science</i> , 2011, 26, 253-267. | 2.1 | 75 |
| 29 | Freshwater Ostracoda (Crustacea) of Inari Lapland in northern Finland. <i>Annales De Limnologie</i> , 2010, 46, 199-206. | 0.6 | 5 |
| 30 | Effect of environmental stress on clonal structure of <i>Eucypris virens</i> (Crustacea, Ostracoda). <i>Evolutionary Ecology</i> , 2010, 24, 911-922. | 1.2 | 4 |
| 31 | Exceptional cryptic diversity and multiple origins of parthenogenesis in a freshwater ostracod. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 542-552. | 2.7 | 114 |
| 32 | Contribution to the knowledge of the freshwater Ostracoda fauna in continental Portugal, with an updated checklist of Recent and Quaternary species. <i>Journal of Limnology</i> , 2010, 69, 160. | 1.1 | 22 |
| 33 | Occurrence of an Arctic ostracod species, <i>Fabaeformiscandona harmsworthi</i> (Scott, 1899) (Ostracoda, Candonidae) in late glacial sediments of Lake Mondsee (Austria). <i>Crustaceana</i> , 2009, 82, 1209-1212. | 0.3 | 6 |
| 34 | Dynamics of sexual and parthenogenetic populations of <i>Eucypris virens</i> (Crustacea: Ostracoda) in three temporary ponds. <i>Hydrobiologia</i> , 2009, 636, 219-232. | 2.0 | 25 |
| 35 | Climate controlled ostracod preservation in Lake Ohrid (Albania, Macedonia). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 277, 236-245. | 2.3 | 45 |
| 36 | Developmental trajectories in geographically separated populations of non-marine ostracods: morphometric applications for palaeoecological studies. <i>Senckenbergiana Lethaea</i> , 2008, 88, 183-193. | 0.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Environmental stability and the distribution of the sexes: insights from life history experiments with the geographic parthenogen <i>Eucypris virens</i> (Crustacea: Ostracoda). <i>Oikos</i> , 2008, 117, 829-836. | 2.7 | 27 |
| 38 | Sex ratio of sub-fossil Ostracoda (Crustacea) from deep lake habitats in northern Poland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 264, 330-337. | 2.3 | 9 |
| 39 | Morphological diversity and microevolutionary aspects of the lineage <i>Cryptocandona vavrai</i> Kaufmann, 1900 (Ostracoda, Candoninae). <i>Annales De Limnologie</i> , 2008, 44, 151-166. | 0.6 | 12 |
| 40 | Evolutionary and taxonomic aspects within the species group <i>Pseudocandona eremita</i> (Vejdovsk ^{1/2}) (Ostracoda, Candonidae). <i>Hydrobiologia</i> , 2007, 585, 159-180. | 2.0 | 18 |
| 41 | New records of rare males of <i>Cryptocandona vavrai</i> Kaufmann, 1900 (Crustacea, Ostracoda), with further additions to the description of the species. <i>Annales De Limnologie</i> , 2005, 41, 203-219. | 0.6 | 6 |
| 42 | <i>Pseudocandona Sywulai</i> Sp. Nov., a New Stygobitic Ostracode (Ostracoda, Candonidae) from Croatia. <i>Crustaceana</i> , 2004, 77, 311-331. | 0.3 | 5 |
| 43 | On the origin and evolution of a new anchialine stygobitic <i>Microceratina</i> species (Crustacea, Ostracoda) from Christmas Island (Indian Ocean). <i>Journal of Micropalaeontology</i> , 2004, 23, 49-59. | 3.6 | 14 |
| 44 | MORPHOLOGY AND PHYLOGENETIC AFFINITIES OF <i>CRYPTOCANDON ABREHMI</i> (KLIE, 1934) (OSTRACODA). <i>Tj ETQo 0 0 rgBT /Overloc</i> | 0.3 | 5 |
| 45 | REDESCRIPTION OF TWO RARE HYPOGEAN SPECIES OF THE GENUS <i>CRYPTOCANDONA KAUFMANN</i> (OSTRACODA). <i>Crustaceana</i> , 2001, 74, 557-580. | 0.3 | 7 |
| 46 | The morphological variability of the carapace in Polish populations of <i>Cytherissa lacustris</i> (Sars) (Ostracoda). <i>Fragmenta Faunistica</i> , 1995, 37, 403-412. | 0.0 | 1 |
| 47 | Crustacean species new to Spitsbergen with notes on the polymorphism and the subfossil preservation of <i>Cytherissa lacustris</i> (G. O. Sars). <i>Polar Research</i> , 1994, 13, 233-235. | 1.6 | 9 |
| 48 | Crustacean species new to Spitsbergen with notes on the polymorphism and the subfossil preservation of <i>Cytherissa lacustris</i> (G. O. Sars). <i>Polar Research</i> , 1994, 13, 233-235. | 1.6 | 0 |