

Arshad Ahmad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2523994/publications.pdf>

Version: 2024-02-01

84
papers

2,330
citations

257357

24
h-index

223716

46
g-index

85
all docs

85
docs citations

85
times ranked

3200
citing authors

#	ARTICLE	IF	CITATIONS
1	CO ₂ methanation over heterogeneous catalysts: recent progress and future prospects. <i>Green Chemistry</i> , 2015, 17, 2647-2663.	4.6	576
2	Renewable hydrogen production from bio-oil derivative via catalytic steam reforming: An overview. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 79, 347-357.	8.2	156
3	The challenges and prospects of palm oil based biodiesel in Malaysia. <i>Energy</i> , 2015, 81, 255-261.	4.5	107
4	Role of 3-aminopropyltriethoxysilane in the preparation of mesoporous silica nanoparticles for ibuprofen delivery: Effect on physicochemical properties. <i>Microporous and Mesoporous Materials</i> , 2013, 180, 235-241.	2.2	91
5	Accident modelling and analysis in process industries. <i>Journal of Loss Prevention in the Process Industries</i> , 2014, 32, 319-334.	1.7	75
6	State-of-the-Art Technologies for Separation of Azeotropic Mixtures. <i>Separation and Purification Reviews</i> , 2015, 44, 308-330.	2.8	75
7	A new optimization method: Electro-Search algorithm. <i>Computers and Chemical Engineering</i> , 2017, 103, 1-11.	2.0	71
8	Improved Methanol Barrier Property of Nafion Hybrid Membrane by Incorporating Nanofibrous Interlayer Self-Immobilized with High Level of Phosphotungstic Acid. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17008-17015.	4.0	62
9	Dispersion modelling and analysis of hydrogen fuel gas released in an enclosed area: A CFD-based approach. <i>Fuel</i> , 2016, 184, 192-201.	3.4	55
10	Membrane-Based Electrolysis for Hydrogen Production: A Review. <i>Membranes</i> , 2021, 11, 810.	1.4	51
11	Accident modelling and safety measure design of a hydrogen station. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 20362-20370.	3.8	50
12	n-Heptane isomerization over mesostructured silica nanoparticles (MSN): Dissociative-adsorption of molecular hydrogen on Pt and Mo sites. <i>Applied Catalysis A: General</i> , 2016, 516, 135-143.	2.2	45
13	Self-Organizing Map Based Fault Diagnosis Technique for Non-Gaussian Processes. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 8831-8843.	1.8	43
14	Fibrous spherical Ni ₂ M/ZSM-5 (M: Mg, Ca, Ta, Ga) catalysts for methane dry reforming: The interplay between surface acidity/basicity and coking resistance. <i>International Journal of Energy Research</i> , 2020, 44, 5696-5712.	2.2	42
15	4-Lump kinetic model for vacuum gas oil hydrocracker involving hydrogen consumption. <i>Korean Journal of Chemical Engineering</i> , 2010, 27, 1099-1108.	1.2	39
16	Phase separated nanofibrous anion exchange membranes with polycationic side chains. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15326-15341.	5.2	39
17	Comparative Analysis of the Calorific Fuel Properties of Empty Fruit Bunch Fiber and Briquette. <i>Energy Procedia</i> , 2014, 52, 466-473.	1.8	36
18	Elucidation of acid strength effect on ibuprofen adsorption and release by aluminated mesoporous silica nanoparticles. <i>RSC Advances</i> , 2015, 5, 30023-30031.	1.7	33

#	ARTICLE	IF	CITATIONS
19	Accident prevention approach throughout process design life cycle. <i>Chemical Engineering Research and Design</i> , 2014, 92, 412-422.	2.7	32
20	A semicontinuous approach for heterogeneous azeotropic distillation processes. <i>Computers and Chemical Engineering</i> , 2015, 73, 183-190.	2.0	31
21	Parametric study on catalytic cracking of LDPE to liquid fuel over ZSM-5 zeolite. <i>Energy Conversion and Management</i> , 2016, 122, 428-438.	4.4	29
22	Multicomponent devolatilization kinetics and thermal conversion of <i>Imperata cylindrica</i> . <i>Applied Thermal Engineering</i> , 2016, 105, 931-940.	3.0	28
23	Improving the redox flow battery performance of low-cost thin polyelectrolyte membranes by layer-by-Layer Surface assembly. <i>Journal of Power Sources</i> , 2019, 413, 182-190.	4.0	28
24	Rotary cement kiln coating estimator: Integrated modelling of kiln with shell temperature measurement. <i>Canadian Journal of Chemical Engineering</i> , 2011, 89, 116-125.	0.9	26
25	Excretory over-expression of <i>Bacillus</i> sp. G1 cyclodextrin glucanotransferase (CGTase) in <i>Escherichia coli</i> : Optimization of the cultivation conditions by response surface methodology. <i>Enzyme and Microbial Technology</i> , 2007, 40, 1256-1263.	1.6	25
26	Preparation and characterization of phosphoric acid composite membrane by radiation induced grafting of 4-vinylpyridine onto poly(ethylene-co-tetrafluoroethylene) followed by phosphoric acid doping. <i>Journal of Applied Polymer Science</i> , 2013, 128, 549-557.	1.3	23
27	Synthesis of pyrano[2,3-c]pyrazoles by ionic liquids under green and eco-safe conditions. <i>Research on Chemical Intermediates</i> , 2017, 43, 717-728.	1.3	23
28	Highly conductive anion exchange membranes based on polymer networks containing imidazolium functionalised side chains. <i>Scientific Reports</i> , 2021, 11, 3764.	1.6	22
29	Enhancement of fuel cell performance with less-water dependent composite membranes having polyoxometalate anchored nanofibrous interlayer. <i>Journal of Power Sources</i> , 2016, 326, 482-489.	4.0	21
30	Optimization of reaction parameters of radiation induced grafting of 1-vinylimidazole onto poly(ethylene-co-tetrafluoroethylene) using response surface method. <i>Radiation Physics and Chemistry</i> , 2011, 80, 1222-1227.	1.4	19
31	A risk-based method for determining passive fire protection adequacy. <i>Fire Safety Journal</i> , 2013, 58, 160-169.	1.4	19
32	Hydrogen Production from Acetic Acid Steam Reforming over Bimetallic Ni-Co on La ₂ O ₃ /Al ₂ O ₃ Catalyst-Effect of the Catalyst Dilution. <i>Applied Mechanics and Materials</i> , 0, 493, 39-44.	0.2	19
33	Modeling a Pilot Fixed-Bed Hydrocracking Reactor via a Kinetic Base and Neuro-Fuzzy Method. <i>Journal of Chemical Engineering of Japan</i> , 2010, 43, 174-185.	0.3	18
34	Thermogravimetric Analysis of the Fuel Properties of Empty Fruit Bunch Briquettes. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014, 67, .	0.3	18
35	High refractive index materials: A structural property comparison of sulfide and sulfoxide containing polyamides. <i>Journal of Polymer Science Part A</i> , 2015, 53, 2867-2877.	2.5	17
36	Analysis of the Pyrolytic Fuel Properties of Empty Fruit Bunch Briquettes. <i>Journal of Applied Sciences</i> , 2012, 12, 2527-2533.	0.1	17

#	ARTICLE	IF	CITATIONS
37	Fabrication and characterization of supported dual acidic ionic liquids for polymer electrolyte membrane fuel cell applications. <i>Arabian Journal of Chemistry</i> , 2019, 12, 1011-1023.	2.3	15
38	Self-assembled heteropolyacid on nitrogen-enriched carbon nanofiber for vanadium flow batteries. <i>Nanoscale</i> , 2018, 10, 13212-13222.	2.8	15
39	An optimisation approach for increasing the profit of a commercial VGO hydrocracking process. <i>Canadian Journal of Chemical Engineering</i> , 2013, 91, 1077-1091.	0.9	14
40	Platinum-promoted fibrous silica Y zeolite with enhanced mass transfer as a highly selective catalyst for <i>n</i> -dodecane hydroisomerization. <i>International Journal of Energy Research</i> , 2019, 43, 4201-4216.	2.2	14
41	Phosphoric acid doped composite proton exchange membrane for hydrogen production in medium-temperature copper chloride electrolysis. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 22209-22222.	3.8	14
42	Gasification of Empty Fruit Bunch Briquettes in a Fixed Bed Tubular Reactor for Hydrogen Production. <i>Applied Mechanics and Materials</i> , 0, 699, 534-539.	0.2	12
43	Crosslinked composite membrane by radiation grafting of 4-vinylpyridine/triallyl-cyanurate mixtures onto poly(ethylene-co-tetrafluoroethylene) and phosphoric acid doping. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9333-9341.	3.8	12
44	Environmentally benign and highly regioselective ring opening of epoxides accelerated by ultrasound irradiation. <i>Green Chemistry Letters and Reviews</i> , 2016, 9, 76-84.	2.1	11
45	Improved Multi-model Predictive Control to Reject Very Large Disturbances on a Distillation Column. <i>International Journal of Technology</i> , 2016, 7, 962.	0.4	10
46	6-Lump Kinetic Model for a Commercial Vacuum Gas Oil Hydrocracker. <i>International Journal of Chemical Reactor Engineering</i> , 2010, 8, .	0.6	9
47	Modeling and optimization aspects of radiation induced grafting of 4-vinylpyridene onto partially fluorinated films. <i>Radiation Physics and Chemistry</i> , 2014, 94, 123-128.	1.4	9
48	Biohydrogen production from <i>Imperata cylindrica</i> bio-oil using non-stoichiometric and thermodynamic model. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9011-9023.	3.8	9
49	Mathematical modeling of a single stage ultrasonically assisted distillation process. <i>Ultrasonics Sonochemistry</i> , 2015, 24, 184-192.	3.8	8
50	An Optimized Covalent Immobilization of Glucamine on Electrospun Nanofibrous Poly(vinylidene fluoride) Membranes. <i>Journal of Membrane Science</i> , 2018, 19, 1694-1705.	1.1	8
51	Thermogravimetric and Kinetic Analyses of Oil Palm Empty Fruit Bunch (OPEFB) Pellets Using the Distributed Activation Energy Model. <i>Journal of Physical Science</i> , 2016, 27, 67-83.	0.5	8
52	Optimization and kinetics of phosphoric acid doping of poly(1-vinylimidazole)-graft-poly(ethylene-co-tetrafluorethylene) proton conducting membrane precursors. <i>Journal of Membrane Science</i> , 2013, 446, 422-432.	4.1	7
53	Kinetic behaviour of graft copolymerisation of nitrogenous heterocyclic monomer onto EB-irradiated ETFE films. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2015, 304, 1225-1234.	0.7	7
54	Dynamic Simulation of a Pilot Scale Vacuum Gas Oil Hydrocracking Unit by the Space-Time CE/SE Method. <i>Chemical Engineering and Technology</i> , 2012, 35, 919-928.	0.9	6

#	ARTICLE	IF	CITATIONS
55	GASIFICATION OF OIL PALM EMPTY FRUIT BUNCHES (OPEFB) BRIQUETTES FOR BIO-SYNGAS PRODUCTION. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	6
56	Intensifying radiation induced grafting of 4-vinylpyridine/glycidyl methacrylate mixtures onto poly(ethylene-co-tetrafluoroethylene) films using ultrasound. Radiation Physics and Chemistry, 2017, 134, 56-61.	1.4	6
57	Effect of Cr 2 O 3 loading on the properties and cracking activity of Pt/Cr 2 O 3 -ZrO 2. Applied Catalysis A: General, 2017, 541, 77-86.	2.2	6
58	Preparation and characterization of highly stable protic-ionic-liquid membranes. International Journal of Hydrogen Energy, 2019, 44, 30732-30742.	3.8	6
59	Vapor-liquid equilibrium of ethanol/ethyl acetate mixture in ultrasonic intensified environment. Korean Journal of Chemical Engineering, 2014, 31, 875-880.	1.2	5
60	Separation of Azeotropic Mixture Using Multi-stage Ultrasound-Assisted Flash Distillation. Chemical Product and Process Modeling, 2015, 10, 237-242.	0.5	5
61	Comparative Analysis on Semi-empirical Models of Jet Fire for Radiant Heat Estimation. Process Integration and Optimization for Sustainability, 2019, 3, 285-305.	1.4	5
62	Comparison of Lumping Approaches to Predict the Product Yield in a Dual Bed VGO Hydrocracker. International Journal of Chemical Reactor Engineering, 2012, 9, .	0.6	4
63	Process Simulation for Removing Impurities From Wastewater Using Sour Water 2-Strippers system via Aspen Hysys. Chemical Product and Process Modeling, 2016, 11, 315-321.	0.5	4
64	A Simplified Model for Gasification of Oil Palm Empty Fruit Bunch Briquettes. Jurnal Teknologi (Sciences and Engineering), 2014, 69, .	0.3	3
65	Design of a Bubbling Fluidized Bed Gasifier for the Thermochemical Conversion of Oil Palm Empty Fruit Bunch Briquette. Applied Mechanics and Materials, 0, 493, 3-8.	0.2	3
66	STABILITY AND PERFORMANCE EVALUATION OF ION-EXCHANGE MEMBRANES FOR VANADIUM REDOX FLOW BATTERY. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	3
67	Failure Analysis Using Functional Model and Bayesian Network. Chemical Product and Process Modeling, 2016, 11, 265-272.	0.5	3
68	Composite Membranes Based on Heteropolyacids and Their Applications in Fuel Cells. , 2017, , 99-131.		3
69	Preliminary torrefaction of oil palm empty fruit bunch pellets. E3S Web of Conferences, 2019, 90, 01014.	0.2	3
70	Main geometrical features of horizontal buoyant jet fire and associated radiative fraction. Process Safety Progress, 2020, 39, e12124.	0.4	3
71	Kinetic Study on a Commercial Amorphous Hydrocracking Catalyst by Weighted Lumping Strategy. International Journal of Chemical Reactor Engineering, 2010, 8, .	0.6	2
72	Effect of Lump Partitioning on the Accuracy of a Commercial Vacuum Gas Oil Hydrocracking Model. International Journal of Chemical Reactor Engineering, 2012, 10, .	0.6	2

#	ARTICLE	IF	CITATIONS
73	Modelling pressure distribution in sonicated ethanol solution using COMSOL simulation. E3S Web of Conferences, 2019, 90, 02003.	0.2	2
74	Alternative Prediction Models for Data Scarce Environment. Computer Aided Chemical Engineering, 2015, 37, 665-670.	0.3	2
75	Thermogravimetric Analysis of Char Waste from the Air Gasification of Empty Fruit Bunch Briquette.. MATEC Web of Conferences, 2014, 13, 02004.	0.1	1
76	Ultrasonic Enhancement of Separation Azeotropic Mixtures via Single Distillation Column. Advanced Materials Research, 0, 909, 83-87.	0.3	1
77	Thermal Decomposition Kinetics of Torrefied Oil Palm Empty Fruit Bunch Briquettes. Chemistry and Chemical Technology, 2016, 10, 325-328.	0.2	1
78	Fundamental Theories and Kinetic Models for the Pyrolysis of Lignocellulosic Biomass Wastes. Advances in Environmental Engineering and Green Technologies Book Series, 2020, , 123-151.	0.3	1
79	New insight into the kinetic study on the different loadings of the CuO/CNT catalyst and its optimization for <i>p</i> -chloroaniline photodegradation. Nanoscale Advances, 2022, 4, 2836-2843.	2.2	1
80	Simulation and Analysis of Process Behavior of Ultrasonic Distillation System for Separation Azeotropic Mixtures. Applied Mechanics and Materials, 0, 625, 677-679.	0.2	0
81	Aspen Plus Simulation of Ultrasound Assisted Distillation for Separating Azeotropic Mixture. Advanced Materials Research, 2015, 1113, 710-714.	0.3	0
82	Grey Model for Accident Prediction in Data-Scarce Environment. , 2015, , 411-418.		0
83	Modelling ultrasound waves bubble formation in ethanol/ethyl acetate azeotrope mixture. E3S Web of Conferences, 2019, 90, 02005.	0.2	0
84	Surface-modified fibrous membranes for fuel cell application. E3S Web of Conferences, 2019, 90, 01005.	0.2	0