

Ricardo A Battaglino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2524958/publications.pdf>

Version: 2024-02-01

22
papers

447
citations

933264

10
h-index

713332

21
g-index

23
all docs

23
docs citations

23
times ranked

739
citing authors

#	ARTICLE	IF	CITATIONS
1	Serotonin Regulates Osteoclast Differentiation Through Its Transporter. <i>Journal of Bone and Mineral Research</i> , 2004, 19, 1420-1431.	3.1	183
2	PAMM: A Redox Regulatory Protein That Modulates Osteoclast Differentiation. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 27-37.	2.5	35
3	Osteopetrorickets due to Snx10 Deficiency in Mice Results from Both Failed Osteoclast Activity and Loss of Gastric Acid-Dependent Calcium Absorption. <i>PLoS Genetics</i> , 2015, 11, e1005057.	1.5	32
4	Adiponectin Is a Candidate Biomarker of Lower Extremity Bone Density in Men With Chronic Spinal Cord Injury. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 251-259.	3.1	31
5	TMEM176A and TMEM176B Are Candidate Regulators of Inhibition of Dendritic Cell Maturation and Function after Chronic Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 528-533.	1.7	27
6	A comprehensive review on biomarkers associated with painful temporomandibular disorders. <i>International Journal of Oral Science</i> , 2021, 13, 23.	3.6	27
7	Adipocyte-derived PAMM suppresses macrophage inflammation by inhibiting MAPK signalling. <i>Biochemical Journal</i> , 2015, 472, 309-318.	1.7	19
8	Spinal Cord Injury and Osteoporosis: Causes, Mechanisms, and Rehabilitation Strategies. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2013, 1, .	0.5	15
9	Associations between lean mass and leptin in men with chronic spinal cord injury: Results from the FRASCI-muscle study. <i>PLoS ONE</i> , 2018, 13, e0198969.	1.1	12
10	Snx10 and PIKfyve are required for lysosome formation in osteoclasts. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 2927-2937.	1.2	12
11	Ibuprofen use is associated with reduced C-reactive protein and interleukin-6 levels in chronic spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2020, , 1-9.	0.7	10
12	A short report: PAMM, a novel antioxidant protein, induced by oxidative stress. <i>Redox Biology</i> , 2015, 6, 446-453.	3.9	9
13	FKBP12: A partner of Snx10 required for vesicular trafficking in osteoclasts. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 13321-13329.	1.2	8
14	Snx10: a newly identified locus associated with human osteopetrosis. <i>IBMS BoneKEy</i> , 2013, 10, .	0.1	5
15	B Cell-Activating Factor Is Associated with Testosterone and Smoking Status in Non-Ambulatory Men with Chronic Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 3332-3337.	1.7	5
16	miR-338-5p Levels and Cigarette Smoking are Associated With Neuropathic Pain Severity in Individuals With Spinal Cord Injury: Preliminary Findings From a Genome-Wide microRNA Expression Profiling Screen. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 738-746.	0.5	4
17	STATINS AND BONE HEALTH: A MINI REVIEW. <i>Actualizaciones En Osteologia</i> , 2018, 14, 31-35.	0.0	4
18	Circulating PAMM, a novel antioxidant and anti-inflammatory protein, is elevated in acute SCI. <i>Journal of Translational Medicine</i> , 2020, 18, 135.	1.8	3

#	ARTICLE	IF	CITATIONS
19	The Effect of Timing of Mandibular Distraction Osteogenesis on Weight Velocity in Infants Affected by Severe Robin Sequence. <i>Children</i> , 2022, 9, 319.	0.6	2
20	Proliferation rate and expression of stem cells markers during expansion in primary culture of pulp cells. <i>Brazilian Oral Research</i> , 2021, 35, e128.	0.6	1
21	Association between weekly exercise minutes and resting IL-6 in adults with chronic spinal cord injury: findings from the fracture risk after spinal cord injury exercise study. <i>Spinal Cord</i> , 2022, 60, 917-921.	0.9	1
22	Factors associated with osteocalcin in men with spinal cord injury: findings from the FRASCI study. <i>Spinal Cord</i> , 2019, 57, 1014-1022.	0.9	0