Ricardo A Battaglino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2524958/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	miR-338-5p Levels and Cigarette Smoking are Associated With Neuropathic Pain Severity in Individuals With Spinal Cord Injury: Preliminary Findings From a Genome-Wide microRNA Expression Profiling Screen. Archives of Physical Medicine and Rehabilitation, 2022, 103, 738-746.	0.5	4
2	The Effect of Timing of Mandibular Distraction Osteogenesis on Weight Velocity in Infants Affected by Severe Robin Sequence. Children, 2022, 9, 319.	0.6	2
3	Association between weekly exercise minutes and resting IL-6 in adults with chronic spinal cord injury: findings from the fracture risk after spinal cord injury exercise study. Spinal Cord, 2022, 60, 917-921.	0.9	1
4	A comprehensive review on biomarkers associated with painful temporomandibular disorders. International Journal of Oral Science, 2021, 13, 23.	3.6	27
5	Proliferation rate and expression of stem cells markers during expansion in primary culture of pulp cells. Brazilian Oral Research, 2021, 35, e128.	0.6	1
6	TMEM176A and TMEM176B Are Candidate Regulators of Inhibition of Dendritic Cell Maturation and Function after Chronic Spinal Cord Injury. Journal of Neurotrauma, 2020, 37, 528-533.	1.7	27
7	Snx10 and PlKfyve are required for lysosome formation in osteoclasts. Journal of Cellular Biochemistry, 2020, 121, 2927-2937.	1.2	12
8	Ibuprofen use is associated with reduced C-reactive protein and interleukin-6 levels in chronic spinal cord injury. Journal of Spinal Cord Medicine, 2020, , 1-9.	0.7	10
9	Circulating PAMM, a novel antioxidant and anti-inflammatory protein, is elevated in acute SCI. Journal of Translational Medicine, 2020, 18, 135.	1.8	3
10	Factors associated with osteocalcin in men with spinal cord injury: findings from the FRASCI study. Spinal Cord, 2019, 57, 1014-1022.	0.9	0
11	B Cell–Activating Factor Is Associated with Testosterone and Smoking Status in Non-Ambulatory Men with Chronic Spinal Cord Injury. Journal of Neurotrauma, 2019, 36, 3332-3337.	1.7	5
12	FKBP12: A partner of Snx10 required for vesicular trafficking in osteoclasts. Journal of Cellular Biochemistry, 2019, 120, 13321-13329.	1.2	8
13	Associations between lean mass and leptin in men with chronic spinal cord injury: Results from the FRASCI-muscle study. PLoS ONE, 2018, 13, e0198969.	1.1	12
14	STATINS AND BONE HEALTH: A MINI REVIEW. Actualizaciones En Osteologia, 2018, 14, 31-35.	0.0	4
15	A short report: PAMM, a novel antioxidant protein, induced by oxidative stress. Redox Biology, 2015, 6, 446-453.	3.9	9
16	Adipocyte-derived PAMM suppresses macrophage inflammation by inhibiting MAPK signalling. Biochemical Journal, 2015, 472, 309-318.	1.7	19
17	Osteopetrorickets due to Snx10 Deficiency in Mice Results from Both Failed Osteoclast Activity and Loss of Gastric Acid-Dependent Calcium Absorption. PLoS Genetics, 2015, 11, e1005057.	1.5	32
18	Adiponectin Is a Candidate Biomarker of Lower Extremity Bone Density in Men With Chronic Spinal Cord Injury, Journal of Bone and Mineral Research, 2014, 29, 251-259	3.1	31

#	Article	IF	CITATIONS
19	Snx10: a newly identified locus associated with human osteopetrosis. IBMS BoneKEy, 2013, 10, .	0.1	5
20	Spinal Cord Injury and Osteoporosis: Causes, Mechanisms, and Rehabilitation Strategies. International Journal of Physical Medicine & Rehabilitation, 2013, 1, .	0.5	15
21	PAMM: A Redox Regulatory Protein That Modulates Osteoclast Differentiation. Antioxidants and Redox Signaling, 2010, 13, 27-37.	2.5	35
22	Serotonin Regulates Osteoclast Differentiation Through Its Transporter. Journal of Bone and Mineral Research, 2004, 19, 1420-1431.	3.1	183