

Yan Qing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2525206/publications.pdf>

Version: 2024-02-01

74
papers

3,320
citations

147801

31
h-index

149698

56
g-index

76
all docs

76
docs citations

76
times ranked

4374
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellulose Nanoparticles: Structure–Morphology–Rheology Relationships. ACS Sustainable Chemistry and Engineering, 2015, 3, 821-832.	6.7	379
2	A comparative study of cellulose nanofibrils disintegrated via multiple processing approaches. Carbohydrate Polymers, 2013, 97, 226-234.	10.2	253
3	Cr–Doped Fe–P Nanoparticles Encapsulated into N–Doped Carbon Nanotube as a Robust Bifunctional Catalyst for Efficient Overall Water Splitting. Advanced Materials, 2019, 31, e1900178.	21.0	246
4	Lignocellulose-derived porous phosphorus-doped carbon as advanced electrode for supercapacitors. Journal of Power Sources, 2017, 351, 130-137.	7.8	244
5	Cellulose Nanocrystals and Polyanionic Cellulose as Additives in Bentonite Water-Based Drilling Fluids: Rheological Modeling and Filtration Mechanisms. Industrial & Engineering Chemistry Research, 2016, 55, 133-143.	3.7	152
6	A versatile and efficient method to fabricate durable superhydrophobic surfaces on wood, lignocellulosic fiber, glass, and metal substrates. Journal of Materials Chemistry A, 2016, 4, 14111-14121.	10.3	132
7	Preparation of highly charged cellulose nanofibrils using high-pressure homogenization coupled with strong acid hydrolysis pretreatments. Carbohydrate Polymers, 2016, 136, 485-492.	10.2	103
8	A branch-like Mo-doped Ni ₃ S ₂ nanoforest as a high-efficiency and durable catalyst for overall urea electrolysis. Journal of Materials Chemistry A, 2021, 9, 3418-3426.	10.3	93
9	A facile and novel emulsion for efficient and convenient fabrication of durable superhydrophobic materials. Chemical Engineering Journal, 2017, 328, 186-196.	12.7	87
10	Efficiently texturing hierarchical epoxy layer for smart superhydrophobic surfaces with excellent durability and exceptional stability exposed to fire. Chemical Engineering Journal, 2018, 348, 212-223.	12.7	68
11	Construction of N-doped carbon nanotube encapsulated active nanoparticles in hierarchically porous carbonized wood frameworks to boost the oxygen evolution reaction. Applied Catalysis B: Environmental, 2020, 279, 119367.	20.2	65
12	Facile and scalable preparation of highly wear-resistance superhydrophobic surface on wood substrates using silica nanoparticles modified by VTES. Applied Surface Science, 2016, 386, 115-124.	6.1	64
13	Cellulose nanofibrils enable flower-like BiOCl for high-performance photocatalysis under visible-light irradiation. Applied Surface Science, 2019, 464, 606-615.	6.1	63
14	Self-assembled optically transparent cellulose nanofibril films: effect of nanofibril morphology and drying procedure. Cellulose, 2015, 22, 1091-1102.	4.9	61
15	Cellulose Nanofibers as a Modifier for Rheology, Curing and Mechanical Performance of Oil Well Cement. Scientific Reports, 2016, 6, 31654.	3.3	59
16	Electrodes derived from carbon fiber-reinforced cellulose nanofiber/multiwalled carbon nanotube hybrid aerogels for high-energy flexible asymmetric supercapacitors. Chemical Engineering Journal, 2020, 379, 122325.	12.7	59
17	Facile fabrication of superhydrophobic surfaces on wood substrates via a one-step hydrothermal process. Applied Surface Science, 2015, 330, 332-338.	6.1	56
18	Texturing commercial epoxy with hierarchical and porous structure for robust superhydrophobic coatings. Applied Surface Science, 2019, 466, 84-91.	6.1	54

#	ARTICLE	IF	CITATIONS
19	Manipulating nickel oxides in naturally derived cellulose nanofiber networks as robust cathodes for high-performance Ni-Zn batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 565-572.	10.3	53
20	One-step approach to prepare superhydrophobic wood with enhanced mechanical and chemical durability: Driving of alkali. <i>Applied Surface Science</i> , 2018, 455, 115-122.	6.1	51
21	CoP Nanoparticle Confined in P, N Co-Doped Porous Carbon Anchored on P-Doped Carbonized Wood Fibers with Tailored Electronic Structure for Efficient Urea Electro-Oxidation. <i>Small</i> , 2022, 18, e2200950.	10.0	48
22	<i>In Situ</i> Growth of Porous Ultrathin Ni(OH) ₂ Nanostructures on Nickel Foam: An Efficient and Durable Catalysts for Urea Electrolysis. <i>ACS Applied Energy Materials</i> , 2020, 3, 2996-3004.	5.1	46
23	Mechanically strong and thermosensitive hydrogels reinforced with cellulose nanofibrils. <i>Polymer Chemistry</i> , 2016, 7, 7142-7151.	3.9	44
24	Fe ₃ O ₄ nanoparticles embedded in cellulose nanofibre/graphite carbon hybrid aerogels as advanced negative electrodes for flexible asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17378-17388.	10.3	42
25	Boosting oxygen evolution activity of NiFe layered double hydroxide through interface engineering assisted with naturally-hierarchical wood. <i>Chemical Engineering Journal</i> , 2021, 421, 129751.	12.7	41
26	Stretchable alkaline poly(acrylic acid) electrolyte with high ionic conductivity enhanced by cellulose nanofibrils. <i>Electrochimica Acta</i> , 2018, 270, 302-309.	5.2	37
27	Thermally-induced all-damage-healable superhydrophobic surface with photocatalytic performance from hierarchical BiOCl. <i>Chemical Engineering Journal</i> , 2019, 366, 439-448.	12.7	37
28	Resin impregnation of cellulose nanofibril films facilitated by water swelling. <i>Cellulose</i> , 2013, 20, 303-313.	4.9	36
29	Preparation and Formation Mechanism of Covalent-Noncovalent Forces Stabilizing Lignin Nanospheres and Their Application in Superhydrophobic and Carbon Materials. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 3811-3820.	6.7	34
30	A green route to prepare fluorescent and absorbent nano-hybrid hydrogel for water detection. <i>Scientific Reports</i> , 2017, 7, 4380.	3.3	32
31	Manipulation of Nanoplate Structures in Carbonized Cellulose Nanofibril Aerogel for High-Performance Supercapacitor. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23374-23381.	3.1	31
32	A Temperature-Controlled, Conductive PANI@CNFs/MEO ₂ /MA/PEGMA Hydrogel for Flexible Temperature Sensors. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1700836.	3.9	30
33	Hierarchically Interconnected N-Doped Carbon Aerogels Derived from Cellulose Nanofibrils as High Performance and Stable Electrodes for Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2018, 122, 23852-23860.	3.1	30
34	Configuring hierarchical Ni/NiO 3D-network assisted with bamboo cellulose nanofibers for high-performance Ni-Zn aqueous batteries. <i>Nanoscale</i> , 2020, 12, 14651-14660.	5.6	29
35	Nanocellulose composites with enhanced interfacial compatibility and mechanical properties using a hybrid-toughened epoxy matrix. <i>Carbohydrate Polymers</i> , 2017, 177, 249-257.	10.2	28
36	Reusable and cross-linked cellulose nanofibrils aerogel for the removal of heavy metal ions. <i>Polymer Composites</i> , 2018, 39, 4442-4451.	4.6	27

#	ARTICLE	IF	CITATIONS
37	Cellulose nanofibrils anchored Ag on graphitic carbon nitride for efficient photocatalysis under visible light. <i>Environmental Science: Nano</i> , 2018, 5, 2129-2143.	4.3	27
38	A Comparison Study on the Characteristics of Nanofibrils Isolated from Fibers and Parenchyma Cells in Bamboo. <i>Materials</i> , 2020, 13, 237.	2.9	26
39	Cellulose Nanofibrils Aerogel Cross-Linked by Poly(vinyl alcohol) and Acrylic Acid for Efficient and Recycled Adsorption with Heavy Metal Ions. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 4167-4175.	0.9	25
40	Electronic structure modulation of nickel hydroxide porous nanowire arrays via manganese doping for urea-assisted energy-efficient hydrogen generation. <i>Journal of Colloid and Interface Science</i> , 2022, 626, 445-452.	9.4	24
41	Synergistic Effect of Nanosilica Aerogel with Phosphorus Flame Retardants on Improving Flame Retardancy and Leaching Resistance of Wood. <i>Journal of Nanomaterials</i> , 2014, 2014, 1-8.	2.7	22
42	A coating-free superhydrophobic sensing material for full-range human motion and microliter droplet impact detection. <i>Chemical Engineering Journal</i> , 2021, 410, 128418.	12.7	22
43	Porous 3D Honeycomb Structure Biomass Carbon as a Supercapacitor Electrode Material to Achieve Efficient Energy Storage. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 11079-11085.	3.7	22
44	Construction of NiS/Ni ₃ S ₄ heteronanorod arrays in graphitized carbonized wood frameworks as versatile catalysts for efficient urea-assisted water splitting. <i>Journal of Colloid and Interface Science</i> , 2022, 626, 848-857.	9.4	21
45	Ni@Ni ₂ P Encapsulation in Interconnected N-Doped Carbonized Cellulose Nanofibril Network for Efficient Oxygen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1859-1867.	6.7	20
46	Ultralight Industrial Bamboo Residue-Derived Holocellulose Thermal Insulation Aerogels with Hydrophobic and Fire Resistant Properties. <i>Materials</i> , 2020, 13, 477.	2.9	17
47	Comparative Performance of Three Magnesium Compounds on Thermal Degradation Behavior of Red Gum Wood. <i>Materials</i> , 2014, 7, 637-652.	2.9	14
48	Anisotropic cellulose nanocrystal hydrogel with multi-stimuli response to temperature and mechanical stress. <i>Carbohydrate Polymers</i> , 2022, 280, 119005.	10.2	14
49	Flame retardancy and thermal degradation behavior of red gum wood treated with hydrate magnesium chloride. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 3536-3542.	5.8	12
50	Well-aligned arrangement CoFe nanoparticles assisted with cellulose nanofibrils for efficient oxygen evolution reaction. <i>Applied Surface Science</i> , 2020, 510, 145484.	6.1	12
51	New insight into island-like structure driven from hydroxyl groups for high-performance superhydrophobic surfaces. <i>Chemical Engineering Journal</i> , 2021, 416, 129078.	12.7	12
52	Water-Triggered Dimensional Swelling of Cellulose Nanofibril Films: Instant Observation Using Optical Microscope. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-6.	2.7	11
53	Chiral nematic assemblies of silver nanoparticles in cellulose nanocrystal membrane with tunable optical properties. <i>Journal of Materials Science</i> , 2019, 54, 6699-6708.	3.7	11
54	<i>In situ</i> filling of a robust carbon sponge with hydrogel electrolyte: a type of omni-healable electrode for flexible supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7746-7755.	10.3	11

#	ARTICLE	IF	CITATIONS
55	Natural Cellulose Nanofibril Tailored NiFe Nanoparticles for Efficient Oxygen Evolution Reaction. <i>ChemElectroChem</i> , 2019, 6, 3303-3310.	3.4	10
56	Degradation of urea-formaldehyde resin residues by a hydrothermal oxidation method into recyclable small molecular organics. <i>Journal of Hazardous Materials</i> , 2022, 426, 127783.	12.4	10
57	Ferric Ions Modified Polyvinyl Alcohol for Enhanced Molecular Structure and Mechanical Performance. <i>Materials</i> , 2020, 13, 1412.	2.9	9
58	Fundamental understanding of electrochemical catalytic performance of carbonized natural wood: wood species and carbonization temperature. <i>Sustainable Energy and Fuels</i> , 2021, 5, 6077-6084.	4.9	9
59	Calcium carbonate modified urea-formaldehyde resin adhesive for strength enhanced medium density fiberboard production. <i>RSC Advances</i> , 2021, 11, 25010-25017.	3.6	8
60	Obtaining nanofibers from lignocellulosic residues after bioethanol production. <i>Cellulose</i> , 2019, 26, 3725-3734.	4.9	6
61	Fabrication of Robust, Highly Conductive, and Elastic Hybrid Carbon Foam Platform for High-Performance Compressible Asymmetry Supercapacitors. <i>ACS Omega</i> , 2021, 6, 14230-14241.	3.5	6
62	Preparation and Characterization of Ethyl Cellulose-Based Core-Shell Microcapsules Containing Argemone Wormwood Solution. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 12444-12448.	0.9	5
63	Lignin-derived hierarchical porous carbon supported Pd nanoparticles as an efficient electrocatalyst for ethanol oxidation. <i>Journal of Porous Materials</i> , 2021, 28, 337-344.	2.6	5
64	Approaching well-dispersed MoS ₂ assisted with cellulose nanofiber for highly durable hydrogen evolution reaction. <i>Carbohydrate Polymers</i> , 2022, 294, 119754.	10.2	5
65	Constructing hollow nanorod arrays by nickel-cobalt phosphide nanosheets as high-performance electrocatalysts for urea-assisted energy-efficient hydrogen generation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 651, 129695.	4.7	5
66	Preparation of Silicon Reinforced Poplar Wood Composites and their Thermal Properties. <i>Applied Mechanics and Materials</i> , 0, 48-49, 848-852.	0.2	2
67	Study on Energy Saving of Chinese-fir Wood Carbonization Process Based on Moisture Absorption Characteristics. , 2009, , .		0
68	Study on Bioenergy Recovery of Chemical Components of Bambusa Blumeana by Py-GC/MS. , 2009, , .		0
69	Study on Extraction Technology of Hemicellulose from Pinus massoniana Waste Wood for Bioenergy. , 2009, , .		0
70	Effects of Fiber Mass Fraction and Alkali Concentration on Mechanical Properties of Biodegradable Composites. <i>Advanced Materials Research</i> , 0, 152-153, 1677-1682.	0.3	0
71	Effects of Different Pretreatments of Wood Fiber on Mechanical Properties of Biodegradable Composite. <i>Advanced Materials Research</i> , 0, 150-151, 1438-1443.	0.3	0
72	Performance Evaluation of Flame-Retardant NSCFR-Treated Laminated Veneer Lumber(LVL) Partâ...:Thermal, Physical and Mechanical Properties. <i>Advanced Materials Research</i> , 2010, 168-170, 2106-2110.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Effect of freeze dry on the properties of cellulose nanofibrils/phenol formaldehyde nanocomposites. , 2012, , .		0
74	Deconstruction of Poplar Wood using Peracetic Acid and FeCl 3 in Hot Water. ChemistrySelect, 2022, 7, .	1.5	0