

Igor I Agapov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2525589/igor-i-agapov-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

985
citations

17
h-index

27
g-index

84
ext. papers

1,122
ext. citations

3.1
avg, IF

3.44
L-index

#	Paper	IF	Citations
77	Controlling Charge Transfer from Quantum Dots to Polyelectrolyte Layers Extends Prospective Applications of Magneto-Optical Microcapsules. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35882-35894	9.5	17
76	Bioimaging Tools Based on Polyelectrolyte Microcapsules Encoded with Fluorescent Semiconductor Nanoparticles: Design and Characterization of the Fluorescent Properties. <i>Nanoscale Research Letters</i> , 2019 , 14, 29	5	14
75	High resolution 3D microscopy study of cardiomyocytes on polymer scaffold nanofibers reveals formation of unusual sheathed structure. <i>Acta Biomaterialia</i> , 2018 , 68, 214-222	10.8	5
74	Novel Biodegradable Polymeric Microparticles Facilitate Scarless Wound Healing by Promoting Re-epithelialization and Inhibiting Fibrosis. <i>Frontiers in Immunology</i> , 2018 , 9, 2851	8.4	19
73	A novel design of a scanning probe microscope integrated with an ultramicrotome for serial block-face nanotomography. <i>Review of Scientific Instruments</i> , 2017 , 88, 023701	1.7	12
72	Engineering of Optically Encoded Microbeads with FRET-Free Spatially Separated Quantum-Dot Layers for Multiplexed Assays. <i>ChemPhysChem</i> , 2017 , 18, 970-979	3.2	18
71	An instrumental approach to combining confocal microspectroscopy and 3D scanning probe nanotomography. <i>Ultramicroscopy</i> , 2017 , 182, 118-123	3.1	9
70	Cryo scanning probe nanotomography study of the structure of alginate microcarriers. <i>RSC Advances</i> , 2017 , 7, 8808-8815	3.7	5
69	Application of Peak Intensity Analysis to Measurements of Protein Binding to Lipid Vesicles and Erythrocytes Using Fluorescence Correlation Spectroscopy: Dependence on Particle Size. <i>Journal of Membrane Biology</i> , 2017 , 250, 77-87	2.3	2
68	Effects of Fibroin Microcarriers on Inflammation and Regeneration of Deep Skin Wounds in Mice. <i>Biochemistry (Moscow)</i> , 2016 , 81, 1251-1260	2.9	13
67	New Silk Fibroin-Based Bioresorbable Microcarriers. <i>Bulletin of Experimental Biology and Medicine</i> , 2016 , 160, 491-4	0.8	7
66	FIBROIN SILK BASED FILMS FOR RAT'S FULL-THICKNESS SKIN WOUND REGENERATION. <i>Vestnik Transplantologii i Iskusstvennykh Organov</i> , 2016 , 18, 74-84	0.3	2
65	The Relation of Biological Properties of the Silk Fibroin/Gelatin Scaffolds with the Composition and Fabrication Technology. <i>Sovremennye Tehnologii V Medicine</i> , 2016 , 8, 6-15	1.2	2
64	Biodegradable porous scaffolds for the bone tissue regeneration. <i>Inorganic Materials: Applied Research</i> , 2016 , 7, 219-225	0.6	
63	Recombinant 1F9 spidroin microgels for murine full-thickness wound repairing. <i>Doklady Biochemistry and Biophysics</i> , 2016 , 466, 9-12	0.8	5
62	Scanning Probe Nanotomograph: Features of Engineering Solutions for Low-Temperature Analysis of Biomedical Materials. <i>Bio-Medical Engineering</i> , 2015 , 49, 132-135	0.5	2
61	Novel 3D-microcarriers from recombinant spidroin for regenerative medicine. <i>Doklady Biochemistry and Biophysics</i> , 2015 , 463, 232-5	0.8	14

60	Functional analysis of the engineered cardiac tissue grown on recombinant spider fiber meshes. <i>PLoS ONE</i> , 2015 , 10, e0121155	3.7	15
59	Three-dimensional Analysis of Nanomaterials by Scanning Probe Nanotomography. <i>Physics Procedia</i> , 2015 , 73, 173-176		
58	Carboranyl-Chlorin e6 as a Potent Antimicrobial Photosensitizer. <i>PLoS ONE</i> , 2015 , 10, e0141990	3.7	13
57	Biological Properties of Regenerated Silk Fibroin Films. <i>Sovremennye Tehnologii V Medicine</i> , 2015 , 7, 6-13.2		9
56	Photodynamic activity of the boronated chlorin e6 amide in artificial and cellular membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 793-801	3.8	18
55	3D nanostructural analysis of silk fibroin and recombinant spider 1 scaffolds by scanning probe nanotomography. <i>RSC Advances</i> , 2014 , 4, 60943-60947	3.7	12
54	Unsaturated lipids protect the integral membrane peptide gramicidin A from singlet oxygen. <i>FEBS Letters</i> , 2014 , 588, 1590-5	3.8	7
53	Investigation of micro- and nanostructure of biocompatible scaffolds from regenerated fibroin of <i>Bombix mori</i> by scanning probe nanotomography. <i>Nanotechnologies in Russia</i> , 2014 , 9, 688-692	0.6	2
52	Characterization of biodegradable cell micro and macro carriers based on recombinant spider. <i>Applied Biochemistry and Microbiology</i> , 2014 , 50, 780-788	1.1	3
51	Combined scanning probe nanotomography and optical microspectroscopy: a correlative technique for 3D characterization of nanomaterials. <i>ACS Nano</i> , 2013 , 7, 8953-62	16.7	27
50	Effect of ricin on photodynamic damage to the plasma membrane. <i>Doklady Biochemistry and Biophysics</i> , 2013 , 449, 84-6	0.8	
49	High-resolution 3D structural and optical analyses of hybrid or composite materials by means of scanning probe microscopy combined with the ultramicrotome technique: an example of application to engineering of liquid crystals doped with fluorescent quantum dots 2013 ,		3
48	Tissue regeneration in vivo within recombinant spider 1 scaffolds. <i>Biomaterials</i> , 2012 , 33, 3887-98	15.6	53
47	Boronated derivatives of chlorin e(6) and fluoride-containing porphyrins as penetrating anions: a study using bilayer lipid membranes. <i>Biochemistry (Moscow)</i> , 2012 , 77, 975-82	2.9	10
46	Widespread distribution of HLA-DR-expressing cells in macroscopically undiseased intima of the human aorta: a possible role in surveillance and maintenance of vascular homeostasis. <i>Immunobiology</i> , 2012 , 217, 558-68	3.4	15
45	X-ray structure of <i>Salmonella typhimurium</i> uridine phosphorylase complexed with 5-fluorouracil and molecular modelling of the complex of 5-fluorouracil with uridine phosphorylase from <i>Vibrio cholerae</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2012 , 68, 968-74		6
44	Correlation between lipid deposition, immune-inflammatory cell content and MHC class II expression in diffuse intimal thickening of the human aorta. <i>Atherosclerosis</i> , 2011 , 219, 171-83	3.1	16
43	Study of lamellae of a recombinant spider-web protein by atomic force microscopy. <i>Biophysics (Russian Federation)</i> , 2011 , 56, 3-7	0.7	3

42	Biocomposite scaffolds containing regenerated silk fibroin and nanohydroxyapatite for bone tissue regeneration. <i>Doklady Biochemistry and Biophysics</i> , 2011 , 440, 228-30	0.8	3
41	Recombinant analogue of spidroin 2 for biomedical materials. <i>Doklady Biochemistry and Biophysics</i> , 2011 , 441, 276-9	0.8	4
40	In vitro and in vivo biocompatibility studies of a recombinant analogue of spidroin 1 scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 125-31	5.4	35
39	Biocompatible materials from regenerated silk for tissue engineering and medicinal therapy. <i>Applied Biochemistry and Microbiology</i> , 2010 , 46, 739-744	1.1	8
38	Biodegradable matrices from regenerated silk of <i>Bombix mori</i> . <i>Doklady Biochemistry and Biophysics</i> , 2010 , 433, 201-4	0.8	8
37	Light-triggered liposomal release: membrane permeabilization by photodynamic action. <i>Langmuir</i> , 2010 , 26, 5726-33	4	84
36	Novel photosensitizers trigger rapid death of malignant human cells and rodent tumor transplants via lipid photodamage and membrane permeabilization. <i>PLoS ONE</i> , 2010 , 5, e12717	3.7	28
35	Three-dimensional scaffold made from recombinant spider Silk protein for tissue engineering. <i>Doklady Biochemistry and Biophysics</i> , 2009 , 426, 127-30	0.8	36
34	A new method for quantitative estimation of the virus particles number. <i>Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry</i> , 2009 , 3, 304-310	0.4	
33	A study of <i>E. coli</i> and <i>T. maritima</i> ribosomes by atomic force microscopy. <i>Biophysics (Russian Federation)</i> , 2006 , 51, 385-390	0.7	1
32	Ricin, ricin agglutinin, and the ricin binding subunit structural comparison by Raman spectroscopy. <i>Journal of Molecular Structure</i> , 2005 , 735-736, 293-298	3.4	9
31	Humoral immune response to recombinant viral NS3 protein in patients with hepatitis C. <i>Bulletin of Experimental Biology and Medicine</i> , 2005 , 139, 77-80	0.8	1
30	Cloning and expression of mistletoe lectin III B-subunit. <i>Biochemistry (Moscow)</i> , 2005 , 70, 306-15	2.9	4
29	A new gene encoding the ribosome-inactivating protein from mistletoe extracts. <i>Arzneimittelforschung</i> , 2004 , 54, 242-9		0
28	Monovalent and multivalent binding of streptavidin to biotinylated gramicidin affects the kinetic properties of the ion channel. <i>Biochemistry (Moscow)</i> , 2004 , 69, 220-7	2.9	5
27	Cloning and expression of catalytic subunit of MLIII, the ribosome-inactivating protein from <i>Viscum album</i> . <i>Biochemistry (Moscow)</i> , 2004 , 69, 642-50	2.9	5
26	Endosomal ricin transport: involvement of Rab4- and Rab5-positive compartments. <i>Histochemistry and Cell Biology</i> , 2004 , 121, 429-39	2.4	31
25	Membrane destabilization by ricin. <i>European Biophysics Journal</i> , 2004 , 33, 572-9	1.9	17

24	Differences in amino acid sequences of mistletoe lectin I and III B-subunits determining carbohydrate binding specificity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2004 , 1675, 155-64	4	5
23	A new antigenic epitope appears in the catalytic subunit of viscumin during intracellular transport. <i>Biochemistry (Moscow)</i> , 2003 , 68, 275-85	2.9	2
22	Crystal structure at 3 Å of mistletoe lectin I, a dimeric type-II ribosome-inactivating protein, complexed with galactose. <i>FEBS Journal</i> , 2003 , 270, 2739-49		42
21	Differences in endocytosis and intracellular sorting of ricin and viscumin in 3T3 cells. <i>European Journal of Cell Biology</i> , 2002 , 81, 529-38	6.1	26
20	Role of the Interchain Interaction Domain of Chain A in Viscumin Cytotoxicity. <i>Molecular Biology</i> , 2002 , 36, 528-533	1.2	2
19	Comparison between the mechanisms of action of plant toxins ricin and viscumin on the stage of intracellular dissociation. <i>Arzneimittelforschung</i> , 2002 , 52, 500-5		4
18	Detection of isolated mistletoe lectin chains in plant extracts. <i>Arzneimittelforschung</i> , 2002 , 52, 67-71		2
17	Topology of the polypeptide chain in the complex of agglutinin from castor bean seeds with D-galactose in the crystalline state. <i>Crystallography Reports</i> , 2001 , 46, 792-800	0.6	5
16	Epitope Specificity of Mouse Immune Response on Short Polypeptides Isolated from <i>Viscum album</i> . <i>Arzneimittelforschung</i> , 2001 , 51, 864-869		
15	Study of heterogeneity of lectins in mistletoe preparations by monoclonal antibodies to their A-subunits. <i>Arzneimittelforschung</i> , 1999 , 49, 970-5		6
14	Mistletoe lectin dissociates into catalytic and binding subunits before translocation across the membrane to the cytoplasm. <i>FEBS Letters</i> , 1999 , 452, 211-4	3.8	21
13	Mistletoe lectin A-chain unfolds during the intracellular transport. <i>FEBS Letters</i> , 1999 , 464, 63-6	3.8	17
12	In vitro efficacy of conjugates of anti-CD45 monoclonal antibodies with plant toxin A-chains. <i>Transplantation Proceedings</i> , 1998 , 30, 971-3	1.1	5
11	Membrane fusion mediated by ricin and viscumin. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1998 , 1371, 11-6	3.8	23
10	Mistletoe lectin I forms a double trefoil structure. <i>FEBS Letters</i> , 1998 , 431, 367-70	3.8	32
9	Dehydration of model membranes induced by lectins from <i>Ricinus communis</i> and <i>Viscum album</i> . <i>Biophysical Journal</i> , 1998 , 75, 2868-76	2.9	11
8	The role of structural domains in RIP II toxin model membrane binding. <i>FEBS Letters</i> , 1997 , 402, 91-3	3.8	16
7	Preliminary crystallographic characterization of ricin agglutinin. <i>Proteins: Structure, Function and Bioinformatics</i> , 1997 , 28, 586-9	4.2	65

6	Immunotoxins containing A-chain of mistletoe lectin I are more active than immunotoxins with ricin A-chain. <i>FEBS Letters</i> , 1996 , 392, 166-8	3.8	33
5	The interactions of anti-MLI monoclonal antibodies with isoforms of the lectin from <i>Viscum album</i> . <i>Immunology Letters</i> , 1995 , 44, 31-4	4.1	8
4	Hybridoma cells producing antibodies against A-chain of mistletoe lectin I are resistant to this toxin. <i>Immunology Letters</i> , 1995 , 46, 5-8	4.1	4
3	Cytotoxic effect of ricin A-chain conjugates containing monoclonal antibodies against human erythroid cells. <i>International Journal of Immunopharmacology</i> , 1993 , 15, 229-35		7
2	Comparison of properties of mistletoe lectin I A-chain and ricin B-chain conjugate with native toxins. <i>FEBS Letters</i> , 1993 , 336, 100-2	3.8	6
1	Immunotoxin with mistletoe lectin I A-chain and ricin A-chain directed against CD5 antigen of human T-lymphocytes; comparison of efficiency and specificity. <i>International Journal of Immunopharmacology</i> , 1991 , 13, 1037-41		14