
## stéphane Serfaty

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2525604/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Soft Matter Characterization From Ultrasonic Microrheology and Fractional Calculus. IEEE Sensors Journal, 2022, 22, 162-173.	4.7	1
2	Multifrequency RF sensor for the non-contact monitoring of tissues. , 2022, , .		0
3	Electricity for Fluidics and Bio-Devices. Microtechnology and MEMS, 2020, , 235-308.	0.2	1
4	Non-Contact Radiofrequency Inductive Sensor for the Dielectric Characterization of Burn Depth in Organic Tissues. Sensors, 2019, 19, 1220.	3.8	6
5	Imaging of a dielectric inclusion using a contactless radio-frequency inductive probe for tissue diagnosis. , 2019, 2019, 6049-6054.		1
6	Nd:YAG vs Er:YAG : a comparative study of laser varnish removal on easel paintings. , 2019, , .		3
7	Laser-induced emission, fluorescence and Raman hybrid setup: A versatile instrument to analyze materials from cultural heritage. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2018, 140, 44-53.	2.9	13
8	Bio-Impedance Non-Contact Radiofrequency Sensor for the Characterization of Burn Depth in Organic Tissues. Proceedings (mdpi), 2018, 2, .	0.2	1
9	Rheological monitoring of tau protein polymerisation with acoustic waves sensor. Electronics Letters, 2017, 53, 298-300.	1.0	2
10	Influence of ns-laser wavelength in laser-induced breakdown spectroscopy for discrimination of painting techniques. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2017, 134, 81-90.	2.9	13
11	Contactless Radio Frequency Monitoring of Dielectric Properties of Egg White During Gelation. IEEE Transactions on Magnetics, 2017, 53, 1-7.	2.1	7
12	Reconstructing historical recipes of linseed oil/colophony varnishes: Influence of preparation processes on application properties. Journal of Cultural Heritage, 2017, 27, S34-S43.	3.3	8
13	Experimental ultrasonic characterization of polyester-based materials for cultural heritage applications. Ultrasonics, 2017, 81, 127-134.	3.9	3
14	Novel approach of signal normalization for depth profile of cultural heritage materials. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2017, 127, 28-33.	2.9	13
15	Design of Autonomous Miniaturized Spherical Acoustic Sensor for Complexe Media Characterization. , 2017, , .		Ο
16	Multi-Frequency Ultrasonic Shear Waves Rheology for Soft Materials Monitoring in Cosmetics. , 2017, , .		0
17	High Frequency Rheology Monitoring for Emulsion Stability Characterization. , 2017, , .		1
18	Non Contact Estimation of the Dielectric Properties of Organic Material Using an Inductive RF Sensor		0

and a Multifrequency  $\ensuremath{\mathsf{Approach.}}$  , 2017, , .

STéPHANE SERFATY

#	Article	IF	CITATIONS
19	Monitoring of yogurt formation using a contactless radiofrequency dielectric sensor. , 2016, , .		2
20	Slant-Stack analysis for the estimation of a marble degradation profile. , 2016, , .		0
21	Evolution of elastic and thermal properties during TMOS-gel formation determined by ringing bottle acoustic resonance spectroscopy, impulsive stimulated scattering, photopyroelectric spectroscopy and the hot ball method. Journal Physics D: Applied Physics, 2016, 49, 085502.	2.8	5
22	Historical linseed oil/colophony varnishes formulations: Study of their molecular composition with micro-chemical chromatographic techniques. Microchemical Journal, 2016, 126, 200-213.	4.5	36
23	Caractérisation RF sans contact des changements structurels de milieux organiques. Instrumentation Mesure Metrologie, 2016, 15, 177-212.	0.3	0
24	New ultrasonic technic for on-line encapsulation monitoring. , 2015, , .		1
25	Laser Experimental Study of the Surface Vibrations of EMUS Sensor. Physics Procedia, 2015, 70, 961-964.	1.2	0
26	Marble Ageing Characterization by Acoustic Waves. Physics Procedia, 2015, 70, 222-226.	1.2	5
27	Ex vivo TSM online monitoring of skin dehydration. , 2015, , .		Ο
28	Marble Characterization by Ultrasonic Methods. Procedia Earth and Planetary Science, 2015, 15, 249-256.	0.6	10
29	Evaluation of the standard normal variate method for Laser-Induced Breakdown Spectroscopy data treatment applied to the discrimination of painting layers. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2015, 114, 38-45.	2.9	49
30	Evaluation of a high sensitivity radiofrequency inductive probe for the non-contact sensing of dielectric properties of organic media. , 2015, , .		0
31	Trace element quantification of lead based roof sheets of historical monuments by Laser Induced Breakdown Spectroscopy. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2015, 103-104, 34-42.	2.9	21
32	Radiofrequency inductive probe for non ontact dielectric characterisations of organic medium. Electronics Letters, 2014, 50, 496-497.	1.0	10
33	Wireless implementation of high sensitivity radiofrequency probes for the dielectric characterization of biological tissues. , 2014, , .		3
34	New RF EMUS Transducer for Complex Fluid Characterization. IEEE Transactions on Magnetics, 2013, 49, 132-135.	2.1	3
35	Design of poly( <i>N</i> â€acryloylglycine) materials for incorporation of microorganisms. Journal of Applied Polymer Science, 2013, 130, 835-841.	2.6	4
36	Co-Immobilization of Peroxidase and Tyrosinase onto Hybrid Membranes Obtained by the Sol-Gel Method for the Construction of an Optical Biosensor. Biotechnology and Biotechnological Equipment, 2013, 27, 3885-3889.	1.3	7

STéPHANE SERFATY

#	Article	IF	CITATIONS
37	Characterization of New Titanium Oxide Polymer Hybrid Membranes for Biofilm Formation. Phosphorus, Sulfur and Silicon and the Related Elements, 2012, 187, 926-936.	1.6	2
38	Titan Based Hybrid Organic-Inorganic Gels Comprising Carbohydrate Moiety. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 2216-2225.	1.6	1
39	Microrheological monitoring of life cycle of yeast cell Saccharomyces Cerevisiae. , 2011, , .		0
40	Inductive magneto-acoustic technique for viscous fluids monitoring. , 2011, , .		1
41	Monitoring of different complex materials with TSM resonators array. , 2009, , .		Ο
42	One-Shot Synthesis of a Poly( <i>N</i> -isopropylacrylamide)/Silica Hybrid Gel. Journal of Physical Chemistry B, 2009, 113, 14914-14919.	2.6	25
43	Lamb Wave Sensor for Viscous Fluids Characterization. IEEE Sensors Journal, 2009, 9, 1142-1147.	4.7	21
44	Study of the bending modes in circular quartz resonators. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2006, 53, 1934-1943.	3.0	4
45	3D Gabor analysis of transient waves propagating along an AT cut quartz disk. Ultrasonics, 2006, 44, e1173-e1177.	3.9	5
46	Lamb mode reflections at the end of a plate loaded by a viscoelastic material. Ultrasonics, 2006, 44, e863-e868.	3.9	7
47	Ultrasonic monitoring of yoghurt formation by using AT-cut quartz: Lighting of casein micelles interactions process during the acidification. Ultrasonics, 2006, 44, e875-e879.	3.9	13
48	Kinetic study of silica gels by a new rheological ultrasonic investigation. Ultrasonics, 2006, 44, e881-e885.	3.9	22
49	Laser ultrasonic analysis of normal modes generated by a voltage pulse on an AT quartz sensor. Ultrasonics, 2006, 44, e1179-e1182.	3.9	3
50	Chirp-Z analysis for sol–gel transition monitoring. Ultrasonics, 2004, 42, 507-510.	3.9	3
51	Kinetic study of silicon alkoxides gelation by acoustic and rheology investigations. Journal of Non-Crystalline Solids, 2003, 319, 57-64.	3.1	16
52	Acoustic resonance in tetramethoxysilane matrices: A new tool to characterize the gel formation. Review of Scientific Instruments, 2001, 72, 2134-2138.	1.3	11
53	An acoustic technique for investigating the sol–gel transition. Journal of Materials Chemistry, 1998, 8, 2229-2231.	6.7	15
54	High-temperature superconducting receiver coil for NMR skin imaging. European Physical Journal Special Topics, 1998, 08, Pr3-245-Pr3-248.	0.2	3

#	ARTICLE	IF	CITATIONS
55	Multi-turn split-conductor transmission-line resonators. Magnetic Resonance in Medicine, 1997, 38, 687-689.	3.0	44
56	Doubleâ€bracelet resonator Helmholtz probe for NMR experiments. Review of Scientific Instruments, 1995, 66, 5522-5526.	1.3	5
57	Validation of the short time correlation analysis. , 0, , .		0
58	Acoustic resonance tracking in sol gel materials. , 0, , .		0