#### Eva Grill

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2525749/eva-grill-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183<br/>papers3,051<br/>citations30<br/>h-index43<br/>g-index214<br/>ext. papers3,718<br/>ext. citations3.8<br/>avg, IF5.23<br/>L-index

#	Paper	IF	Citations
183	Beschreibung und Einordnung der Covid-19-Pandemie <b>2022</b> , 5-18		
182	Referral trajectories in patients with vertigo, dizziness and balance disorders and their impact on health-related quality of life and functioning: results from the longitudinal multicenter study MobilE-TRA <i>Journal of Neurology</i> , <b>2022</b> , 1	5.5	О
181	Chronic vestibular syndromes in the elderly: Presbyvestibulopathy - an isolated clinical entity?. <i>European Journal of Neurology</i> , <b>2022</b> ,	6	2
180	Netzwerke zur Versorgung Parkinsonerkrankter. Nervenheilkunde, 2021, 40, 768-777	0.3	O
179	A Set of Eight Key Questions Helps to Classify Common Vestibular Disorders-Results From the DizzyReg Patient Registry. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 670944	4.1	1
178	Development of a complex intervention to improve mobility and participation of older people with vertigo, dizziness and balance disorders in primary care: a mixed methods study. <i>BMC Family Practice</i> , <b>2021</b> , 22, 89	2.6	0
177	Living longer but less healthy: The female disadvantage in health expectancy. Results from the KORA-Age study. <i>Experimental Gerontology</i> , <b>2021</b> , 145, 111196	4.5	Ο
176	Time to evaluate COVID-19 contact-tracing apps. <i>Nature Medicine</i> , <b>2021</b> , 27, 361-362	50.5	32
175	Substance use disorders and adherence to antituberculosis medications in Southwest Ethiopia: a prospective cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e043050	3	O
174	Mixed-methods evaluation of a structured primary care programme for children and adolescents with mental health problems (PrimA-QuO): a study protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e052747	3	O
173	Using Base-ml to Learn Classification of Common Vestibular Disorders on DizzyReg Registry Data. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 681140	4.1	1
172	Towards a European strategy to address the COVID-19 pandemic. <i>Lancet, The</i> , <b>2021</b> , 398, 838-839	40	13
171	Effect of food insecurity on mental health of patients with tuberculosis in Southwest Ethiopia: a prospective cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e045434	3	
170	Sociodemographic characteristics determine download and use of a Corona contact tracing app in Germany-Results of the COSMO surveys. <i>PLoS ONE</i> , <b>2021</b> , 16, e0256660	3.7	6
169	Gender-linked determinants for utilization of long-term care in community-dwelling adults 65+ in Germany: Results from the population-based KORA-Age study. <i>Experimental Gerontology</i> , <b>2021</b> , 153, 111500	4.5	O
168	Behavioural and patient-individual determinants of quality of life, functioning and physical activity in older adults (MobilE-TRA 2): study protocol of an observational cohort study in a tertiary care setting. <i>BMJ Open</i> , <b>2021</b> , 11, e051915	3	
167	Modern machine-learning can support diagnostic differentiation of central and peripheral acute vestibular disorders. <i>Journal of Neurology</i> , <b>2020</b> , 267, 143-152	5.5	9

## (2020-2020)

166	The times we are born into and our lifestyle choices determine our health trajectories in older age - Results from the KORA-Age study. <i>Preventive Medicine</i> , <b>2020</b> , 133, 106025	4.3	1	
165	Epidemiology of Vestibular Impairments <b>2020</b> , 555-566			
164	"We <b>Q</b> e in good hands there." - Acceptance, barriers and facilitators of a primary care-based health coaching programme for children and adolescents with mental health problems: a qualitative study (PrimA-QuO). <i>BMC Family Practice</i> , <b>2020</b> , 21, 273	2.6	О	
163	Malnutrition and related risk factors in older adults from different health-care settings: an study. <i>Public Health Nutrition</i> , <b>2020</b> , 23, 446-456	3.3	10	
162	Worldwide survey on laboratory testing of vestibular function. <i>Neurology: Clinical Practice</i> , <b>2020</b> , 10, 379-387	1.7	12	
161	Development and validation of a classification algorithm to diagnose and differentiate spontaneous episodic vertigo syndromes: results from the DizzyReg patient registry. <i>Journal of Neurology</i> , <b>2020</b> , 267, 160-167	5.5	4	
160	Computerized clinical decision system and mobile application with expert support to optimize management of vertigo in primary care: study protocol for a pragmatic cluster-randomized controlled trial. <i>Journal of Neurology</i> , <b>2020</b> , 267, 45-50	5.5	6	
159	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236154	3.7	6	
158	Primary or secondary chronic functional dizziness: does it make a difference? A DizzyReg study in 356 patients. <i>Journal of Neurology</i> , <b>2020</b> , 267, 212-222	5.5	12	
157	Implementation of a complex intervention to improve participation in older people with joint contractures living in nursing homes: a process evaluation of a cluster-randomised pilot trial. <i>BMC Geriatrics</i> , <b>2020</b> , 20, 270	4.1	5	
156	Economic evaluation of guideline implementation in primary care: a systematic review. <i>International Journal for Quality in Health Care</i> , <b>2020</b> , 32, 1-11	1.9	0	
155	Face and content validity of a prospective multidimensional performance instrument for service delivery in district health systems in low-income countries: a Delphi study. <i>International Health</i> , <b>2020</b> , 12, 184-191	2.4		
154	Identification of relevant performance indicators for district healthcare systems in Ethiopia: a systematic review and expert opinion. <i>International Journal for Quality in Health Care</i> , <b>2020</b> , 32, 161-17	2 <sup>1.9</sup>		
153	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study <b>2020</b> , 15, e0236154			
152	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study <b>2020</b> , 15, e0236154			
151	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study <b>2020</b> , 15, e0236154			
150	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study <b>2020</b> , 15, e0236154			
149	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study <b>2020</b> . 15. e0236154			

Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A 148 longitudinal study 2020, 15, e0236154 Vertigo and dizziness cause considerable more health care resource use and costs: results from the 8 147 5.5 KORA FF4 study. Journal of Neurology, 2019, 266, 2120-2128 Vitamin D in Relation to Incident Sarcopenia and Changes in Muscle Parameters Among Older 146 3.9 9 Adults: The KORA-Age Study. Calcified Tissue International, 2019, 105, 173-182 Survey of motion sickness susceptibility in children and adolescents aged 30months to 180years. 145 5.5 14 Journal of Neurology, **2019**, 266, 65-73 Who gets lost and why: A representative cross-sectional survey on sociodemographic and 144 3.7 7 vestibular determinants of wayfinding strategies. PLoS ONE, 2019, 14, e0204781 Being born in the aftermath of World War II increases the risk for health deficit accumulation in 143 12.1 older age: results from the KORA-Age study. European Journal of Epidemiology, 2019, 34, 675-687 Improved participation of older people with joint contractures living in nursing homes: feasibility of 2.8 142 3 study procedures in a cluster-randomised pilot trial. Trials, 2019, 20, 411 Exposure to anticholinergic and sedative medications using the Drug Burden Index and its association with vertigo, dizziness and balance problems in older people - Results from the 141 5 4.5 KORA-FF4 Study. Experimental Gerontology, 2019, 124, 110644 Administrators, health service providers, and consumers perspectives of functions of district health-care systems in Oromia region, Ethiopia: A qualitative study. International Journal of Health 140 2.2  $\circ$ Planning and Management, **2019**, 34, 836-850 Effects of Whole Body Vibration Therapy and Classic Physiotherapy on Postural Stability in People 1.8 139 With Back Pain: A Randomized Trial. Clinical Spine Surgery, 2019, 32, E214-E220 Economic burden of vertigo: a systematic review. Health Economics Review, 2019, 9, 37 138 27 Multicenter data banking in management of dizzy patients: first results from the DizzyNet registry 137 5.5 project. Journal of Neurology, 2018, 265, 3-8 Development of a complex intervention to improve participation of nursing home residents with 136 6 4.1 joint contractures: a mixed-method study. BMC Geriatrics, 2018, 18, 61 RECAPDOC - a questionnaire for the documentation of rehabilitation care utilization in individuals with disorders of consciousness in long-term care in Germany: development and pretesting. BMC 135 2.9 Health Services Research, 2018, 18, 329 Barriers and facilitators for the management of vertigo: a qualitative study with primary care 8.4 134 9 providers. Implementation Science, 2018, 13, 25 Patient trajectories and their impact on mobility, social participation and quality of life in patients with vertigo/dizziness/balance disorders and osteoarthritis (MobilE-TRA): study protocol of an 133 3 observational, practice-based cohort study. BMJ Open, 2018, 8, e022970 Pilot cluster randomized controlled trial of a complex intervention to improve management of vertigo in primary care (PRIMA-Vertigo): study protocol. Current Medical Research and Opinion, 2018 132 2.5 1 , 34, 1819-1828 Mediator Effect of Balance Problems on Association Between Grip Strength and Falls in Older 131 Adults: Results From the KORA-Age Study. Gerontology and Geriatric Medicine, 2018, 4, 2333721418760122

130	Predictive Capability of an iPad-Based Medical Device (mex) for the Diagnosis of Vertigo and Dizziness. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 29	4.1	12	
129	Susceptibility to Fear of Heights in Bilateral Vestibulopathy and Other Disorders of Vertigo and Balance. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 406	4.1	11	
128	Anticholinergic and sedative medications and the risk of vertigo or dizziness in the German primary care setting-A matched case-control study from the CONTENT registry. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 912-920	2.6	2	
127	Prevalence of motion sickness in various vestibular disorders: a study on 749 patients. <i>Journal of Neurology</i> , <b>2018</b> , 265, 95-97	5.5	10	
126	Systematic Review and Meta-analysis of the Effectiveness of Implementation Strategies for Non-communicable Disease Guidelines in Primary Health Care. <i>Journal of General Internal Medicine</i> , <b>2018</b> , 33, 1142-1154	4	22	
125	Determinants for utilization and transitions of long-term care in adults 65+ in Germany: results from the longitudinal KORA-Age study. <i>BMC Geriatrics</i> , <b>2018</b> , 18, 172	4.1	17	
124	Usability of the Video Head Impulse Test: Lessons From the Population-Based Prospective KORA Study. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 659	4.1	8	
123	Prevalence, Determinants, and Consequences of Vestibular Hypofunction. Results From the KORA-FF4 Survey. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 1076	4.1	17	
122	Wealth and occupation determine health deficit accumulation onset in Europe - Results from the SHARE study. <i>Experimental Gerontology</i> , <b>2018</b> , 113, 74-79	4.5	1	
121	Sarcopenia is associated with disability status-results from the KORA-Age study. <i>Osteoporosis International</i> , <b>2017</b> , 28, 2069-2079	5.3	21	
120	DizzyReg: the prospective patient registry of the German Center for Vertigo and Balance Disorders. <i>Journal of Neurology</i> , <b>2017</b> , 264, 34-36	5.5	9	
119	Country-specific and individual determinants of dizziness in Europe: results from the Survey of Health Ageing and Retirement in Europe (SHARE). <i>Public Health</i> , <b>2017</b> , 149, 1-10	4	22	
118	Interventions for the prevention and treatment of disability due to acquired joint contractures in older people: a systematic review. <i>Age and Ageing</i> , <b>2017</b> , 46, 373-382	3	9	
117	Male sex and poverty predict abrupt health decline: Deficit accumulation patterns and trajectories in the KORA-Age cohort study. <i>Preventive Medicine</i> , <b>2017</b> , 102, 31-38	4.3	9	
116	Prevalence and Predictors of Subclinical Micronutrient Deficiency in German Older Adults: Results from the Population-Based KORA-Age Study. <i>Nutrients</i> , <b>2017</b> , 9,	6.7	24	
115	A New Questionnaire for Estimating the Severity of Visual Height Intolerance and Acrophobia by a Metric Interval Scale. <i>Frontiers in Neurology</i> , <b>2017</b> , 8, 211	4.1	21	
114	Lack of association of MRI determined subclinical cardiovascular disease with dizziness and vertigo in a cross-sectional population-based study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184858	3.7	4	
113	Common eye diseases in older adults of southern Germany: results from the KORA-Age study. <i>Age and Ageing</i> , <b>2017</b> , 46, 481-486	3	12	

112	Outcome measures in older persons with acquired joint contractures: a systematic review and content analysis using the ICF (International Classification of Functioning, Disability and Health) as a reference. <i>BMC Geriatrics</i> , <b>2016</b> , 16, 40	4.1	8
111	Examining Functioning and Contextual Factors in Individuals with Joint Contractures from the Health Professional Perspective Using the ICF: An International Internet-Based Qualitative Expert Survey. <i>Rehabilitation Nursing</i> , <b>2016</b> , 41, 170-8	1.3	12
110	Relevance of community structures and neighbourhood characteristics for participation of older adults: a qualitative study. <i>Quality of Life Research</i> , <b>2016</b> , 25, 143-52	3.7	13
109	Atmospheric Pressure and Onset of Episodes of MenifeQ Disease - A Repeated Measures Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152714	3.7	9
108	Visual height intolerance and acrophobia: distressing partners for life. <i>Journal of Neurology</i> , <b>2016</b> , 263, 1946-53	5.5	9
107	The development of the ICF vestibular environmental scale. <i>Journal of Vestibular Research:</i> Equilibrium and Orientation, <b>2016</b> , 26, 297-302	2.5	6
106	Gender differences in the association between grip strength and mortality in older adults: results from the KORA-age study. <i>BMC Geriatrics</i> , <b>2016</b> , 16, 201	4.1	46
105	The PaArticular Scales - A new outcome measure to quantify the impact of joint contractures on activities and participation in individuals in geriatric care: Development and Rasch analysis.  International Journal of Nursing Studies, 2016, 59, 107-17	5.8	6
104	A high level of household physical activity compensates for lack of leisure time physical activity with regard to deficit accumulation: Results from the KORA-Age study. <i>Preventive Medicine</i> , <b>2016</b> , 86, 64-9	4.3	11
103	Quality of life in older individuals with joint contractures in geriatric care settings. <i>Quality of Life Research</i> , <b>2016</b> , 25, 2269-81	3.7	8
102	Health care utilization, prognosis and outcomes of vestibular disease in primary care settings: systematic review. <i>Journal of Neurology</i> , <b>2016</b> , 263 Suppl 1, S36-44	5.5	36
101	Minimum data set to measure rehabilitation needs and health outcome after major trauma: application of an international framework. <i>European Journal of Physical and Rehabilitation Medicine</i> , <b>2016</b> , 52, 331-46	4.4	5
100	Developing and Implementing Diagnostic Prediction Models for Vestibular Diseases in Primary Care. <i>Studies in Health Technology and Informatics</i> , <b>2016</b> , 228, 735-9	0.5	1
99	Visual height intolerance and acrophobia: clinical characteristics and comorbidity patterns. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2015</b> , 265, 375-85	5.1	30
98	Development of an International Classification of Functioning, Disability and Health (ICF)-based standard set to describe the impact of joint contractures on participation of older individuals in geriatric care settings. <i>Archives of Gerontology and Geriatrics</i> , <b>2015</b> , 61, 61-6	4	8
97	Description of spatio-temporal gait parameters in elderly people and their association with history of falls: results of the population-based cross-sectional KORA-Age study. <i>BMC Geriatrics</i> , <b>2015</b> , 15, 32	4.1	37
96	Associations of Disease Activity and Socio-demographic Factors with Activity and Participation of Patients with Rheumatoid Arthritis (Results of a Cross-sectional Study. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , <b>2015</b> , 25, 141-147	0.5	
95	Impact of joint contracture on older persons in a geriatric setting: A cross-sectional study. Zeitschrift Fur Gerontologie Und Geriatrie, <b>2015</b> , 48, 625-32	2.7	13

## (2014-2015)

94	Persistent vegetative state and minimally conscious state: a systematic review and meta-analysis of diagnostic procedures. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2015</b> , 112, 235-42	2.5	40	
93	Neighborhood and healthy aging in a German city: distances to green space and senior service centers and their associations with physical constitution, disability, and health-related quality of life. <i>European Journal of Ageing</i> , <b>2015</b> , 12, 273-283	3.6	23	
92	Quality of evidence of rehabilitation interventions in long-term care for people with severe disorders of consciousness after brain injury: A systematic review. <i>Journal of Rehabilitation Medicine</i> , <b>2015</b> , 47, 577-85	3.4	11	
91	Perturbed Development of Striatal Dopamine Transporters in Fatty Versus Lean Zucker Rats: a Follow-up Small Animal PET Study. <i>Molecular Imaging and Biology</i> , <b>2015</b> , 17, 521-8	3.8	6	
90	Subscales of the vestibular activities and participation questionnaire could be applied across cultures. <i>Journal of Clinical Epidemiology</i> , <b>2015</b> , 68, 211-9	5.7	20	
89	Developing and piloting a multifactorial intervention to address participation and quality of life in nursing home residents with joint contractures (JointConImprove): study protocol. <i>GMS German Medical Science</i> , <b>2015</b> , 13, Doc13	3.2	5	
88	Health services utilization of patients with vertigo in primary care: a retrospective cohort study. Journal of Neurology, <b>2014</b> , 261, 1492-8	5.5	68	
87	Burden of disability attributable to vertigo and dizziness in the aged: results from the KORA-Age study. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 802-7	2.1	66	
86	Consequences of visual height intolerance for quality of life: a qualitative study. <i>Quality of Life Research</i> , <b>2014</b> , 23, 697-705	3.7	20	
85	Impact of vertigo and dizziness on self-perceived participation and autonomy in older adults: results from the KORA-Age study. <i>Quality of Life Research</i> , <b>2014</b> , 23, 2301-8	3.7	27	
84	Association between anemia and falls in community-dwelling older people: cross-sectional results from the KORA-Age study. <i>BMC Geriatrics</i> , <b>2014</b> , 14, 29	4.1	13	
83	Directed acyclic graphs helped to identify confounding in the association of disability and electrocardiographic findings: results from the KORA-Age study. <i>Journal of Clinical Epidemiology</i> , <b>2014</b> , 67, 199-206	5.7	11	
82	Men benefit more from midlife leisure-time physical activity than women regarding the development of late-life disabilityresults of the KORA-Age study. <i>Preventive Medicine</i> , <b>2014</b> , 62, 8-13	4.3	9	
81	Associations between multiple accelerometry-assessed physical activity parameters and selected health outcomes in elderly peopleresults from the KORA-age study. <i>PLoS ONE</i> , <b>2014</b> , 9, e111206	3.7	21	
80	Self-efficacy beliefs are associated with visual height intolerance: a cross-sectional survey. <i>PLoS ONE</i> , <b>2014</b> , 9, e116220	3.7	8	
79	How much does it hurt to be lonely? Mental and physical differences between older men and women in the KORA-Age Study. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 245-52	3.9	52	
78	Patients Qview on health-related aspects of functioning and disability of joint contractures: a qualitative interview study based on the International Classification of Functioning, Disability and Health (ICF). Disability and Rehabilitation, 2014, 36, 2225-32	2.4	15	
77	Contractures with special reference in elderly: definition and risk factors - a systematic review with practical implications. <i>Disability and Rehabilitation</i> , <b>2014</b> , 36, 529-38	2.4	30	

76	On the relationship between gingival biotypes and supracrestal gingival height, crown form and papilla height. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 894-8	4.8	27
75	Efficacy of a post-acute interval inpatient neurorehabilitation programme for severe brain injury. <i>Brain Injury</i> , <b>2014</b> , 28, 44-50	2.1	10
74	Health outcome after major trauma: what are we measuring?. PLoS ONE, 2014, 9, e103082	3.7	38
73	Impact of joint contractures on functioning and social participation in older individualsdevelopment of a standard set (JointConFunctionSet): study protocol. <i>BMC Geriatrics</i> , <b>2013</b> , 13, 18	4.1	10
72	Distribution and determinants of functioning and disability in aged adultsresults from the German KORA-Age study. <i>BMC Public Health</i> , <b>2013</b> , 13, 137	4.1	36
71	Down on heights? One in three has visual height intolerance. <i>Journal of Neurology</i> , <b>2013</b> , 260, 597-604	5.5	53
70	Multi-morbidity and disability, findings from the KORA-Age study. BMC Proceedings, 2013, 7, S10	2.3	5
69	Fear of heights and mild visual height intolerance independent of alcohol consumption. <i>Brain and Behavior</i> , <b>2013</b> , 3, 596-601	3.4	7
68	Rehabilitation outcome of unconscious traumatic brain injury patients. <i>Journal of Neurotrauma</i> , <b>2013</b> , 30, 1476-83	5.4	24
67	Rationale and design of the prospective German registry of outcome in patients with severe disorders of consciousness after acute brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2013</b> , 94, 1870-6	2.8	18
66	Association between sleep disturbances and falls among the elderly: results from the German Cooperative Health Research in the Region of Augsburg-Age study. <i>Sleep Medicine</i> , <b>2013</b> , 14, 1356-63	4.6	46
65	Rehabilitation outcome of anoxic-ischaemic encephalopathy survivors with prolonged disorders of consciousness. <i>Resuscitation</i> , <b>2013</b> , 84, 1409-15	4	67
64	Using core sets of the international classification of functioning, disability and health (ICF) to measure disability in vestibular disorders: study protocol. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , <b>2013</b> , 23, 297-303	2.5	10
63	Graphical modeling of binary data using the LASSO: a simulation study. <i>BMC Medical Research Methodology</i> , <b>2012</b> , 12, 16	4.7	7
62	Identification of aspects of functioning, disability and health relevant to patients experiencing vertigo: a qualitative study using the international classification of functioning, disability and health. <i>Health and Quality of Life Outcomes</i> , <b>2012</b> , 10, 75	3	28
61	Epidemiologie - Ausbildung in Deutschland. <i>Public Health Forum</i> , <b>2012</b> , 20, 25-26	0.1	
60	International Classification of Functioning, Disability and Health (ICF) Core Set for patients with vertigo, dizziness and balance disorders. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , <b>2012</b> , 22, 261-71	2.5	30
59	Graphical modeling can be used to illustrate associations between variables describing functioning in head and neck cancer patients. <i>Journal of Clinical Epidemiology</i> , <b>2011</b> , 64, 885-92	5.7	7

## (2010-2011)

58	Validation of the comprehensive ICF Core Sets for patients receiving rehabilitation interventions in the acute care setting. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 92-101	3.4	21	
57	Assessment of functioning in the acute hospital: operationalisation and reliability testing of ICF categories relevant for physical therapists interventions. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 162-73	3.4	10	
56	Validation of the comprehensive ICF Core Sets for patients in early post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 102-12	3.4	4	
55	Brief ICF Core Set for patients in geriatric post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 139-44	3.4	15	
54	Patient goals in post-acute geriatric rehabilitation-goal attainment is an indicator for improved functioning. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 156-61	3.4	43	
53	The ICF forms a useful framework for classifying individual patient goals in post-acute rehabilitation. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 151-5	3.4	30	
52	Brief ICF Core Sets for the acute hospital. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 123-30	3.4	8	
51	ICF Core Sets for early post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 131-8	3.4	13	
50	Validation of the comprehensive ICF Core Set for patients in geriatric post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 102-12	3.4	17	
49	Criteria for validating comprehensive ICF Core Sets and developing brief ICF Core Set versions. Journal of Rehabilitation Medicine, <b>2011</b> , 43, 87-91	3.4	17	
48	The ICF and Florence Nightingale - bringing data to statistical proof. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 1041-2	3.4	3	
47	Goals of patients with rehabilitation needs in acute hospitals: goal achivement is an indicator for improved functioning. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 145-50	3.4	17	
46	P2-479 Determinants of functioning and disability in aged persons: results from the KORA-Age Study. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, A353-A353	5.1		
45	Functioning and disability in people living with spinal cord injury in high- and low-resourced countries: a comparative analysis of 14 countries. <i>International Journal of Public Health</i> , <b>2011</b> , 56, 341-5	52 <sup>4</sup>	19	
44	Effects of pharmaceutical counselling on antimicrobial use in surgical wards: intervention study with historical control group. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 739-46	2.6	12	
43	Psychosocial factors associated with the effects of physiotherapy in the acute hospital. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 2311-21	2.4	6	
42	The ICF as a way to specify goals and to assess the outcome of physiotherapeutic interventions in the acute hospital. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 174-7	3.4	18	
41	Combined application of the International Classification of Functioning, Disability and Health and the NANDA-International Taxonomy II. <i>Journal of Advanced Nursing</i> , <b>2010</b> , 66, 1885-98	3.1	10	

40	Intervention goals determine physical therapists Qworkload in the acute care setting. <i>Physical Therapy</i> , <b>2010</b> , 90, 1468-78	3.3	16
39	Incremental cost-effectiveness analysis of a multidisciplinary renal education program for patients with chronic renal disease. <i>Disability and Rehabilitation</i> , <b>2010</b> , 32, 392-401	2.4	5
38	Understanding human functioning using graphical models. <i>BMC Medical Research Methodology</i> , <b>2010</b> , 10, 14	4.7	31
37	Patients Qunctioning as predictor of nursing workload in acute hospital units providing rehabilitation care: a multi-centre cohort study. <i>BMC Health Services Research</i> , <b>2010</b> , 10, 295	2.9	16
36	Functioning and health in patients with cancer on home-parenteral nutrition: a qualitative study. Health and Quality of Life Outcomes, <b>2010</b> , 8, 41	3	12
35	ICF-Core-Sets im Akutkrankenhaus und in der FrBrehabilitation fBPatienten mit Erkrankungen des muskuloskelettalen Systems. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , <b>2009</b> , 19, 14-21	0.5	6
34	Scales could be developed based on simple clinical ratings of International Classification of Functioning, Disability and Health Core Set categories. <i>Journal of Clinical Epidemiology</i> , <b>2009</b> , 62, 891-8	5.7	42
33	Graphical models illustrated complex associations between variables describing human functioning. <i>Journal of Clinical Epidemiology</i> , <b>2009</b> , 62, 922-33	5.7	27
32	Goals of physiotherapy interventions can be described using the International Classification of Functioning, Disability and Health. <i>Physiotherapy</i> , <b>2008</b> , 94, 150-157	3	21
31	Physiotherapeutischer Ressourcenaufwand im Akutkrankenhaus. <i>Physioscience</i> , <b>2008</b> , 4, 25-29	0.3	O
30	Operationalisierung von ICF-Kategorien flphysiotherapeutische Interventionen im Akutkrankenhaus. <i>Physioscience</i> , <b>2008</b> , 4, 7-16	0.3	6
29	Standardisierung der Ziele physiotherapeutischer Interventionen im Akutkrankenhaus mithilfe der ICF. <i>Physioscience</i> , <b>2008</b> , 4, 17-24	0.3	1
28	Identification of ICF categories relevant for nursing in the situation of acute and early post-acute rehabilitation. <i>BMC Nursing</i> , <b>2008</b> , 7, 3	3.2	10
27	Early-stage impairments and limitations of functioning from the geriatric ICF core set as determinants of independent living in older patients after discharge from post-acute rehabilitation. <i>Acta Dermato-Venereologica</i> , <b>2007</b> , 39, 591-7	2.2	8
26	Effectiveness of a community-based 3-year advisory program after acquired brain injury. <i>European Journal of Neurology</i> , <b>2007</b> , 14, 1256-65	6	4
25	Assessing observer agreement when describing and classifying functioning with the International Classification of Functioning, Disability and Health. <i>Acta Dermato-Venereologica</i> , <b>2007</b> , 39, 71-6	2.2	34
24	A comparative study of patient-reported functional outcomes in acute rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2007</b> , 34, 64-9	4.1	9
23	Neonatal hearing screening: modelling cost and effectiveness of hospital- and community-based screening. <i>BMC Health Services Research</i> , <b>2006</b> , 6, 14	2.9	21

#### (2003-2006)

22	Validation of International Classification of Functioning, Disability, and Health (ICF) Core Sets for early postacute rehabilitation facilities: comparisons with three other functional measures.  American Journal of Physical Medicine and Rehabilitation, 2006, 85, 640-9	2.6	26	
21	Systematic review of measures and their concepts used in published studies focusing on the treatment of acute inflammatory arthritis. <i>Clinical Rheumatology</i> , <b>2006</b> , 25, 807-13	3.9	12	
20	ICF Core Set for patients with neurological conditions in the acute hospital. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 367-73	2.4	55	
19	ICF Core Sets development for the acute hospital and early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 361-6	2.4	101	
18	ICF Core Set for patients with cardiopulmonary conditions in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 397-404	2.4	32	
17	ICF Core Set for geriatric patients in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 411-7	2.4	50	
16	Identification of relevant ICF categories by health professionals in the acute hospital. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 437-45	2.4	18	
15	ICF Core Set for patients with neurological conditions in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 389-95	2.4	72	
14	ICF Core Set for patients with cardiopulmonary conditions in the acute hospital. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 375-80	2.4	28	
13	Rationale and principles of early rehabilitation care after an acute injury or illness. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 353-9	2.4	107	
12	The ICF categories identified in nursing interventions administered to neurological patients with post-acute rehabilitation needs. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 431-6	2.4	23	
11	Identification of relevant ICF categories by geriatric patients in an early post-acute rehabilitation facility. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 467-73	2.4	30	
10	Systematic review of measures and their concepts used in published studies focusing on rehabilitation in the acute hospital and in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 419-29	2.4	43	
9	Identification of relevant ICF categories by patients with neurological conditions in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 459-65	2.4	35	
8	Comparing the clinical effectiveness of different new-born hearing screening strategies. A decision analysis. <i>BMC Public Health</i> , <b>2005</b> , 5, 12	4.1	20	
7	Identification of Relevant ICF Categories by Patients in Early Post-Acute Rehabilitation Facilities. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , <b>2005</b> , 15, 168-173	0.5	5	
6	Identification of relevant ICF categories by patients in the acute hospital. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 447-58	2.4	32	
5	Incidence and risk factors of respiratory syncytial virus-related hospitalizations in premature infants in Germany. <i>European Journal of Pediatrics</i> , <b>2003</b> , 162, 230-6	4.1	90	

4	Economic evaluation of possible prevention of RSV-related hospitalizations in premature infants in Germany. <i>European Journal of Pediatrics</i> , <b>2003</b> , 162, 237-44	4.1	56
3	Separation from children as a specific risk factor to fathersQhealth and lifestyles. <i>International Journal of Public Health</i> , <b>2001</b> , 46, 272-8		3
2	Standardization of non-aggregated data: theory and practice. <i>Computer Methods and Programs in Biomedicine</i> , <b>2001</b> , 65, 207-27	6.9	3
1	Vestibular paroxysmia: clinical characteristics and long-term course. <i>Journal of Neurology</i> ,	5.5	1