

Tadashi Terui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2526516/publications.pdf>

Version: 2024-02-01

84
papers

1,804
citations

394421
19
h-index

302126
39
g-index

84
all docs

84
docs citations

84
times ranked

2078
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of Mas-related gene X2 on mast cells is upregulated in the skin of patients with severe chronic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 622-633.e9.	2.9	283
2	Japanese guidelines for the management and treatment of generalized pustular psoriasis: The new pathogenesis and treatment of <scp>GPP</scp>. <i>Journal of Dermatology</i> , 2018, 45, 1235-1270.	1.2	159
3	Therapeutic guidelines for the treatment of generalized pustular psoriasis (GPP) based on a proposed classification of disease severity. <i>Archives of Dermatological Research</i> , 2003, 295, S43-S54.	1.9	123
4	Recategorization of psoriasis severity: Delphi consensus from the International Psoriasis Council. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 117-122.	1.2	120
5	Efficacy and Safety of Guselkumab, an Anti-“interleukin 23 Monoclonal Antibody, for Palmoplantar Pustulosis. <i>JAMA Dermatology</i> , 2018, 154, 309.	4.1	84
6	Significantly High Levels of Anti-dsDNA Immunoglobulin E in Sera and the Ability of dsDNA to Induce the Degranulation of Basophils from Chronic Urticaria Patients. <i>International Archives of Allergy and Immunology</i> , 2013, 161, 154-158.	2.1	79
7	Efficacy and Safety of Guselkumab in Japanese Patients With Palmoplantar Pustulosis. <i>JAMA Dermatology</i> , 2019, 155, 1153.	4.1	66
8	Palmoplantar pustulosis: Current understanding of disease definition and pathomechanism. <i>Journal of Dermatological Science</i> , 2020, 98, 13-19.	1.9	63
9	Japanese guidance for use of biologics for psoriasis (the 2019 version). <i>Journal of Dermatology</i> , 2020, 47, 201-222.	1.2	58
10	Japanese guidance for use of biologics for psoriasis (the 2013 version). <i>Journal of Dermatology</i> , 2013, 40, 683-695.	1.2	53
11	Safety of Ixekizumab Treatment for up to 5 Years in Adult Patients with Moderate-to-Severe Psoriasis: Results from Greater Than 17,000 Patient-Years of Exposure. <i>Dermatology and Therapy</i> , 2020, 10, 133-150.	3.0	51
12	Safety profiles and efficacy of infliximab therapy in Japanese patients with plaque psoriasis with or without psoriatic arthritis, pustular psoriasis or psoriatic erythroderma: Results from the prospective post-marketing surveillance. <i>Journal of Dermatology</i> , 2016, 43, 767-778.	1.2	37
13	<i><scp>HLA</scp>“*12:02</i> is a susceptibility factor in late-onset type of psoriasis in Japanese. <i>Journal of Dermatology</i> , 2014, 41, 697-704.	1.2	32
14	Aspirin and salicylates modulate IgE-mediated leukotriene secretion in mast cells through a dihydropyridine receptor-mediated Ca ²⁺ influx. <i>Clinical Immunology</i> , 2009, 131, 145-156.	3.2	30
15	Identification and analysis of an early diagnostic marker for malignant melanoma: ZAR1 intra-genic differential methylation. <i>Journal of Dermatological Science</i> , 2010, 59, 98-106.	1.9	29
16	Characteristics of Japanese patients with pustulotic arthro-osteitis associated with palmoplantar pustulosis: a multicenter study. <i>International Journal of Dermatology</i> , 2020, 59, 441-444.	1.0	29
17	Analysis of the Mechanism for the Development of Allergic Skin Inflammation and the Application for Its Treatment: Overview of the Pathophysiology of Atopic Dermatitis. <i>Journal of Pharmacological Sciences</i> , 2009, 110, 232-236.	2.5	23
18	Diagnostic histopathological features distinguishing palmoplantar pustulosis from pompholyx. <i>Journal of Dermatology</i> , 2019, 46, 399-408.	1.2	22

#	ARTICLE	IF	CITATIONS
19	IL12B and IL23R gene SNPs in Japanese psoriasis. <i>Immunogenetics</i> , 2013, 65, 823-828.	2.4	21
20	Abrogation of High-Affinity IgE Receptor-Mediated Mast Cell Activation at the Effector Phase Prevents Contact Hypersensitivity to Oxazolone. <i>Journal of Investigative Dermatology</i> , 2010, 130, 725-731.	0.7	20
21	Identification of biomarkers for predicting the response to cyclosporine A therapy in patients with chronic spontaneous urticaria. <i>Allergy International</i> , 2019, 68, 270-273.	3.3	19
22	Safety and effectiveness of secukinumab in psoriasis vulgaris and psoriatic arthritis: Real-world evidence in Japan. <i>Journal of Dermatology</i> , 2021, 48, 175-183.	1.2	19
23	Aberrant Hypermethylation of Non-Promoter Zygote Arrest 1 (Zar1) in Human Brain Tumors. <i>Neurologia Medico-Chirurgica</i> , 2010, 50, 1062-1069.	2.2	17
24	Effectiveness of a heparinoid-containing moisturiser to treat senile xerosis. <i>Australasian Journal of Dermatology</i> , 2015, 56, 36-39.	0.7	17
25	Efficacy of guselkumab in a subpopulation with pustulotic arthro-osteitis through week 52: an exploratory analysis of a phase 3, randomized, double-blind, placebo-controlled study in Japanese patients with palmoplantar pustulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2318-2329.	2.4	17
26	miR103a-3p in extracellular vesicles from FcγRI-aggregated human mast cells enhances IL-5 production by group 2 innate lymphoid cells. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1878-1891.	2.9	16
27	Questionnaire-based epidemiological study of hidradenitis suppurativa in Japan revealing characteristics different from those in Western countries. <i>Journal of Dermatology</i> , 2020, 47, 743-748.	1.2	16
28	Twenty-four-week interim analysis from a phase 3 open-label trial of adalimumab in Japanese patients with moderate to severe hidradenitis suppurativa. <i>Journal of Dermatology</i> , 2019, 46, 745-751.	1.2	15
29	A pilot study of medium-dose cyclosporine for the treatment of palmoplantar pustulosis complicated with pustulotic arthro-osteitis. <i>European Journal of Dermatology</i> , 2010, 20, 758-62.	0.6	13
30	A case of pemphigoid vegetans with autoantibodies against both BP180 and BP230 antigens. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 206-208.	1.2	12
31	Linear immunoglobulin A/G bullous dermatosis associated with ulcerative colitis. <i>Journal of Dermatology</i> , 2017, 44, 1295-1298.	1.2	12
32	Impact of ixekizumab treatment on skin-related personal relationship difficulties in moderate-to-severe psoriasis patients: 12-week results from two Phase 3 trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1867-1875.	2.4	12
33	Long-term analysis of adalimumab in Japanese patients with moderate to severe hidradenitis suppurativa: Open-label phase 3 results. <i>Journal of Dermatology</i> , 2021, 48, 3-13.	1.2	12
34	Improved quality of life of patients with generalized pustular psoriasis in Japan: A cross-sectional survey. <i>Journal of Dermatology</i> , 2021, 48, 203-206.	1.2	12
35	Epidermal iron metabolism for iron salvage. <i>Journal of Dermatological Science</i> , 2017, 87, 101-109.	1.9	11
36	Sustained efficacy and safety of guselkumab in patients with palmoplantar pustulosis through 1.5 years in a randomized phase 3 study. <i>Journal of Dermatology</i> , 2021, 48, 1838-1853.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Relationship between changes in the 7-day urticaria activity score after treatment with omalizumab and the responsiveness of basophils to Fc ϵ RI stimulation in patients with chronic spontaneous urticaria. <i>Asia Pacific Allergy</i> , 2020, 10, e12.	1.3	11
38	Coexistence of papuloerythroderma of Ofuji and acrokeratosis paraneoplastica (Bazex syndrome) preceding the diagnosis of primary hepatocellular carcinoma. <i>International Journal of Dermatology</i> , 2011, 50, 1393-1396.	1.0	10
39	The oncogenic role of GASC1 in chemically induced mouse skin cancer. <i>Mammalian Genome</i> , 2015, 26, 591-597.	2.2	10
40	Immunohistochemical expression of podoplanin in so-called hard α -keratin-expressing tumors, including calcifying cystic odontogenic tumor, craniopharyngioma, and pilomatrixoma. <i>Journal of Oral Science</i> , 2012, 54, 165-175.	1.7	9
41	Activation of LXRs using the synthetic agonist GW3965 represses the production of pro-inflammatory cytokines by murine mast cells. <i>Allergy International</i> , 2015, 64, S11-S17.	3.3	9
42	Differentiation between control subjects and patients with chronic spontaneous urticaria based on the ability of anti-IgE autoantibodies (AAbs) to induce Fc μ RI crosslinking, as compared to anti-Fc μ RI AAbs. <i>Allergy International</i> , 2019, 68, 342-351.	3.3	9
43	Comparative study of cytokeratin and langerin expression in keratinized cystic lesions of the oral and maxillofacial regions. <i>Journal of Oral Science</i> , 2015, 57, 287-294.	1.7	8
44	A Case of Linear IgA/IgG Bullous Dermatitis with Anti-laminin-332 Autoantibodies. <i>Acta Dermato-Venereologica</i> , 2015, 95, 359-360.	1.3	8
45	Real-world safety and effectiveness of adalimumab in patients with hidradenitis suppurativa: 12-week interim analysis of post-marketing surveillance in Japan. <i>Journal of Dermatology</i> , 2022, 49, 411-421.	1.2	8
46	Gold activates mast cells via calcium influx through multiple H ₂ O ₂ -sensitive pathways including L-type calcium channels. <i>Free Radical Biology and Medicine</i> , 2011, 50, 1417-1428.	2.9	7
47	Non-promoter hypermethylation of zygote arrest 1 (ZAR1) in human brain tumors. <i>Brain Tumor Pathology</i> , 2011, 28, 199-202.	1.7	7
48	Dermatofibrosarcoma Protuberans on the Chest with a Variety of Clinical Features Masquerading as a Keloid: Is the Disease Really Protuberant?. <i>Annals of Dermatology</i> , 2014, 26, 643.	0.9	7
49	A Case of Sporotrichosis Caused by <i>Sporothrix globosa</i> in Japan. <i>Annals of Dermatology</i> , 2016, 28, 251.	0.9	7
50	Safety of Ixekizumab in Adult Patients with Moderate-to-Severe Psoriasis: Data from 17 Clinical Trials with Over 18,000 Patient-Years of Exposure. <i>Dermatology and Therapy</i> , 2022, 12, 1431-1446.	3.0	7
51	A novel splicing variant of CADM2 as a protective transcript of psoriasis. <i>Biochemical and Biophysical Research Communications</i> , 2011, 412, 626-632.	2.1	6
52	Differentiation and Apoptosis in Pilomatrixoma. <i>American Journal of Dermatopathology</i> , 2011, 33, 60-64.	0.6	6
53	A Case of Cutaneous Mastocytosis in a Child with Prominent Langerhans Cell Infiltration. <i>Pediatric Dermatology</i> , 2011, 28, 412-415.	0.9	6
54	Improvement of crow's feet lines by topical application of 1-carbamimidoyl-L-proline (CLP). <i>European Journal of Dermatology</i> , 2013, 23, 195-201.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Quantitative Analysis of Formaldehyde-induced Fluorescence in Paraffin-embedded Specimens of Malignant Melanomas and Other Melanocytic Lesions. <i>Acta Dermato-Venereologica</i> , 2016, 96, 309-313.	1.3	5
56	Infantile linear IgA/IgG bullous dermatosis. <i>European Journal of Dermatology</i> , 2016, 26, 96-98.	0.6	5
57	Case of anaphylaxis due to carmellose sodium. <i>Journal of Dermatology</i> , 2020, 47, e15-e17.	1.2	5
58	Guselkumab improves joint pain in patients with pustulotic arthro-osteitis: A retrospective pilot study. <i>Journal of Dermatology</i> , 2021, 48, 199-202.	1.2	5
59	Serum level of hemokinin-1 is significantly lower in patients with chronic spontaneous urticaria than in healthy subjects. <i>Allergology International</i> , 2021, 70, 480-488.	3.3	4
60	Electron microscopic observation of cholesterolic fibrous histiocytoma of the finger. <i>Journal of Dermatology</i> , 2015, 42, 923-924.	1.2	3
61	Overall Impairment of Quality of Life in Japanese Patients with Hidradenitis Suppurativa: Comparison with National Standard. <i>Acta Dermato-Venereologica</i> , 2021, 102, adv00632.	1.3	3
62	FcR γ promotes contact hypersensitivity to oxazolone without affecting the contact sensitisation process in B6 mice. <i>Experimental Dermatology</i> , 2015, 24, 204-208.	2.9	2
63	Case of localized cutaneous nocardiosis caused by <i>Nocardia cyriacigeorgica</i> . <i>Journal of Dermatology</i> , 2019, 46, e452-e454.	1.2	2
64	A case of contact dermatitis caused by a polyurethane hot melt adhesive. <i>Contact Dermatitis</i> , 2019, 81, 389-391.	1.4	2
65	Erythematous lesion with peripheral purpura on the face. <i>Clinical and Experimental Dermatology</i> , 2019, 44, 428-431.	1.3	2
66	Rapid recurrence of dermatofibrosarcoma protuberans after initiation of adalimumab therapy in a patient with ankylosing spondylitis. <i>Journal of Dermatology</i> , 2020, 47, e244-e246.	1.2	2
67	Patients who have anti-Fc μ RI nonreactive basophils do not represent patients with severe chronic spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 824-825.e2.	3.8	2
68	Disseminated <i>Mycobacterium massiliense</i> skin infection in an immunocompromised patient requiring long-term treatment. <i>Journal of Dermatology</i> , 2021, 48, e201-e202.	1.2	2
69	Autoantibodies against multiple epitopes in bp180 and laminin gamma-1 in subepidermal blistering skin disease associated with psoriatic erythroderma. <i>Indian Journal of Dermatology</i> , 2015, 60, 521.	0.3	2
70	Case of anaphylaxis due to lotus root. <i>Journal of Dermatology</i> , 2020, 47, e227-e228.	1.2	1
71	Mucosa-predominant pemphigus vulgaris with anti-desmocollin 2 and 3 antibody positivity and ocular symptoms. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1590-1592.	1.3	1
72	Retrospective study of the differences in the management for pustulotic arthro-osteitis in patients with palmoplantar pustulosis between dermatologists and rheumatologists. <i>Journal of Dermatology</i> , 2021, 48, e551-e553.	1.2	1

#	ARTICLE	IF	CITATIONS
73	Aggressive CD4 ⁺ CD8 ⁺ CD45RA ⁺ CCR10 ⁺ Primary Cutaneous Peripheral T-cell Lymphoma, Not Otherwise Specified: A Case Report. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1176-1177.	1.3	1
74	Verrucous nevoid melanoma with satellite lesions on the scalp of a young man. <i>International Journal of Dermatology</i> , 2015, 54, 1291-1293.	1.0	0
75	Treatment of murine mast cells with IgE ⁺ and protein L enhances apoptotic cell death induced by IL-3 withdrawal. <i>Biochemical and Biophysical Research Communications</i> , 2015, 456, 700-705.	2.1	0
76	Disulfide-linked dimerization of the FcγR ³ chain is required for positive and negative regulation of mast cell activation via FcμRI. <i>Allergy International</i> , 2017, 66, S41-S43.	3.3	0
77	Leiomyomatosis developed in a patient of neurofibromatosis type 1 with fumarate hydratase gene mutation. <i>Journal of Dermatology</i> , 2019, 46, e456-e457.	1.2	0
78	Successful treatment of intractable chronic spontaneous urticaria with omalizumab in a patient with ovarian cancer. <i>European Journal of Dermatology</i> , 2021, 31, 100-101.	0.6	0
79	Peripheral arthritis presenting pencil ⁺ deformity in a patient with palmoplantar pustulosis. <i>Journal of Dermatology</i> , 2021, 48, e612-e613.	1.2	0
80	Pathogenesis of Psoriasis Vulgaris (the second part). <i>Nishinohon Journal of Dermatology</i> , 2006, 68, 527-531.	0.0	0
81	Pathogenesis of Psoriasis Vulgaris (the third part). <i>Nishinohon Journal of Dermatology</i> , 2006, 68, 656-664.	0.0	0
82	Benefit of Proactive Therapy Using Topical Steroid for Atopic Dermatitis. <i>Nishinohon Journal of Dermatology</i> , 2014, 76, 598-605.	0.0	0
83	Mechanisms of Action, Efficacy and Side Effects of Nivolumab and Its Therapeutic Use at Itabashi Hospital, Nihon University School of Medicine. <i>Journal of the Nihon University Medical Association</i> , 2016, 75, 156-160.	0.0	0
84	English version of guidelines for the management of asteatosis 2021 in Japan. <i>Journal of Dermatology</i> , 2022, 49, .	1.2	0