

Jo Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2527347/publications.pdf>

Version: 2024-02-01

34
papers

2,408
citations

471477

17
h-index

414395

32
g-index

39
all docs

39
docs citations

39
times ranked

2656
citing authors

#	ARTICLE	IF	CITATIONS
1	The Social Functioning Scale the Development and Validation of a New Scale of Social Adjustment for use in Family Intervention Programmes with Schizophrenic Patients. <i>British Journal of Psychiatry</i> , 1990, 157, 853-859.	2.8	957
2	Predicting relapse in schizophrenia: the development and implementation of an early signs monitoring system using patients and families as observers, a preliminary investigation. <i>Psychological Medicine</i> , 1989, 19, 649-656.	4.5	317
3	BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. <i>Journal of Psychopharmacology</i> , 2016, 30, 717-748.	4.0	200
4	First episode psychosis and employment: A review. <i>International Review of Psychiatry</i> , 2010, 22, 148-162.	2.8	174
5	Relatives and Patients as Partners in the Management of Schizophrenia. <i>British Journal of Psychiatry</i> , 1990, 156, 654-660.	2.8	101
6	Specific and Non-specific Effects of Educational Intervention for Families Living with Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 160, 806-814.	2.8	100
7	The needs of high and low expressed emotion families: a normative approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993, 28, 11-16.	3.1	55
8	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020, 7, 788-800.	7.4	51
9	Layers of listening: Qualitative analysis of the impact of early intervention services for first-episode psychosis on carers' experiences. <i>British Journal of Psychiatry</i> , 2015, 207, 135-142.	2.8	47
10	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018, 12, 757-764.	1.7	44
11	Vocational rehabilitation in early psychosis: cluster randomised trial. <i>British Journal of Psychiatry</i> , 2014, 205, 145-150.	2.8	43
12	On the Edge: a drama-based mental health education programme on early psychosis for schools. <i>Microbial Biotechnology</i> , 2007, 1, 168-176.	1.7	34
13	Psycho-educational groups for people with a dual diagnosis of psychosis and mild intellectual disability. <i>Journal of Intellectual Disabilities</i> , 2008, 12, 25-39.	1.4	30
14	The economic impact of early intervention in psychosis services for children and adolescents. <i>Microbial Biotechnology</i> , 2013, 7, 368-373.	1.7	27
15	Informing people with schizophrenia about their illness: The effect of residual symptoms. <i>Journal of Mental Health</i> , 1992, 1, 61-70.	1.9	26
16	Audit of early intervention in psychosis service development in England in 2005. <i>Psychiatric Bulletin</i> , 2007, 31, 7-10.	0.3	21
17	Web-based indicated prevention of common mental disorders in university students in four European countries – Study protocol for a randomised controlled trial. <i>Internet Interventions</i> , 2019, 16, 35-42.	2.7	19
18	Cardiometabolic Risk in First Episode Psychosis Patients. <i>Frontiers in Endocrinology</i> , 2020, 11, 564240.	3.5	19

#	ARTICLE	IF	CITATIONS
19	Is It Ever Too Late to Learn? Information Provision to Relatives of Long-term Schizophrenia Sufferers. Behavioural and Cognitive Psychotherapy, 1991, 19, 305-320.	1.2	15
20	Early intervention in psychosis: a rural perspective. Journal of Psychiatric and Mental Health Nursing, 2007, 14, 203-208.	2.1	14
21	Implementation of A Relativesâ€™ Toolkit (IMPART study): an iterative case study to identify key factors impacting on the implementation of a web-based supported self-management intervention for relatives of people with psychosis or bipolar experiences in a National Health Service: a study protocol. Implementation Science, 2017, 12, 152.	6.9	12
22	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). Trials, 2019, 20, 395.	1.6	11
23	Early Intervention in Psychosis: Effectiveness and Implementation of a Combined Exercise and Health Behavior Intervention Within Routine Care. Frontiers in Endocrinology, 2020, 11, 577691.	3.5	11
24	What Is the Experience of Practitioners in Health, Education or Social Care Roles Following a Death by Suicide? A Qualitative Research Synthesis. International Journal of Environmental Research and Public Health, 2019, 16, 3293.	2.6	10
25	A randomized controlled trial of comprehensive early intervention care in patients with first-episode psychosis in Japan: 1.5-year outcomes from the J-CAP study. Journal of Psychiatric Research, 2018, 102, 136-141.	3.1	8
26	Lived experiences of negative symptoms in first-episode psychosis: A qualitative secondary analysis. Microbial Biotechnology, 2019, 13, 773-779.	1.7	8
27	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. Microbial Biotechnology, 2021, 15, 723-730.	1.7	8
28	Bearing witness: A grounded theory of the experiences of staff at two United Kingdom Higher Education Institutions following a student death by suicide. PLoS ONE, 2021, 16, e0251369.	2.5	8
29	Implementation of An online Relativesâ€™ Toolkit for psychosis or bipolar (IMPART study): iterative multiple case study to identify key factors impacting on staff uptake and use. BMC Health Services Research, 2020, 20, 219.	2.2	7
30	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. Health Technology Assessment, 2021, 25, 1-124.	2.8	7
31	An online supported self-management toolkit for relatives of people with psychosis or bipolar experiences: the IMPART multiple case study. Health Services and Delivery Research, 2020, 8, 1-248.	1.4	4
32	Predicting and controlling relapse in schizophrenia: early signs monitoring. , 1992, , 293-308.		3
33	Examining the effects of national initiatives to improve the physical health of people with psychosis in England: secondary analysis of data from the National Clinical Audit of Psychosis. BJPsych Bulletin, 2021, , 1-8.	1.1	2
34	A comparison of the National Clinical Audit of Psychosis 2019/2020 standards and First Episode Psychosis Services Fidelity Scale 1.0. Microbial Biotechnology, 2022, 16, 1028-1035.	1.7	1