## **Rong-Fang Horng**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2527719/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Hydrogen-rich gas with low-level CO produced with autothermal methanol reforming providing a real-time supply used to drive a kW-scale PEMFC system. Energy, 2022, 239, 122267.   | 8.8  | 16        |
| 2  | Influence of necking configuration of a methanol steam reformer on catalyst amount and reforming performance. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2019, , 1-22.  | 2.3  | 2         |
| 3  | Performance enhancement of a plate methanol steam reformer by ribs installed in the reformer channel. Energy, 2019, 167, 588-601.   | 8.8  | 10        |
| 4  | Effect of a diffuser on performance enhancement of a cylindrical methanol steam reformer by computational fluid dynamic analysis. Applied Energy, 2017, 206, 312-328.   | 10.1 | 19        |
| 5  | Numerical analysis of performance enhancement and non-isothermal reactant transport of a<br>cylindrical methanol reformer wrapped with a porous sheath under steam reforming. International<br>Journal of Hydrogen Energy, 2017, 42, 24372-24392. | 7.1  | 13        |
| 6  | Experimental study of syngas production from methane dry reforming with heat recovery strategy.<br>International Journal of Hydrogen Energy, 2017, 42, 25213-25224.   | 7.1  | 26        |
| 7  | Study on the operating range for syngas production by oxidation dry reforming of biogas. , 2016, , .  |      | 0         |
| 8  | Investigation on the hydrogen production by methanol steam reforming with engine exhaust heat recovery strategy. International Journal of Hydrogen Energy, 2016, 41, 4957-4968.   | 7.1  | 48        |
| 9  | Investigation of rapid-starting strategy of cold start processing on porous medium-catalyst hybrid reformer. International Journal of Hydrogen Energy, 2015, 40, 11228-11234.   | 7.1  | 4         |
| 10 | The infrared thermograph observation of a porous medium assisted catalyst packed-bed under excess enthalpy reforming. International Journal of Hydrogen Energy, 2014, 39, 18612-18617.  | 7.1  | 3         |
| 11 | Numerical predictions of design and operating parameters of reformer on the fuel conversion and CO production for the steam reforming of methanol. International Journal of Hydrogen Energy, 2013, 38, 840-852.                                   | 7.1  | 23        |
| 12 | Determination of the operating range of CO2 conversion and syngas production in dry auto-thermal reforming. International Journal of Hydrogen Energy, 2013, 38, 5705-5712.  | 7.1  | 13        |
| 13 | Effects of reaction chamber geometry on the performance and heat/mass transport phenomenon for a cylindrical methanol steam reformer. Applied Energy, 2013, 103, 317-327.   | 10.1 | 20        |
| 14 | Dry autothermal reforming from biomass derived gas under excess enthalpy with porous medium.<br>Journal of Power Sources, 2012, 217, 407-416.   | 7.8  | 10        |
| 15 | Experimental Study on the Performance of Oxidative Dry Reforming from Simulated Biogas. Energy Procedia, 2012, 29, 225-233.   | 1.8  | 16        |
| 16 | Study on hydrogen-rich syngas production by dry autothermal reforming from biomass derived gas.<br>International Journal of Hydrogen Energy, 2012, 37, 9619-9629.   | 7.1  | 16        |
| 17 | Reforming performance of a plasma-catalyst hybrid converter using low carbon fuels. Energy Conversion and Management, 2009, 50, 2632-2637.  | 9.2  | 11        |
| 18 | Plasma-assisted catalytic reforming of propane and an assessment of its applicability on vehicles.<br>International Journal of Hydrogen Energy, 2009, 34, 6280-6289.  | 7.1  | 14        |

**Rong-Fang Horng** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A study of the hydrogen production from a small plasma converter. Fuel, 2007, 86, 81-89.   | 6.4 | 23        |
| 20 | Carbon deposit growth on the electrodes of a plasma converter in the generation of hydrogen from methane. International Journal of Hydrogen Energy, 2006, 31, 2040-2051.   | 7.1 | 6         |
| 21 | Cold start response of a small methanol reformer by partial oxidation reforming of hydrogen for fuel cell. Applied Thermal Engineering, 2006, 26, 1115-1124.   | 6.0 | 11        |
| 22 | Characteristics of hydrogen produced by partial oxidation and auto-thermal reforming in a small methanol reformer. Journal of Power Sources, 2006, 161, 1225-1233.   | 7.8 | 23        |
| 23 | Investigation on the production of hydrogen rich gas in a plasma converter for motorcycle applications. Energy Conversion and Management, 2006, 47, 2155-2166.   | 9.2 | 17        |
| 24 | Transient behaviour of a small methanol reformer for fuel cell during hydrogen production after cold start. Energy Conversion and Management, 2005, 46, 1193-1207.   | 9.2 | 22        |
| 25 | Effect of input energy on the cold start characteristics of an EHC with heat storing material on a motorcycle engine. Energy Conversion and Management, 2005, 46, 1043-1057.   | 9.2 | 5         |
| 26 | Effect of input energy on the emission of a motorcycle engine with an electrically heated catalyst in cold-start conditions. Applied Thermal Engineering, 2004, 24, 2017-2028.                                       | 6.0 | 11        |
| 27 | Effects of heating energy and heating position on the conversion characteristics of the catalyst of a four-stroke motorcycle engine in cold start conditions. Energy Conversion and Management, 2004, 45, 2113-2126. | 9.2 | 10        |
| 28 | Improvement of Irregular Combustion of Two-Stroke Engine by Skip Injection Control. , 0, , .   |     | 7         |
| 29 | Effects of Exhaust Charge Control Valve on Combustion and Emissions of Two-Stroke Cycle<br>Direct-Injection S.I. Engine. , 0, , .  |     | 3         |