Bradford A Moffat

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2527976/bradford-a-moffat-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,958 69 102 34 h-index g-index citations papers 106 5.8 4.87 5,430 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
102	A thalamo-centric neural signature for restructuring negative self-beliefs <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
101	Relating the cortical visual contrast gain response to spectroscopy-measured excitatory and inhibitory metabolites in people who experience migraine <i>PLoS ONE</i> , 2022 , 17, e0266130	3.7	О
100	NIMG-49. A PROSPECTIVE, MULTI-CENTRE TRIAL OF FET-PET IN GLIOBLASTOMA PATIENTS - THE TROG 18.06 FIG STUDY: KEY ASPECTS OF IMAGING AND RADIATION ONCOLOGY CREDENTIALING. <i>Neuro-Oncology</i> , 2021 , 23, vi140-vi140	1	
99	Neural mediators of subjective and autonomic responding during threat learning and regulation. <i>NeuroImage</i> , 2021 , 245, 118643	7.9	2
98	QSMART: Quantitative susceptibility mapping artifact reduction technique. <i>Neurolmage</i> , 2021 , 231, 117	7701	3
97	Study protocol for a phase II randomised, double-blind, placebo-controlled trial of perampanel as an antiepileptogenic treatment following acute stroke. <i>BMJ Open</i> , 2021 , 11, e043488	3	О
96	7T Magnetic Resonance Imaging Quantification of Brain Glutamate in Acute Ischaemic Stroke. Journal of Stroke, 2021 , 23, 281-284	5.6	2
95	MR-EYE: High-Resolution MRI of the Human Eye and Orbit at Ultrahigh Field (7T). <i>Magnetic Resonance Imaging Clinics of North America</i> , 2021 , 29, 103-116	1.6	6
94	Ultra-high-field MRI using composite RF (STEP) pulses. <i>NMR in Biomedicine</i> , 2021 , 34, e4445	4.4	1
93	Ultra-High Field Magnetic Resonance Imaging of the Retrobulbar Optic Nerve, Subarachnoid Space, and Optic Nerve Sheath in Emmetropic and Myopic Eyes. <i>Translational Vision Science and Technology</i> , 2021 , 10, 8	3.3	1
92	Systematic Review: Quantitative Susceptibility Mapping (QSM) of Brain Iron Profile in Neurodegenerative Diseases. <i>Frontiers in Neuroscience</i> , 2021 , 15, 618435	5.1	14
91	xQSM: quantitative susceptibility mapping with octave convolutional and noise-regularized neural networks. <i>NMR in Biomedicine</i> , 2021 , 34, e4461	4.4	8
90	Ultrahigh field brain magnetic resonance imaging using semiadiabatic radiofrequency pulses <i>NMR</i> in Biomedicine, 2021 , e4672	4.4	
89	Dynamic Subcortical Modulators of Human Default Mode Network Function Cerebral Cortex, 2021,	5.1	2
88	Distinct Neural Correlates Underlie Inhibitory Mechanisms of Motor Inhibition and Motor Imagery Restraint. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 77	3.5	2
87	OnabotulinumtoxinA treatment for MS-tremor modifies fMRI tremor response in central sensory-motor integration areas. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 40, 101984	4	2
86	Resting-state functional connectivity and quantitation of glutamate and GABA of the PCC/precuneus by magnetic resonance spectroscopy at 7T in healthy individuals. <i>PLoS ONE</i> , 2020 , 15, e0244491	3.7	3

(2018-2020)

85	Compressed sensing effects on quantitative analysis of undersampled human brain sodium MRI. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1025-1033	4.4	5
84	Reproducibility of Glutamate, Glutathione, and GABA Measurements by Single-Voxel STEAM Magnetic Resonance Spectroscopy at 7-Tesla in Healthy Individuals. <i>Frontiers in Neuroscience</i> , 2020 , 14, 566643	5.1	5
83	Seven-tesla quantitative magnetic resonance spectroscopy of glutamate, Elaminobutyric acid, and glutathione in the posterior cingulate cortex/precuneus in patients with epilepsy. <i>Epilepsia</i> , 2020 , 61, 2785-2794	6.4	9
82	Functional neuroplasticity in response to cerebello-thalamic injury underpins the clinical presentation of tremor in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 696-705	5	7
81	Extracting more for less: multi-echo MP2RAGE for simultaneous T -weighted imaging, T mapping, mapping, SWI, and QSM from a single acquisition. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1178-1191	4.4	12
80	Glutamate weighted imaging contrast in gliomas with 7 Tesla magnetic resonance imaging. <i>NeuroImage: Clinical</i> , 2019 , 22, 101694	5.3	31
79	Zero-gradient-excitation ramped hybrid encoding (zG -RHE) sodium MRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1172-1180	4.4	5
78	An Objective Measurement of Lacunar Infarct Location from the Middle Cerebral Artery Stem. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 599-605	2.8	
77	Spatially dynamic recurrent information flow across long-range dorsal motor network encodes selective motor goals. <i>Human Brain Mapping</i> , 2018 , 39, 2635-2650	5.9	7
76	Nano-assemblies of cationic mPEG brush block copolymers with gadolinium polyoxotungstate [Gd(WO)] form stable, high relaxivity MRI contrast agents. <i>Nanoscale</i> , 2018 , 10, 7270-7280	7.7	7
75	Emotional reactivity following surgery to the prefrontal cortex. <i>Journal of Neuropsychology</i> , 2018 , 12, 120-141	2.6	11
74	7T-fMRI: Faster temporal resolution yields optimal BOLD sensitivity for functional network imaging specifically at high spatial resolution. <i>NeuroImage</i> , 2018 , 164, 214-229	7.9	19
73	3D-multi-echo radial imaging of Na (3D-MERINA) for time-efficient multi-parameter tissue compartment mapping. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1950-1961	4.4	15
72	Optimized partial-coverage functional analysis pipeline (OPFAP): a semi-automated pipeline for skull stripping and co-registration of partial-coverage, ultra-high-field functional images. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018 , 31, 621-632	2.8	3
71	A tunable one-pot three-component synthesis of an 125I and Gd-labelled star polymer nanoparticle for hybrid imaging with MRI and nuclear medicine. <i>Polymer Chemistry</i> , 2018 , 9, 3528-3535	4.9	6
70	Comparison between site and central radiological assessments for patients with recurrent glioblastoma on a clinical trial. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, e359-e365	1.9	
69	Feasibility of identifying the ideal locations for motor intention decoding using unimodal and multimodal classification at 7T-fMRI. <i>Scientific Reports</i> , 2018 , 8, 15556	4.9	3
68	Novel Functional MRI Task for Studying the Neural Correlates of Upper Limb Tremor. <i>Frontiers in Neurology</i> , 2018 , 9, 513	4.1	5

67	Early perfusion MRI predicts survival outcome in patients with recurrent glioblastoma treated with bevacizumab and carboplatin. <i>Journal of Neuro-Oncology</i> , 2017 , 131, 321-329	4.8	13
66	Technologies for Advanced Gait and Balance Assessments in People with Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2017 , 8, 708	4.1	35
65	Tremor in multiple sclerosis is associated with cerebello-thalamic pathology. <i>Journal of Neural Transmission</i> , 2017 , 124, 1509-1514	4.3	16
64	Dual-modality NIRF-MRI cubosomes and hexosomes: High throughput formulation and in vivo biodistribution. <i>Materials Science and Engineering C</i> , 2017 , 71, 584-593	8.3	46
63	Gadolinium-functionalized nanoparticles for application as magnetic resonance imaging contrast agents via polymerization-induced self-assembly. <i>Polymer Chemistry</i> , 2016 , 7, 7325-7337	4.9	49
62	Minimally invasive endovascular stent-electrode array for high-fidelity, chronic recordings of cortical neural activity. <i>Nature Biotechnology</i> , 2016 , 34, 320-7	44.5	127
61	Association between baseline peri-infarct magnetic resonance spectroscopy and regional white matter atrophy after stroke. <i>Neuroradiology</i> , 2016 , 58, 3-10	3.2	6
60	Development and Implementation of a Corriedale Ovine Brain Atlas for Use in Atlas-Based Segmentation. <i>PLoS ONE</i> , 2016 , 11, e0155974	3.7	8
59	Assessment of Optic Pathway Structure and Function in Patients With Compression of the Optic Chiasm: A Correlation With Optical Coherence Tomography 2016 , 57, 3884-90		15
58	Development of representative magnetic resonance imaging-based atlases of the canine brain and evaluation of three methods for atlas-based segmentation. <i>American Journal of Veterinary Research</i> , 2016 , 77, 395-403	1.1	9
57	A novel literature-based approach to identify genetic and molecular predictors of survival in glioblastoma multiforme: Analysis of 14,678 patients using systematic review and meta-analytical tools. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 785-99	2.2	25
56	Contralesional thalamic surface atrophy and functional disconnection 3 months after ischemic stroke. <i>Cerebrovascular Diseases</i> , 2015 , 39, 232-41	3.2	20
55	Know your toolsconcordance of different methods for measuring brain volume change after ischemic stroke. <i>Neuroradiology</i> , 2015 , 57, 685-95	3.2	6
54	Preoperative biomarkers of tumour vascularity are elevated in patients with glioblastoma multiforme. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 1802-8	2.2	3
53	Alterations in dorsal and ventral posterior cingulate connectivity in APOE 4 carriers at risk of Alzheimer disease. <i>BJPsych Open</i> , 2015 , 1, 139-148	5	4
52	Semi-automated hippocampal segmentation in people with cognitive impairment using an age appropriate template for registration. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1631-8	5.6	7
51	Colloidally stabilized magnetic carbon nanotubes providing MRI contrast in mouse liver tumors. <i>Biomacromolecules</i> , 2015 , 16, 790-7	6.9	15
50	Probabilistic MRI tractography of the optic radiation using constrained spherical deconvolution: a feasibility study. <i>PLoS ONE</i> , 2015 , 10, e0118948	3.7	21

(2009-2014)

49	Glutamate quantification in patients with supratentorial gliomas using chemical shift imaging. <i>NMR in Biomedicine</i> , 2014 , 27, 570-7	4.4	7
48	Social cognition in patients following surgery to the prefrontal cortex. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 192-203	2.9	34
47	Nitroxide-loaded hexosomes provide MRI contrast in vivo. <i>Langmuir</i> , 2014 , 30, 8898-906	4	39
46	Water-dispersible magnetic carbon nanotubes as T2-weighted MRI contrast agents. <i>Biomaterials</i> , 2014 , 35, 378-86	15.6	51
45	IDH1 mutation is associated with seizures and protoplasmic subtype in patients with low-grade gliomas. <i>Epilepsia</i> , 2014 , 55, 1438-43	6.4	53
44	Tumour associated epilepsy and glutamate excitotoxicity in patients with gliomas. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 899-908	2.2	19
43	Mesoporous europo-gadolinosilicate nanoparticles as bimodal medical imaging agents and a potential theranostic platform. <i>Advanced Healthcare Materials</i> , 2013 , 2, 836-45	10.1	15
42	Mesoporous gadolino-aluminosilicate nanoparticles as magnetic resonance imaging contrast agents. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 1219-1222	7.3	6
41	Description of technique and lower reference limit for magnetic resonance imaging of hippocampal volumetry in dogs. <i>American Journal of Veterinary Research</i> , 2013 , 74, 224-31	1.1	23
40	Metal-free and MRI visible theranostic lyotropic liquid crystal nitroxide-based nanoparticles. <i>Biomaterials</i> , 2012 , 33, 2723-33	15.6	66
39	High-throughput preparation of hexagonally ordered mesoporous silica and gadolinosilicate nanoparticles for use as MRI contrast agents. <i>ACS Combinatorial Science</i> , 2012 , 14, 443-50	3.9	9
38	Cubic mesophase nanoparticles doped with superparamagnetic iron oxide nanoparticles: a new class of MRI contrast agent. <i>RSC Advances</i> , 2012 , 2, 6655	3.7	17
37	Comparative Study of the Magnetic Behavior of Spherical and Cubic Superparamagnetic Iron Oxide Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 327-334	3.8	108
36	Evaluation of treatment-associated inflammatory response on diffusion-weighted magnetic resonance imaging and 2-[18F]-fluoro-2-deoxy-D-glucose-positron emission tomography imaging biomarkers. <i>Clinical Cancer Research</i> , 2010 , 16, 1542-52	12.9	21
35	Substantiating in vivo magnetic brain tumor targeting of cationic iron oxide nanocarriers via adsorptive surface masking. <i>Biomaterials</i> , 2009 , 30, 6780-7	15.6	44
34	Combinatorial Discovery of Novel Amphiphilic Polymers for the Phase Transfer of Magnetic Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 16615-16624	3.8	25
33	A feasibility study of parametric response map analysis of diffusion-weighted magnetic resonance imaging scans of head and neck cancer patients for providing early detection of therapeutic efficacy. <i>Translational Oncology</i> , 2009 , 2, 184-90	4.9	124
32	Advanced MRI: translation from animal to human in brain tumor research. <i>Neuroimaging Clinics of North America</i> , 2009 , 19, 517-26	3	6

31	Diffusion magnetic resonance imaging: an imaging treatment response biomarker to chemoradiotherapy in a mouse model of squamous cell cancer of the head and neck. <i>Translational Oncology</i> , 2008 , 1, 187-94	4.9	41
30	Iron oxide nanoparticles as a drug delivery vehicle for MRI monitored magnetic targeting of brain tumors. <i>Biomaterials</i> , 2008 , 29, 487-96	15.6	710
29	Magnetization transfer effects on the efficiency of flow-driven adiabatic fast passage inversion of arterial blood. <i>NMR in Biomedicine</i> , 2007 , 20, 733-42	4.4	11
28	Prospective early response imaging biomarker for neoadjuvant breast cancer chemotherapy. <i>Clinical Cancer Research</i> , 2007 , 13, 443-50	12.9	77
27	An imaging biomarker of early treatment response in prostate cancer that has metastasized to the bone. <i>Cancer Research</i> , 2007 , 67, 3524-8	10.1	60
26	Dynamic imaging of emerging resistance during cancer therapy. <i>Cancer Research</i> , 2006 , 66, 4687-92	10.1	50
25	Inhibition of vascular endothelial growth factor (VEGF)-A causes a paradoxical increase in tumor blood flow and up-regulation of VEGF-D. <i>Clinical Cancer Research</i> , 2006 , 12, 1525-32	12.9	41
24	The functional diffusion map: an imaging biomarker for the early prediction of cancer treatment outcome. <i>Neoplasia</i> , 2006 , 8, 259-67	6.4	159
23	Vascular targeted nanoparticles for imaging and treatment of brain tumors. <i>Clinical Cancer Research</i> , 2006 , 12, 6677-86	12.9	431
22	A Methodology for Registration of a Histological Slide and In Vivo MRI Volume Based on Optimizing Mutual Information. <i>Molecular Imaging</i> , 2006 , 5, 7290.2006.00002	3.7	52
21	Fusion of the HSV-1 tegument protein vp22 to cytosine deaminase confers enhanced bystander effect and increased therapeutic benefit. <i>Gene Therapy</i> , 2006 , 13, 127-37	4	35
20	A methodology for registration of a histological slide and in vivo MRI volume based on optimizing mutual information. <i>Molecular Imaging</i> , 2006 , 5, 16-23	3.7	28
19	High-throughput magnetic resonance imaging in mice for phenotyping and therapeutic evaluation. <i>Current Opinion in Chemical Biology</i> , 2005 , 9, 413-20	9.7	26
18	Multifunctional nanoparticle platforms for in vivo MRI enhancement and photodynamic therapy of a rat brain cancer. <i>Journal of Magnetism and Magnetic Materials</i> , 2005 , 293, 404-410	2.8	159
17	Continuous arterial spin labeling using a train of adiabatic inversion pulses. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 290-6	5.6	32
16	Intratumoral injection of BCNU in ethanol (DTI-015) results in enhanced delivery to tumora pharmacokinetic study. <i>Journal of Neuro-Oncology</i> , 2005 , 73, 225-38	4.8	17
15	Evaluation of the functional diffusion map as an early biomarker of time-to-progression and overall survival in high-grade glioma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16759-64	11.5	253
14	Functional diffusion map: a noninvasive MRI biomarker for early stratification of clinical brain tumor response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 5524-9	11.5	536

LIST OF PUBLICATIONS

13	Development of a syngeneic rat brain tumor model expressing EGFRvIII and its use for molecular targeting studies with monoclonal antibody L8A4. <i>Clinical Cancer Research</i> , 2005 , 11, 341-50	12.9	39
12	Therapeutic efficacy of DTI-015 using diffusion magnetic resonance imaging as an early surrogate marker. <i>Clinical Cancer Research</i> , 2004 , 10, 7852-9	12.9	7 ²
11	The use of 19F spectroscopy and diffusion-weighted MRI to evaluate differences in gene-dependent enzyme prodrug therapies. <i>Molecular Therapy</i> , 2004 , 10, 916-28	11.7	74
10	Diffusion imaging for evaluation of tumor therapies in preclinical animal models. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2004 , 17, 249-59	2.8	99
9	A novel polyacrylamide magnetic nanoparticle contrast agent for molecular imaging using MRI. <i>Molecular Imaging</i> , 2003 , 2, 324-32	3.7	120
8	Evaluation of cancer therapy using diffusion magnetic resonance imaging. <i>Molecular Cancer Therapeutics</i> , 2003 , 2, 581-7	6.1	169
7	The interpretation of multi-exponential water proton transverse relaxation in the human and porcine eye lens. <i>Magnetic Resonance Imaging</i> , 2002 , 20, 83-93	3.3	11
6	Explanation of the lens paradox. <i>Optometry and Vision Science</i> , 2002 , 79, 148-50	2.1	31
5	Anisotropic water transport in the human eye lens studied by diffusion tensor NMR micro-imaging. <i>Experimental Eye Research</i> , 2002 , 74, 677-87	3.7	45
4	Age-related changes in refractive index distribution and power of the human lens as measured by magnetic resonance micro-imaging in vitro. <i>Vision Research</i> , 2002 , 42, 1683-93	2.1	91
3	Age-related changes of the refractive index of the crystalline lens. Vision Research, 2002, 42, 2809	2.1	2
2	Diffusion MRI: a new strategy for assessment of cancer therapeutic efficacy. <i>Molecular Imaging</i> , 2002 , 1, 336-43	3.7	103
1	Age-related changes in the kinetics of water transport in normal human lenses. <i>Experimental Eye Research</i> , 1999 , 69, 663-9	3.7	93