

Ming Xiao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/252866/ming-xiao-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

3,132
citations

32
h-index

53
g-index

104
ext. papers

3,956
ext. citations

5.4
avg, IF

5.29
L-index

#	Paper	IF	Citations
92	Aquaporin 4 deficiency eliminates the beneficial effects of voluntary exercise in a mouse model of Alzheimer's disease.. <i>Neural Regeneration Research</i> , 2022 , 17, 2079-2088	4.5	1
91	Effect of 3-Month Aerobic Dance on Hippocampal Volume and Cognition in Elderly People With Amnesic Mild Cognitive Impairment: A Randomized Controlled Trial.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 771413	5.3	0
90	Combination of repetitive transcranial magnetic stimulation and treadmill training reduces hyperreflexia by rebalancing motoneuron excitability in rats after spinal cord contusion.. <i>Neuroscience Letters</i> , 2022 , 136536	3.3	0
89	The Feasibility of Targeted Magnetic Iron Oxide Nanoagent for Noninvasive IgA Nephropathy Diagnosis.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 755692	5.8	0
88	Systemic inflammasome activation and pyroptosis associate with the progression of amnesic mild cognitive impairment and Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2021 , 18, 280	10.1	5
87	Increased endogenous reactive oxygen species normalizes proliferation defects of Bmi1 heterozygous knockout neural stem cells. <i>NeuroReport</i> , 2021 , 32, 1388-1394	1.7	
86	Effects of Repetitive Transcranial Magnetic Stimulation (rTMS) and Treadmill Training on Recovery of Motor Function in a Rat Model of Partial Spinal Cord Injury. <i>Medical Science Monitor</i> , 2021 , 27, e931601	3.2	0
85	Single-molecule telomere length characterization by optical mapping in nano-channel array: Perspective and review on telomere length measurement. <i>Environmental Toxicology and Pharmacology</i> , 2021 , 82, 103562	5.8	0
84	Gait Kinematic and Kinetic Characteristics of Older Adults With Mild Cognitive Impairment and Subjective Cognitive Decline: A Cross-Sectional Study. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 664558	5.3	1
83	Home quarantine or centralized quarantine, which is more conducive to fighting COVID-19 pandemic?. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 142-143	16.6	17
82	Pyridoxine induces glutathione synthesis via PKM2-mediated Nrf2 transactivation and confers neuroprotection. <i>Nature Communications</i> , 2020 , 11, 941	17.4	36
81	Aquaporin 4 knockout increases complete Freund's adjuvant-induced spinal central sensitization. <i>Brain Research Bulletin</i> , 2020 , 156, 58-66	3.9	3
80	Microglia prevent beta-amyloid plaque formation in the early stage of an Alzheimer's disease mouse model with suppression of glymphatic clearance. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 125	9	18
79	Baicalein Attenuates Neuroinflammation by Inhibiting NLRP3/caspase-1/GSDMD Pathway in MPTP Induced Mice Model of Parkinson's Disease. <i>International Journal of Neuropsychopharmacology</i> , 2020 ,	5.8	33
78	Aquaporin 4 deletion exacerbates brain impairments in a mouse model of chronic sleep disruption. <i>CNS Neuroscience and Therapeutics</i> , 2020 , 26, 228-239	6.8	17
77	Persistent Malfunction of Glymphatic and Meningeal Lymphatic Drainage in a Mouse Model of Subarachnoid Hemorrhage. <i>Experimental Neurobiology</i> , 2019 , 28, 104-118	4	48
76	Blocking meningeal lymphatic drainage aggravates Parkinson's disease-like pathology in mice overexpressing mutated β synuclein. <i>Translational Neurodegeneration</i> , 2019 , 8, 7	10.3	88

75	Evidence of Early Cretaceous lower arc crust delamination and its role in the opening of the South China Sea. <i>Gondwana Research</i> , 2019 , 76, 123-145	5.1	8
74	Exosome-mediated targeted delivery of miR-210 for angiogenic therapy after cerebral ischemia in mice. <i>Journal of Nanobiotechnology</i> , 2019 , 17, 29	9.4	87
73	Gas release systematics of mineral-hosted fluid inclusions during stepwise crushing: implications for ⁴⁰ Ar/ ³⁹ Ar geochronology of hydrothermal fluids. <i>Geochimica Et Cosmochimica Acta</i> , 2019 , 251, 36-55	5.5	10
72	Deep cervical lymph node ligation aggravates AD-like pathology of APP/PS1 mice. <i>Brain Pathology</i> , 2019 , 29, 176-192	6	54
71	IL-7 suppresses macrophage autophagy and promotes liver pathology in <i>Schistosoma japonicum</i> -infected mice. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 3353-3363	5.6	17
70	Enriched physical environment reverses spatial cognitive impairment of socially isolated APP ^{swe} /PS1 ^{dE9} transgenic mice before amyloidosis onset. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 202-211	6.8	6
69	Kir6.2 Deficiency Promotes Mesencephalic Neural Precursor Cell Differentiation via Regulating miR-133b/GDNF in a Parkinson's Disease Mouse Model. <i>Molecular Neurobiology</i> , 2018 , 55, 8550-8562	6.2	14
68	Astroglial water channel aquaporin 4-mediated glymphatic clearance function: A determined factor for time-sensitive treatment of aerobic exercise in patients with Alzheimer's disease. <i>Medical Hypotheses</i> , 2018 , 119, 18-21	3.8	13
67	Depressive- and anxiety-like phenotypes in young adult APP/PS1 transgenic mice with insensitivity to chronic mild stress. <i>Behavioural Brain Research</i> , 2018 , 353, 114-123	3.4	10
66	Exosomes: a novel therapeutic target for Alzheimer's disease?. <i>Neural Regeneration Research</i> , 2018 , 13, 930-935	4.5	32
65	Aquaporin-4-dependent glymphatic solute transport in the rodent brain. <i>ELife</i> , 2018 , 7,	8.9	206
64	Author response: Aquaporin-4-dependent glymphatic solute transport in the rodent brain 2018 ,		4
63	Differentiation of Transformed Bipolar Disorder From Unipolar Depression by Resting-State Functional Connectivity Within Reward Circuit. <i>Frontiers in Psychology</i> , 2018 , 9, 2586	3.4	26
62	Enriched Physical Environment Attenuates Spatial and Social Memory Impairments of Aged Socially Isolated Mice. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 1114-1127	5.8	14
61	Deletion of aquaporin-4 aggravates brain pathology after blocking of the meningeal lymphatic drainage. <i>Brain Research Bulletin</i> , 2018 , 143, 83-96	3.9	22
60	Effects of a specially designed aerobic dance routine on mild cognitive impairment. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1691-1700	4	41
59	Dopamine D2 receptor restricts astrocytic NLRP3 inflammasome activation via enhancing the interaction of E3 ubiquitin ligase and NLRP3. <i>Cell Death and Differentiation</i> , 2018 , 25, 2037-2049	12.7	63
58	Pro- and Anti-inflammatory Effects of High Cholesterol Diet on Aged Brain 2018 , 9, 374-390		15

57	Assessment of mouse cognitive and anxiety-like behaviors and hippocampal inflammation following a repeated and intermittent paradoxical sleep deprivation procedure. <i>Behavioural Brain Research</i> , 2017 , 321, 69-78	3.4	31
56	Aquaporins in Nervous System. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 969, 81-103	3.6	29
55	Early enriched physical environment reverses impairments of the hippocampus, but not medial prefrontal cortex, of socially-isolated mice. <i>Brain, Behavior, and Immunity</i> , 2017 , 64, 232-243	16.6	21
54	Chronic Cerebral Hypoperfusion Promotes Amyloid-Beta Pathogenesis via Activating β Secretases. <i>Neurochemical Research</i> , 2017 , 42, 3446-3455	4.6	22
53	Aquaporin 4 in Astrocytes is a Target for Therapy in Alzheimer's Disease. <i>Current Pharmaceutical Design</i> , 2017 , 23, 4948-4957	3.3	12
52	Oligodendrocytes and Alzheimer's disease. <i>International Journal of Neuroscience</i> , 2016 , 126, 97-104	2	64
51	Role of RAGE in Alzheimer's Disease. <i>Cellular and Molecular Neurobiology</i> , 2016 , 36, 483-95	4.6	152
50	Characterization of AD-like phenotype in aged APPSwe/PS1dE9 mice. <i>Age</i> , 2016 , 38, 303-322		39
49	AEG-1/MTDH-activated autophagy enhances human malignant glioma susceptibility to TGF- β -triggered epithelial-mesenchymal transition. <i>Oncotarget</i> , 2016 , 7, 13122-38	3.3	34
48	Ginkgolide B Protects Against Ischemic Stroke Via Modulating Microglia Polarization in Mice. <i>CNS Neuroscience and Therapeutics</i> , 2016 , 22, 729-39	6.8	56
47	Different Expression Patterns of Amyloid- β Protein Precursor Secretases in Human and Mouse Hippocampal Neurons: A Potential Contribution to Species Differences in Neuronal Susceptibility to Amyloid- β Pathogenesis. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 179-95	4.3	3
46	Fluoxetine protects against IL-1 β induced neuronal apoptosis via downregulation of p53. <i>Neuropharmacology</i> , 2016 , 107, 68-78	5.5	32
45	Activation of mTOR: a culprit of Alzheimer's disease?. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 1015-30	3.1	81
44	Isolation Housing Exacerbates Alzheimer's Disease-Like Pathophysiology in Aged APP/PS1 Mice. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18, pyu116	5.8	41
43	Deletion of aquaporin-4 in APP/PS1 mice exacerbates brain A β accumulation and memory deficits. <i>Molecular Neurodegeneration</i> , 2015 , 10, 58	19	191
42	Minocycline upregulates cyclic AMP response element binding protein and brain-derived neurotrophic factor in the hippocampus of cerebral ischemia rats and improves behavioral deficits. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 507-16	3.1	29
41	Cerebral small vessel disease and Alzheimer's disease. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1695-704	4	49
40	Administration of exogenous 1,25(OH) $_2$ D $_3$ normalizes overactivation of the central renin-angiotensin system in 1 α (OH)ase knockout mice. <i>Neuroscience Letters</i> , 2015 , 588, 184-9	3.3	22

39	Heterozygous knockout of the Bmi-1 gene causes an early onset of phenotypes associated with brain aging. <i>Age</i> , 2014 , 36, 129-39		11
38	Involvement of aquaporin 4 in astrocyte function and neuropsychiatric disorders. <i>CNS Neuroscience and Therapeutics</i> , 2014 , 20, 385-90	6.8	50
37	Dimethyl sulfoxide damages mitochondrial integrity and membrane potential in cultured astrocytes. <i>PLoS ONE</i> , 2014 , 9, e107447	3.7	96
36	An overview of the roles and responsibilities of Chinese medical colleges in body donation programs. <i>Anatomical Sciences Education</i> , 2014 , 7, 312-20	6.8	33
35	The influence of gender, age and treatment time on brain oxidative stress and memory impairment induced by D-galactose in mice. <i>Neuroscience Letters</i> , 2014 , 571, 45-9	3.3	40
34	Aquaporin-4 mitigates retrograde degeneration of rubrospinal neurons by facilitating edema clearance and glial scar formation after spinal cord injury in mice. <i>Molecular Neurobiology</i> , 2014 , 49, 1327-37	6.2	29
33	Calcium sensing receptor absence delays postnatal brain development via direct and indirect mechanisms. <i>Molecular Neurobiology</i> , 2013 , 48, 590-600	6.2	18
32	Voluntary exercise counteracts A β 5-35-induced memory impairment in mice. <i>Behavioural Brain Research</i> , 2013 , 256, 618-25	3.4	30
31	Aerobic exercise combined with antioxidative treatment does not counteract moderate- or mid-stage Alzheimer-like pathophysiology of APP/PS1 mice. <i>CNS Neuroscience and Therapeutics</i> , 2013 , 19, 795-803	6.8	31
30	Aquaporin-4 expression contributes to decreases in brain water content during mouse postnatal development. <i>Brain Research Bulletin</i> , 2013 , 94, 49-55	3.9	19
29	Prenatal ethanol exposure does not cause neurological alterations in adult CD1 mice. <i>NeuroReport</i> , 2013 , 24, 196-201	1.7	1
28	Metabolic Dysfunction of Astrocyte: An Initiating Factor in Beta-amyloid Pathology? 2013 , 1, 7-14		19
27	Aquaporin-4 mediates astrocyte response to β amyloid. <i>Molecular and Cellular Neurosciences</i> , 2012 , 49, 406-14	4.8	61
26	A high cholesterol diet ameliorates hippocampus-related cognitive and pathological deficits in ovariectomized mice. <i>Behavioural Brain Research</i> , 2012 , 230, 251-8	3.4	13
25	Aquaporin-4 deficiency exacerbates brain oxidative damage and memory deficits induced by long-term ovarian hormone deprivation and D-galactose injection. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 55-68	5.8	32
24	Bmi-1 absence causes premature brain degeneration. <i>PLoS ONE</i> , 2012 , 7, e32015	3.7	14
23	Cellular localization of aquaporin-1 in the human and mouse trigeminal systems. <i>PLoS ONE</i> , 2012 , 7, e46379		12
22	Pretraining affects Morris water maze performance with different patterns between control and ovariectomized plus D-galactose-injected mice. <i>Behavioural Brain Research</i> , 2011 , 217, 244-7	3.4	10

21	Astrocyte activation but not neuronal impairment occurs in the hippocampus of mice after 2 weeks of d-galactose exposure. <i>Life Sciences</i> , 2011 , 89, 355-63	6.8	10
20	Hypothesis: multiple factors are associated with the lack of any beneficial effects of oestrogen-replacement therapy in the late postmenopausal stage. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 873-6	3	3
19	Disruption of neuronal-glia-vascular units in the hippocampus of ovariectomized mice injected with D-galactose. <i>Neuroscience</i> , 2010 , 169, 596-608	3.9	25
18	Brain mitochondrial dysfunction in ovariectomized mice injected with D-galactose. <i>Neurochemical Research</i> , 2010 , 35, 399-404	4.6	22
17	Requirement of AQP4 for antidepressive efficiency of fluoxetine: implication in adult hippocampal neurogenesis. <i>Neuropsychopharmacology</i> , 2009 , 34, 1263-76	8.7	79
16	Aquaporin-4 maintains ependymal integrity in adult mice. <i>Neuroscience</i> , 2009 , 162, 67-77	3.9	57
15	Nitric oxide mediates feedback inhibition in angiotensin II-induced upregulation of vasopressin mRNA. <i>Peptides</i> , 2009 , 30, 913-7	3.8	11
14	Acute baroreceptor unloading evokes Fos expression in anesthetized rat brain. <i>Brain Research Bulletin</i> , 2008 , 76, 63-9	3.9	12
13	Pathological and biochemical alterations of astrocytes in ovariectomized rats injected with D-galactose: a potential contribution to Alzheimer's disease processes. <i>Experimental Neurology</i> , 2008 , 210, 709-18	5.7	22
12	Impairments of astrocytes are involved in the d-galactose-induced brain aging. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 369, 1082-7	3.4	109
11	Altered blood-brain barrier integrity in adult aquaporin-4 knockout mice. <i>NeuroReport</i> , 2008 , 19, 1-5	1.7	105
10	Chronic systemic injection of D-galactose impairs the septohippocampal cholinergic system in rats. <i>NeuroReport</i> , 2008 , 19, 1611-5	1.7	36
9	An ethical solution to the challenges in teaching anatomy with dissection in the Chinese culture. <i>Anatomical Sciences Education</i> , 2008 , 1, 56-9	6.8	47
8	Human adult olfactory neural progenitors promote axotomized rubrospinal tract axonal reinnervation and locomotor recovery. <i>Neurobiology of Disease</i> , 2007 , 26, 363-74	7.5	43
7	Long-term D-galactose injection combined with ovariectomy serves as a new rodent model for Alzheimer's disease. <i>Life Sciences</i> , 2007 , 80, 1897-905	6.8	88
6	Expression and colocalization of NADPH-diaphorase and Fos in the subnuclei of the parabrachial nucleus in rats following visceral noxious stimulation. <i>Brain Research</i> , 2006 , 1114, 41-52	3.7	14
5	The dynamic distribution of fluoro-gold and its interrelation with neural nitric oxide synthase following intracerebroventricular injection into rat brain. <i>Biotechnic and Histochemistry</i> , 2006 , 81, 41-50	1.8	3
4	Human adult olfactory neural progenitors rescue axotomized rodent rubrospinal neurons and promote functional recovery. <i>Experimental Neurology</i> , 2005 , 194, 12-30	5.7	69

3	The distribution of neural nitric oxide synthase-positive cerebrospinal fluid-contacting neurons in the third ventricular wall of male rats and coexistence with vasopressin or oxytocin. <i>Brain Research</i> , 2005 , 1038, 150-62	3.7	32
2	Anxiety-like but not despair-like behaviors are further aggravated by chronic mild stress in the early stages of APP ^{swe} /PS1 ^{dE9} transgenic mice		1
1	Aquaporin-4 dependent glymphatic solute transport in rodent brain		5