

Evaluation Of Consort Sign Of The Broste

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2529629/publications.pdf>

Version: 2024-02-01

104
papers

6,122
citations

71102

41
h-index

71685

76
g-index

105
all docs

105
docs citations

105
times ranked

8914
citing authors

#	ARTICLE	IF	CITATIONS
1	The Egr-1 transcription factor directly activates PTEN during irradiation-induced signalling. <i>Nature Cell Biology</i> , 2001, 3, 1124-1128.	10.3	366
2	Structure of insulin in 4-zinc insulin. <i>Nature</i> , 1976, 261, 166-168.	27.8	287
3	Plasma-Derived Exosomal Survivin, a Plausible Biomarker for Early Detection of Prostate Cancer. <i>PLoS ONE</i> , 2012, 7, e46737.	2.5	269
4	Siah2-Dependent Concerted Activity of HIF and FoxA2 Regulates Formation of Neuroendocrine Phenotype and Neuroendocrine Prostate Tumors. <i>Cancer Cell</i> , 2010, 18, 23-38.	16.8	208
5	Decreased Egr-1 expression in human, mouse and rat mammary cells and tissues correlates with tumor formation. , 1997, 72, 102-109.		205
6	The Jun Kinase/Stress-activated Protein Kinase Pathway Functions to Regulate DNA Repair and Inhibition of the Pathway Sensitizes Tumor Cells to Cisplatin. <i>Journal of Biological Chemistry</i> , 1997, 272, 14041-14044.	3.4	197
7	<i>In silico</i> dissection of cell-type-associated patterns of gene expression in prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 615-620.	7.1	189
8	The wisdom of the commons: ensemble tree classifiers for prostate cancer prognosis. <i>Bioinformatics</i> , 2009, 25, 54-60.	4.1	186
9	Identification of Promoters Bound by c-Jun/ATF2 during Rapid Large-Scale Gene Activation following Genotoxic Stress. <i>Molecular Cell</i> , 2004, 16, 521-535.	9.7	181
10	Molecular Determinants of AHPN (CD437)-Induced Growth Arrest and Apoptosis in Human Lung Cancer Cell Lines. <i>Molecular and Cellular Biology</i> , 1998, 18, 4719-4731.	2.3	165
11	Inhibition of Extracellular Signal-regulated Protein Kinase or c-Jun N-terminal Protein Kinase Cascade, Differentially Activated by Cisplatin, Sensitizes Human Ovarian Cancer Cell Line. <i>Journal of Biological Chemistry</i> , 1999, 274, 31648-31654.	3.4	158
12	The JUN Kinase/Stress-activated Protein Kinase Pathway Is Required for Epidermal Growth Factor Stimulation of Growth of Human A549 Lung Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 33422-33429.	3.4	151
13	The Activation of c-Jun NH2-terminal Kinase (JNK) by DNA-damaging Agents Serves to Promote Drug Resistance via Activating Transcription Factor 2 (ATF2)-dependent Enhanced DNA Repair. <i>Journal of Biological Chemistry</i> , 2003, 278, 20582-20592.	3.4	144
14	The Jun Kinase 2 Isoform Is Preferentially Required for Epidermal Growth Factor-Induced Transformation of Human A549 Lung Carcinoma Cells. <i>Molecular and Cellular Biology</i> , 1999, 19, 1938-1949.	2.3	135
15	The Transcription Factor EGR-1 Directly Transactivates the Fibronectin Gene and Enhances Attachment of Human Glioblastoma Cell Line U251. <i>Journal of Biological Chemistry</i> , 2000, 275, 20315-20323.	3.4	125
16	Egr1 Promotes Growth and Survival of Prostate Cancer Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 11802-11810.	3.4	124
17	PTEN regulation by Aktâ€“EGR1â€“ARFâ€“PTEN axis. <i>EMBO Journal</i> , 2009, 28, 21-33.	7.8	122
18	Early Growth Response 1 Acts as a Tumor Suppressor In vivo and In vitro via Regulation of p53. <i>Cancer Research</i> , 2005, 65, 5133-5143.	0.9	118

#	ARTICLE	IF	CITATIONS
19	Egr1 Transcription Factor: Multiple Roles in Prostate Tumor Cell Growth and Survival. <i>Tumor Biology</i> , 2002, 23, 93-102.	1.8	117
20	Early growth response 1 protein, an upstream gatekeeper of the p53 tumor suppressor, controls replicative senescence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3233-3238.	7.1	111
21	Calcium binding by troponin-C. A proton magnetic resonance study. <i>Journal of Molecular Biology</i> , 1977, 115, 743-760.	4.2	105
22	The Transcription Factor EGR-1 Suppresses Transformation of Human Fibrosarcoma HT1080 Cells by Coordinated Induction of Transforming Growth Factor- β 1, Fibronectin, and Plasminogen Activator Inhibitor-1. <i>Journal of Biological Chemistry</i> , 1999, 274, 4400-4411.	3.4	105
23	EGR-1, The Reluctant Suppression Factor:. <i>Critical Reviews in Oncogenesis</i> , 1996, 7, 101-126.	0.4	104
24	Protective Role for c-Jun in the Cellular Response to DNA Damage. <i>Journal of Biological Chemistry</i> , 2001, 276, 28546-28553.	3.4	99
25	Inhibition of Egr-1 expression reverses transformation of prostate cancer cells in vitro and in vivo. <i>Oncogene</i> , 2003, 22, 4194-4204.	5.9	99
26	Survey of Differentially Methylated Promoters in Prostate Cancer Cell Lines. <i>Neoplasia</i> , 2005, 7, 748-IN7.	5.3	92
27	WIF1, a Wnt pathway inhibitor, regulates SKP2 and c-myc expression leading to G1 arrest and growth inhibition of human invasive urinary bladder cancer cells. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 458-468.	4.1	92
28	Use of wild-type p53 to achieve complete treatment sensitization of tumor cells expressing endogenous mutant p53. <i>Molecular Carcinogenesis</i> , 1995, 14, 275-285.	2.7	91
29	c-Jun N-terminal Kinase Is Essential for Growth of Human T98C Glioblastoma Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 24767-24775.	3.4	89
30	Near-ultraviolet tyrosyl circular dichroism of pig insulin monomers, dimers, and hexamers. Dipole-dipole coupling calculations in the monopole approximation. <i>Biochemistry</i> , 1976, 15, 3875-3884.	2.5	87
31	Diagnosis of Prostate Cancer Using Differentially Expressed Genes in Stroma. <i>Cancer Research</i> , 2011, 71, 2476-2487.	0.9	84
32	p53 and Egr-1 additively suppress transformed growth in HT1080 cells but Egr-1 counteracts p53-dependent apoptosis. <i>Oncogene</i> , 1999, 18, 3633-3642.	5.9	81
33	<i>In silico</i> Estimates of Tissue Components in Surgical Samples Based on Expression Profiling Data. <i>Cancer Research</i> , 2010, 70, 6448-6455.	0.9	78
34	Expression differences between African American and Caucasian prostate cancer tissue reveals that stroma is the site of aggressive changes. <i>International Journal of Cancer</i> , 2014, 134, 81-91.	5.1	67
35	A Gradient Boosting Algorithm for Survival Analysis via Direct Optimization of Concordance Index. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-8.	1.3	66
36	Inhibition of cell growth by EGR-1 in human primary cultures from malignant glioma. <i>Cancer Cell International</i> , 2004, 4, 1.	4.1	62

#	ARTICLE	IF	CITATIONS
37	Essential Role of p38 ^β in K-Ras Transformation Independent of Phosphorylation. <i>Journal of Biological Chemistry</i> , 2005, 280, 23910-23917.	3.4	61
38	Antisense to the Early Growth Response-1 Gene (Egr-1) Inhibits Prostate Tumor Development in TRAMP Mice. <i>Annals of the New York Academy of Sciences</i> , 2003, 1002, 197-216.	3.8	51
39	Bcl-B Expression in Human Epithelial and Nonepithelial Malignancies. <i>Clinical Cancer Research</i> , 2008, 14, 3011-3021.	7.0	51
40	Comparison of the calcium- and magnesium-induced structural changes of troponin-C. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1978, 535, 11-24.	1.7	48
41	Direct identification of the high and low affinity calcium binding sites of troponin-C. <i>Biochemical and Biophysical Research Communications</i> , 1978, 82, 1132-1139.	2.1	47
42	Associations of prostate cancer risk variants with disease aggressiveness: results of the NCI-SPORE Genetics Working Group analysis of 18,343 cases. <i>Human Genetics</i> , 2015, 134, 439-450.	3.8	45
43	Expression Profile of Human Gingival Fibroblasts Induced by Interleukin-1 ^β Reveals Central Role of Nuclear Factor-κB in Stabilizing Human Gingival Fibroblasts During Inflammation. <i>Journal of Periodontology</i> , 2009, 80, 833-849.	3.4	42
44	Flavokawain A induces deNEDDylation and Skp2 degradation leading to inhibition of tumorigenesis and cancer progression in the TRAMP transgenic mouse model. <i>Oncotarget</i> , 2015, 6, 41809-41824.	1.8	41
45	Early Growth Response 3 (Egr3) Is Highly Over-Expressed in Non-Relapsing Prostate Cancer but Not in Relapsing Prostate Cancer. <i>PLoS ONE</i> , 2013, 8, e54096.	2.5	39
46	Egr1 regulates the coordinated expression of numerous EGF receptor target genes as identified by CHIP-on-chip. <i>Genome Biology</i> , 2008, 9, R166.	9.6	38
47	Expression Changes in the Stroma of Prostate Cancer Predict Subsequent Relapse. <i>PLoS ONE</i> , 2012, 7, e41371.	2.5	38
48	Method for Cloning In Vivo Targets of the Egr-1 Transcription Factor. <i>BioTechniques</i> , 2000, 29, 162-169.	1.8	37
49	Antisense RNA to the C-fos gene: Restoration of density-dependent growth arrest in a transformed cell line. <i>Biochemical and Biophysical Research Communications</i> , 1987, 147, 288-294.	2.1	35
50	Differential Effect of Retinoic Acid on Growth Regulation by Phorbol Ester in Human Cancer Cell Lines. <i>Journal of Biological Chemistry</i> , 1999, 274, 29779-29785.	3.4	34
51	An Accurate Prostate Cancer Prognosticator Using a Seven-Gene Signature Plus Gleason Score and Taking Cell Type Heterogeneity into Account. <i>PLoS ONE</i> , 2012, 7, e45178.	2.5	33
52	In Vivo Cloning and Characterization of a New Growth Suppressor Protein TOE1 as a Direct Target Gene of Egr1. <i>Journal of Biological Chemistry</i> , 2003, 278, 14306-14312.	3.4	32
53	Injection of Colon Carcinoma Patients with Autologous Irradiated Tumor Cells and Fibroblasts Genetically Modified to Secrete Interleukin-2 (IL-2): A Phase I Study. San Diego Regional Cancer Center, San Diego, California. <i>Human Gene Therapy</i> , 1995, 6, 195-204.	2.7	31
54	Claudin-1 immunohistochemistry for distinguishing malignant from benign epithelial lesions of prostate. <i>Prostate</i> , 2007, 67, 907-910.	2.3	31

#	ARTICLE	IF	CITATIONS
55	Messenger RNAs under Differential Translational Control in Ki-ras ⁺ Transformed Cells. <i>Molecular Cancer Research</i> , 2006, 4, 47-60.	3.4	30
56	Overexpression of Periostin in Stroma Positively Associated with Aggressive Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0121502.	2.5	30
57	Transcriptional Profiling of Age-Associated Gene Expression Changes in Human Circulatory CD1c+ Myeloid Dendritic Cell Subset. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 9-15.	3.6	29
58	Calcium binding by troponin-C and homologs is correlated with the position and linear density of α -turn forming residues. <i>Journal of Theoretical Biology</i> , 1979, 76, 297-310.	1.7	28
59	Identification of a CD28 Response Element in the CD40 Ligand Promoter. <i>Journal of Immunology</i> , 2001, 166, 2437-2443.	0.8	28
60	Analysis of a transformed cell line using antisense c-fos RNA. <i>Gene</i> , 1988, 72, 253-265.	2.2	25
61	Timing of consent for the research use of surgically removed tissue. <i>Cancer</i> , 2009, 115, 4-9.	4.1	23
62	Crystallisation of troponin-C. <i>Nature</i> , 1975, 254, 634-635.	27.8	21
63	"Promoter Array" Studies Identify Cohorts of Genes Directly Regulated by Methylation, Copy Number Change, or Transcription Factor Binding in Human Cancer Cells. <i>Annals of the New York Academy of Sciences</i> , 2005, 1058, 162-185.	3.8	20
64	Role of the Adjacent Stroma Cells in Prostate Cancer Development and Progression: Synergy between TGF- β and IGF Signaling. <i>BioMed Research International</i> , 2014, 2014, 1-8.	1.9	18
65	TGF- β mediated DNA methylation in prostate cancer. <i>Translational Andrology and Urology</i> , 2012, 1, 78-88.	1.4	18
66	The Transcription Factor EGR1 Localizes to the Nucleolus and Is Linked to Suppression of Ribosomal Precursor Synthesis. <i>PLoS ONE</i> , 2014, 9, e96037.	2.5	16
67	Assessing Researcher Needs for a Virtual Biobank. <i>Biopreservation and Biobanking</i> , 2017, 15, 203-210.	1.0	15
68	Six stroma-based RNA markers diagnostic for prostate cancer in European-Americans validated at the RNA and protein levels in patients in China. <i>Oncotarget</i> , 2015, 6, 16757-16765.	1.8	14
69	Transformation-specific pattern of phosphorylation of c-Jun, Jun-B, Jun-D and Egr-1 in v-sis transformed cells. <i>Carcinogenesis</i> , 1994, 15, 1667-1674.	2.8	13
70	Transcriptome Analysis of Ovarian and Uterine Clear Cell Malignancies. <i>Frontiers in Oncology</i> , 2020, 10, 598579.	2.8	12
71	Generation of "Virtual" Control Groups for Single Arm Prostate Cancer Adjuvant Trials. <i>PLoS ONE</i> , 2014, 9, e85010.	2.5	11
72	Characterization of a new human glioblastoma cell line that expresses mutant P53 and lacks activation of the PDGF pathway. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1995, 31, 207-214.	1.5	10

#	ARTICLE	IF	CITATIONS
73	Sensitization of Tumors to Chemotherapy Through Gene Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2002, 465, 273-291.	1.6	9
74	[24] Antisense methods for discrimination of phenotypic properties of closely related gene products: Jun kinase family. <i>Methods in Enzymology</i> , 2000, 314, 342-362.	1.0	8
75	A class of genes in the HER2 regulon that is poised for transcription in breast cancer cell lines and expressed in human breast tumors. <i>Oncotarget</i> , 2015, 6, 1286-1301.	1.8	8
76	Natural Products and Transforming Growth Factor-beta (TGF- β) Signaling in Cancer Development and Progression. <i>Current Cancer Drug Targets</i> , 2013, 13, 500-505.	1.6	7
77	The identification of trans-associations between prostate cancer GWAS SNPs and RNA expression differences in tumor-adjacent stroma. <i>Oncotarget</i> , 2015, 6, 1865-1873.	1.8	7
78	From mRNA to tumor suppressor. <i>Nature Genetics</i> , 2004, 36, 937-938.	21.4	5
79	Prostate Cancer Postoperative Nomogram Scores and Obesity. <i>PLoS ONE</i> , 2011, 6, e17382.	2.5	5
80	Reciprocal modulation between Sp1 and Egr1. <i>Journal of Cellular Biochemistry</i> , 1997, 66, 489-499.	2.6	3
81	Detection of Quantitative Trait Associated Genes Using Cluster Analysis. , 2008, , 83-94.		2
82	A Sample Selection Strategy to Boost the Statistical Power of Signature Detection in Cancer Expression Profile Studies. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2013, 13, 203-211.	1.7	2
83	Identification of Biomarkers for Prostate Cancer Prognosis Using a Novel Two-Step Cluster Analysis. <i>Lecture Notes in Computer Science</i> , 2011, , 63-74.	1.3	2
84	The proto-oncogene c-fos encodes a potential regulatory site that is disrupted by viral transduction. <i>Journal of Theoretical Biology</i> , 1987, 126, 243-246.	1.7	1
85	The Cloning Debates and Progress in Biotechnology. <i>Clinical Chemistry</i> , 1997, 43, 2019-2020.	3.2	1
86	Identification of Promoters Bound by c-Jun/ATF2 during Rapid Large-Scale Gene Activation following Genotoxic Stress. <i>Molecular Cell</i> , 2005, 17, 161.	9.7	1
87	Abstract 1882: The expression phenotype of SNPs linked to the risk for prostate cancer. , 2014, , .		1
88	Editorial [Hot Topic: Antimicrobial Peptides, Mainly Defensins in Oral Cavity (Executive Editors: S.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.9	0
89	2160 DIAGNOSIS OF PROSTATE CANCER WITHOUT TUMOR CELLS USING DIFFERENTIALLY EXPRESSED GENES IN THE TUMOR MICROENVIRONMENT. <i>Journal of Urology</i> , 2010, 183, .	0.4	0
90	Association Study between Gene Expression and Multiple Relevant Phenotypes with Cluster Analysis. <i>Lecture Notes in Computer Science</i> , 2009, , 1-12.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Abstract 1988: In silico estimates of cell components in cancer tissue based on expression profiling data. , 2010, , .		0
92	Abstract 2735: Diagnosis of prostate cancer without tumor cells using differentially expressed genes in the tumor microenvironment. , 2010, , .		0
93	Abstract 3001: The expression of HER2 in human breast cancer cells leads to massive alteration of RNA polymerase II binding and gene activation. , 2012, , .		0
94	Abstract 440: Wnt signaling regulates neuropilin-2 (NRP2) expression and contributes to cancer cell invasiveness in castration-resistant prostate cancer (CRPC). , 2012, , .		0
95	Abstract 4284: Prognosis of prostate cancer using gene expression changes in stroma. , 2012, , .		0
96	Generation of virtual control groups for single-arm prostate cancer (PCa) adjuvant trials.. Journal of Clinical Oncology, 2013, 31, 239-239.	1.6	0
97	Abstract 2811: A prostate stroma-derived profile is predictive of early relapse and reflects potential mechanisms of aggressive disease.. , 2013, , .		0
98	Abstract 3649: Correlation of expression data and SNPs associated with aggressiveness of prostate cancer identifies specific associations.. , 2013, , .		0
99	Abstract 3332: HER2-dependent RNA polymerase II binding in human breast tumors defines a regulon including a stem cell network. , 2014, , .		0
100	Abstract A63: A stroma-based 15 gene profile for prostate cancer suggests increased DNA methylation and senescence in the stroma of patients with poor prognosis. , 2015, , .		0
101	Abstract 1982: The HER2 Regulon: Identification of 113 genes that are directly controlled by HER2 and define four nodes of cancer stem cell networks. , 2015, , .		0
102	Abstract 1973: HER2 promotes super enhancer formation in breast cancer. , 2016, , .		0
103	Abstract B04: The use of whole genome methylation scanning to define genes preferentially suppressed in African American Prostate Cancer. , 2017, , .		0
104	Immune-stimulatory gene expression in stroma cells of African-American prostate cancer tissues.. Journal of Clinical Oncology, 2019, 37, e16544-e16544.	1.6	0