

Hang Seok Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2530065/publications.pdf>

Version: 2024-02-01

32
papers

507
citations

933447

10
h-index

677142

22
g-index

32
all docs

32
docs citations

32
times ranked

734
citing authors

#	ARTICLE	IF	CITATIONS
1	A Review of the Desulfurization Processes Used for Waste Tire Pyrolysis Oil. <i>Catalysts</i> , 2021, 11, 801.	3.5	13
2	CFD study of Marangoni condensation heat transfer of vapor mixture on a horizontal tube. <i>Heat and Mass Transfer</i> , 2020, 56, 2743-2755.	2.1	4
3	Studies on the Gasification Performance of Sludge Cake Pre-Treated by Hydrothermal Carbonization. <i>Energies</i> , 2020, 13, 1442.	3.1	6
4	Purifying of Waste Tire Pyrolysis Oil Using an S-ZrO ₂ /SBA-15-H ₂ O ₂ Catalytic Oxidation Method. <i>Catalysts</i> , 2020, 10, 368.	3.5	10
5	Co-Gasification of Treated Solid Recovered Fuel Residue by Using Minerals Bed and Biomass Waste Blends. <i>Energies</i> , 2020, 13, 2081.	3.1	10
6	Enhancement of Gasification Performance for Palm Oil Byproduct by Removal of Alkali and Alkaline Earth Metallic Compounds and Ash. <i>Energy & Fuels</i> , 2019, 33, 5263-5269.	5.1	9
7	A Comprehensive Review on Catalytic Oxidative Desulfurization of Liquid Fuel Oil. <i>Catalysts</i> , 2019, 9, 229.	3.5	141
8	Influence of Operating Conditions for Fast Pyrolysis and Pyrolysis Oil Production in a Conical Spouted Bed Reactor. <i>Chemical Engineering and Technology</i> , 2019, 42, 2493-2504.	1.5	22
9	Numerical Study on Injection Characteristics of Bio-oil using Twin Fluid Nozzle for Bio-oil Gasification Reactor. <i>Journal of Korea Society of Waste Management</i> , 2019, 36, 267-277.	0.2	1
10	A Study on the Characteristics of Cooling Heat Transfer for Carbon Black from Waste Tire Pyrolysis Process. <i>Journal of Korea Society of Waste Management</i> , 2019, 36, 601-607.	0.2	0
11	Co-gasification characteristics of palm oil by-products and coals for syngas production. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 654-661.	2.7	8
12	Removal Effect of Ash and Metallic Species by Washing from Empty Fruit Bunch Byproducts in Palm Mills on Pyrolytic Characteristics to Produce Bio-Crude Oil. <i>Waste and Biomass Valorization</i> , 2018, 9, 491-502.	3.4	8
13	A Study on Yield and Characteristics of Biocrude-oil Produced by Circulating Fluidized Bed Fast Pyrolyzer. <i>Journal of Korea Society of Waste Management</i> , 2018, 35, 126-133.	0.2	2
14	Numerical Study on Fast Pyrolysis of Lignocellulosic Biomass with Varying Column Size of Bubbling Fluidized Bed. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2196-2204.	6.7	18
15	Determination of thermal decomposition kinetics of low grade coal employing thermogravimetric analysis. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 1678-1692.	2.7	4
16	[TC2015] fast pyrolysis characteristics of biomass in a conical spouted bed reactor. <i>Environmental Progress and Sustainable Energy</i> , 2017, 36, 685-689.	2.3	10
17	Numerical study of heat transfer characteristics of char from waste tire pyrolysis. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 1077-1084.	3.0	3
18	Evaluation of hydrodeoxygenation reactivity of pyrolysis bio-oil with various Ni-based catalysts for improvement of fuel properties. <i>RSC Advances</i> , 2017, 7, 15116-15126.	3.6	64

#	ARTICLE	IF	CITATIONS
19	A study on torrefaction characteristics of waste sawdust in an auger type pyrolyzer. Journal of Material Cycles and Waste Management, 2016, 18, 460-468.	3.0	11
20	Influence of process conditions on product yield of waste tyre pyrolysis- A review. Korean Journal of Chemical Engineering, 2016, 33, 2268-2286.	2.7	73
21	Utilization of automobile shredder residue (ASR) as a reducing agent for the recovery of black copper. Korean Journal of Chemical Engineering, 2016, 33, 1267-1277.	2.7	4
22	Heat transfer of bio-oil in a direct contact heat exchanger during condensation. Korean Journal of Chemical Engineering, 2016, 33, 1159-1169.	2.7	11
23	A numerical study on the performance evaluation of ventilation systems for indoor radon reduction. Korean Journal of Chemical Engineering, 2016, 33, 782-794.	2.7	5
24	The mixing and segregation characteristics of rice straw in a cylindrical bubbling fluidized bed. Journal of Material Cycles and Waste Management, 2016, 18, 771-780.	3.0	7
25	Wall Heat Transfer of a Small Blunt Body Immersed in a Fluidized Bed. Numerical Heat Transfer; Part A: Applications, 2015, 68, 288-311.	2.1	7
26	The fast pyrolysis characteristics of palm empty fruit bunch: The yield and homogeneity of biocrudeoil affected by ash. Environmental Progress and Sustainable Energy, 2014, 33, 706-710.	2.3	5
27	Study of hydrodynamic characteristics in a circulating fluidized bed gasifier for plastic waste by computational fluid dynamics modeling and simulation. Journal of Material Cycles and Waste Management, 2014, 16, 665-676.	3.0	3
28	Investigation of chemical modifications of micro- and macromolecules in bio-oil during hydrodeoxygenation with Pd/C catalyst in supercritical ethanol. Chemosphere, 2014, 117, 806-814.	8.2	27
29	Water tank experiment for a robotic fish. , 2013, , .		0
30	The characteristics of gas-solid flow and wall heat transfer in a fluidized bed reactor. Heat and Mass Transfer, 2012, 48, 1513-1524.	2.1	6
31	Rapid screening of catalytic pyrolysis reactions of Organosolv lignins with the vTlmini fast pyrolyzer. Environmental Progress and Sustainable Energy, 2012, 31, 240-244.	2.3	13
32	Heat transfer characteristics of KIMM fast pyrolysis reactor. Environmental Progress and Sustainable Energy, 2012, 31, 245-250.	2.3	2