

# Gert-Jan Hendriks

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/253069/publications.pdf>

Version: 2024-02-01

37  
papers

1,628  
citations

361413

20  
h-index

377865

34  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1924  
citing authors

#	ARTICLE	IF	CITATIONS
1	D-Cycloserine Augmentation of Exposure-Based Cognitive Behavior Therapy for Anxiety, Obsessive-Compulsive, and Posttraumatic Stress Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 501.	11.0	236
2	A Randomized Placebo-Controlled Trial of d-Cycloserine to Enhance Exposure Therapy for Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2012, 71, 962-968.	1.3	198
3	Treatment of Trichotillomania With Behavioral Therapy or Fluoxetine. <i>Archives of General Psychiatry</i> , 2003, 60, 517.	12.3	181
4	Cognitive-behavioural therapy for late-life anxiety disorders: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 403-411.	4.5	121
5	Differential frontal-striatal and paralimbic activity during reversal learning in major depressive disorder and obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2009, 39, 1503-1518.	4.5	118
6	Cognitive Inflexibility in Obsessive-Compulsive Disorder and Major Depression Is Associated with Distinct Neural Correlates. <i>PLoS ONE</i> , 2013, 8, e59600.	2.5	93
7	Intensive prolonged exposure therapy for chronic PTSD patients following multiple trauma and multiple treatment attempts. <i>HÅgre Utbildning</i> , 2018, 9, 1425574.	3.0	70
8	A Randomized, Double-Blind, Placebo-Controlled Study of the Effects of Adjunctive Paroxetine in Panic Disorder Patients Unsuccessfully Treated With Cognitive-Behavioral Therapy Alone. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 772-777.	2.2	67
9	Outcome Prediction of Cognitive Behaviour Therapy for Panic Disorder: Initial Symptom Severity is Predictive for Treatment Outcome, Comorbid Anxiety or Depressive Disorder, Cluster C Personality Disorders and Initial Motivation Are Not. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 99-112.	1.2	54
10	The Netherlands Obsessive Compulsive Disorder Association (NOCD) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 273-285.	2.1	44
11	A randomized controlled study of paroxetine and cognitive-behavioural therapy for late-life panic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 11-19.	4.5	41
12	Changes in Dosing and Dose Timing of D-Cycloserine Explain Its Apparent Declining Efficacy for Augmenting Exposure Therapy for Anxiety-related Disorders: An Individual Participant-data Meta-analysis. <i>Journal of Anxiety Disorders</i> , 2019, 68, 102149.	3.2	36
13	Therapist rotation: a novel approach for implementation of trauma-focused treatment in post-traumatic stress disorder. <i>HÅgre Utbildning</i> , 2018, 9, 1492836.	3.0	33
14	How Does Behavioural Activation Work? A Systematic Review of the Evidence on Potential Mediators. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 85-93.	8.8	33
15	Prescriptive variables for d-cycloserine augmentation of exposure therapy for posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2014, 48, 40-46.	3.1	32
16	Extinction learning as a moderator of d-cycloserine efficacy for enhancing exposure therapy in posttraumatic stress disorder. <i>Journal of Anxiety Disorders</i> , 2015, 34, 63-67.	3.2	28
17	Intensive prolonged exposure treatment for adolescent complex posttraumatic stress disorder: a single-trial design. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 1229-1238.	5.2	28
18	COGNITIVE-BEHAVIORAL THERAPY FOR PANIC DISORDER WITH AGORAPHOBIA IN OLDER PEOPLE: A COMPARISON WITH YOUNGER PATIENTS. <i>Depression and Anxiety</i> , 2014, 31, 669-677.	4.1	25

#	ARTICLE	IF	CITATIONS
19	Chronic obsessive-compulsive disorder: prognostic factors. <i>Psychological Medicine</i> , 2018, 48, 2213-2222.	4.5	25
20	Predictors of outcome of pharmacological and psychological treatment of late-life panic disorder with agoraphobia. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 146-150.	2.7	22
21	Cognitive Remediation Therapy Does Not Enhance Treatment Effect in Obsessive-Compulsive Disorder and Anorexia Nervosa: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 228-241.	8.8	22
22	Cognitive remediation therapy (CRT) as a treatment enhancer of eating disorders and obsessive compulsive disorders: study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 393.	2.6	17
23	The relationship between cognitions and symptoms in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 495-502.	4.1	16
24	Behavioural activation by mental health nurses for late-life depression in primary care: a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 230.	2.6	15
25	Appraisal-based cognitive bias modification in patients with posttraumatic stress disorder: a randomised clinical trial. <i>HÅrre Utbildning</i> , 2019, 10, 1625690.	3.0	15
26	Childhood trauma and attachment style predict the four-year course of obsessive compulsive disorder: Findings from the Netherlands obsessive compulsive disorder study. <i>Journal of Affective Disorders</i> , 2020, 264, 206-214.	4.1	14
27	Utility of measuring remoralization in addition to symptoms in efficacy research: A preliminary study. <i>Psychotherapy Research</i> , 2010, 20, 611-618.	1.8	11
28	Agoraphobic Cognitions in Old and Young Patients with Panic Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 1155-1158.	1.2	9
29	Stepped-care versus treatment as usual in panic disorder: A randomized controlled trial. <i>PLoS ONE</i> , 2020, 15, e0237061.	2.5	5
30	The enhancing effects of testosterone in exposure treatment for social anxiety disorder: a randomized proof-of-concept trial. <i>Translational Psychiatry</i> , 2021, 11, 432.	4.8	5
31	Symptom Reduction Without Remoralization: A Randomized, Waiting-List Controlled Study Aimed at Separating Two Beneficial Psychotherapy Outcome Effects. <i>Journal of Clinical Psychology</i> , 2017, 73, 785-796.	1.9	4
32	Gastro-intestinal conditions in patients with obsessive compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2013, 2, 437-438.	1.5	1
33	The Impact of Personality Pathology on Treatment Outcome in Late-life Panic Disorder. <i>Journal of Psychiatric Practice</i> , 2020, 26, 164-174.	0.7	1
34	Anxiety Disorders in Later Life. , 2017, , 276-284.		1
35	Therapeutics in Late-Life Anxiety Disorders—An Update. <i>Current Treatment Options in Psychiatry</i> , 2014, 1, 27-36.	1.9	0
36	Cognitive behavioural therapy and third wave approaches for anxiety and related disorders in older people. <i>The Cochrane Library</i> , 0, , .	2.8	0

#	ARTICLE	IF	CITATIONS
37	Anxiety Disorders in Later Life. , 2016, , 1-8.		0