
Tracey DiSipio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2531363/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incidence of unilateral arm lymphoedema after breast cancer: a systematic review and meta-analysis. Lancet Oncology, The, 2013, 14, 500-515.	5.1	1,291
2	Exercise for health: a randomized, controlled trial evaluating the impact of a pragmatic, translational exercise intervention on the quality of life, function and treatment-related side effects following breast cancer. Breast Cancer Research and Treatment, 2013, 137, 175-186.	1.1	150
3	Prevalence of breast cancer treatment sequelae over 6 years of followâ€up. Cancer, 2012, 118, 2217-2225.	2.0	126
4	Upper-body morbidity following breast cancer treatment is common, may persist longer-term and adversely influences quality of life. Health and Quality of Life Outcomes, 2010, 8, 92.	1.0	105
5	Systematic Review and Meta-Analysis of the Effects of Exercise for Those With Cancer-Related Lymphedema. Archives of Physical Medicine and Rehabilitation, 2016, 97, 302-315.e13.	0.5	79
6	Perceptions of upper-body problems during recovery from breast cancer treatment. Supportive Care in Cancer, 2004, 12, 106-113.	1.0	71
7	Prevalence and Prognostic Significance of Secondary Lymphedema Following Breast Cancer. Lymphatic Research and Biology, 2011, 9, 135-141.	0.5	71
8	Weight and weight change following breast cancer: evidence from a prospective, population-based, breast cancer cohort study. BMC Cancer, 2015, 15, 28.	1.1	56
9	The Queensland cancer risk study: general population norms for the Functional Assessment of Cancer Therapy–General (FACTâ€G). Psycho-Oncology, 2009, 18, 606-614.	1.0	53
10	A systematic review and metaâ€analysis of prescribing practices of antidepressants in cancer patients. Psycho-Oncology, 2016, 25, 1002-1016.	1.0	51
11	Health-related quality of life 18Âmonths after breast cancer: comparison with the general population of Queensland, Australia. Supportive Care in Cancer, 2008, 16, 1141-1150.	1.0	40
12	The Queensland Cancer Risk Study: behavioural risk factor results. Australian and New Zealand Journal of Public Health, 2006, 30, 375-382.	0.8	37
13	Does quality of life among breast cancer survivors one year after diagnosis differ depending on urban and non-urban residence? A comparative study. Health and Quality of Life Outcomes, 2010, 8, 3.	1.0	34
14	Adverse breast cancer treatment effects: the economic case for making rehabilitative programs standard of care. Supportive Care in Cancer, 2015, 23, 1807-1817.	1.0	34
15	Cost-effectiveness of a pragmatic exercise intervention for women with breast cancer: results from a randomized controlled trial. Psycho-Oncology, 2017, 26, 649-655.	1.0	31
16	Solaria use in Queensland, Australia. Australian and New Zealand Journal of Public Health, 2006, 30, 479-482.	0.8	29
17	What determines the healthâ€related quality of life among regional and rural breast cancer survivors?. Australian and New Zealand Journal of Public Health, 2009, 33, 534-539.	0.8	29
18	Patterns, correlates, and prognostic significance of quality of life following breast cancer. Psycho-Oncology, 2011, 20, 1084-1091.	1.0	21

TRACEY DISIPIO

#	Article	IF	CITATIONS
19	Risk of Second Primary Cancer in Survivors of InÂSitu Melanoma. Journal of Investigative Dermatology, 2019, 139, 842-847.	0.3	12
20	How do recovery advice and behavioural characteristics influence upper-body function and quality of life among women 6 months after breast cancer diagnosis?. Supportive Care in Cancer, 2006, 14, 22-29.	1.0	11
21	The Lymphedema Evaluation in Gynecological cancer Study (LEGS): design of a prospective, longitudinal, cohort study. Cancer Research Frontiers, 2015, 1, 104-118.	0.2	11
22	Prevalence and determinants of sunburn in Queensland. Health Promotion Journal of Australia, 2009, 20, 102-106.	0.6	6
23	Bodyweight and other correlates of symptom-detected breast cancers in a population offered screening. Cancer Causes and Control, 2012, 23, 89-102.	0.8	6