

# Silvia Fustinoni

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2532329/silvia-fustinoni-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150  
papers

3,444  
citations

29  
h-index

51  
g-index

183  
ext. papers

3,903  
ext. citations

4.3  
avg, IF

4.88  
L-index

#	Paper	IF	Citations
150	Changes in DNA methylation patterns in subjects exposed to low-dose benzene. <i>Cancer Research</i> , <b>2007</b> , 67, 876-80	10.1	508
149	Predictors of global methylation levels in blood DNA of healthy subjects: a combined analysis. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 126-39	7.8	177
148	Association between leukocyte telomere shortening and exposure to traffic pollution: a cross-sectional study on traffic officers and indoor office workers. <i>Environmental Health</i> , <b>2009</b> , 8, 41	6	122
147	Monitoring low benzene exposure: comparative evaluation of urinary biomarkers, influence of cigarette smoking, and genetic polymorphisms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 2237-44	4	91
146	Increased mitochondrial DNA copy number in occupations associated with low-dose benzene exposure. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 210-5	8.4	81
145	Urinary benzene as a biomarker of exposure among occupationally exposed and unexposed subjects. <i>Carcinogenesis</i> , <b>2001</b> , 22, 279-86	4.6	79
144	Development of a gas chromatography/mass spectrometry method to quantify several urinary monohydroxy metabolites of polycyclic aromatic hydrocarbons in occupationally exposed subjects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2008</b> , 875, 531-40	3.2	75
143	Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine. <i>Biomedical Applications</i> , <b>1999</b> , 723, 105-15		74
142	Urinary BTEX, MTBE and naphthalene as biomarkers to gain environmental exposure profiles of the general population. <i>Science of the Total Environment</i> , <b>2010</b> , 408, 2840-9	10.2	56
141	Biological and environmental monitoring of exposure to airborne benzene and other aromatic hydrocarbons in Milan traffic wardens. <i>Toxicology Letters</i> , <b>1995</b> , 77, 387-92	4.4	56
140	Urinary profiles to assess polycyclic aromatic hydrocarbons exposure in coke-oven workers. <i>Toxicology Letters</i> , <b>2010</b> , 192, 72-8	4.4	53
139	Ethylenethiourea in urine as an indicator of exposure to mancozeb in vineyard workers. <i>Toxicology Letters</i> , <b>2002</b> , 134, 133-40	4.4	51
138	Immunomodulatory effects of the fungicide Mancozeb in agricultural workers. <i>Toxicology and Applied Pharmacology</i> , <b>2005</b> , 208, 178-85	4.6	50
137	Quantification of 13 priority polycyclic aromatic hydrocarbons in human urine by headspace solid-phase microextraction gas chromatography-isotope dilution mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2009</b> , 631, 196-205	6.6	46
136	Identification of RNA polymerase III-transcribed Alu loci by computational screening of RNA-Seq data. <i>Nucleic Acids Research</i> , <b>2015</b> , 43, 817-35	20.1	45
135	Urinary t,t-muconic acid, S-phenylmercapturic acid and benzene as biomarkers of low benzene exposure. <i>Chemico-Biological Interactions</i> , <b>2005</b> , 153-154, 253-6	5	45
134	The role of salivary cortisol measured by liquid chromatography-tandem mass spectrometry in the diagnosis of subclinical hypercortisolism. <i>European Journal of Endocrinology</i> , <b>2013</b> , 168, 289-96	6.5	42

133	Biomonitoring of the general population living near a modern solid waste incinerator: a pilot study in Modena, Italy. <i>Environment International</i> , <b>2013</b> , 61, 88-97	12.9	41
132	Urinary polycyclic aromatic hydrocarbons and monohydroxy metabolites as biomarkers of exposure in coke oven workers. <i>Occupational and Environmental Medicine</i> , <b>2009</b> , 66, 509-16	2.1	40
131	Biological monitoring of exposure to polycyclic aromatic hydrocarbons by determination of unmetabolized compounds in urine. <i>Toxicology Letters</i> , <b>2006</b> , 162, 132-8	4.4	37
130	Stress and sleep in nurses employed in "3 B" and "2 12" fast rotating shift schedules. <i>Chronobiology International</i> , <b>2014</b> , 31, 1169-78	3.6	33
129	Quantification of carcinogenic 4- to 6-ring polycyclic aromatic hydrocarbons in human urine by solid-phase microextraction gas chromatography-isotope dilution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2011</b> , 401, 625-34	4.4	33
128	Comparison between blood and urinary toluene as biomarkers of exposure to toluene. <i>International Archives of Occupational and Environmental Health</i> , <b>2000</b> , 73, 389-96	3.2	33
127	Global DNA methylation and low-level exposure to benzene. <i>Medicina Del Lavoro</i> , <b>2012</b> , 103, 84-95	1.9	33
126	Development and validation of a gas chromatography/mass spectrometry method for the assessment of genomic DNA methylation. <i>Rapid Communications in Mass Spectrometry</i> , <b>2009</b> , 23, 2637-46	2.2	32
125	Biological monitoring of exposure to tebuconazole in winegrowers. <i>Journal of Exposure Science and Environmental Epidemiology</i> , <b>2014</b> , 24, 643-9	6.7	31
124	Urinary hydroxylated metabolites of polycyclic aromatic hydrocarbons as biomarkers of exposure in asphalt workers. <i>Biomarkers</i> , <b>2007</b> , 12, 221-39	2.6	30
123	Application of gas chromatography-mass spectrometry for the determination of urinary ethylenethiourea in humans. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 814, 251-8	3.2	30
122	Investigating unmetabolized polycyclic aromatic hydrocarbons in adolescents Suriname as biomarkers of environmental exposure. <i>Chemosphere</i> , <b>2016</b> , 155, 48-56	8.4	30
121	Susceptibility to particle health effects, miRNA and exosomes: rationale and study protocol of the SPHERE study. <i>BMC Public Health</i> , <b>2014</b> , 14, 1137	4.1	29
120	Identification and quantification of metabolites of the fungicide tebuconazole in human urine. <i>Chemical Research in Toxicology</i> , <b>2014</b> , 27, 1943-9	4	29
119	Height profile of some air quality markers in the urban atmosphere surrounding a 100m tower building. <i>Atmospheric Environment</i> , <b>1998</b> , 32, 3569-3580	5.3	29
118	Biological monitoring in occupational exposure to low levels of 1,3-butadiene. <i>Toxicology Letters</i> , <b>2004</b> , 149, 353-60	4.4	29
117	Lack of genotoxic effect in workers exposed to very low doses of 1,3-butadiene. <i>Archives of Toxicology</i> , <b>2006</b> , 80, 378-81	5.8	28
116	Dermal exposure to polycyclic aromatic hydrocarbons in asphalt workers. <i>Occupational and Environmental Medicine</i> , <b>2010</b> , 67, 456-63	2.1	26

115	Assessment through environmental and biological measurements of total daily exposure to volatile organic compounds of office workers in Milan, Italy. <i>Indoor Air</i> , <b>2000</b> , 10, 258-68	5.4	26
114	Exposure to BTEX and Ethers in Petrol Station Attendants and Proposal of Biological Exposure Equivalentents for Urinary Benzene and MTBE. <i>Annals of Occupational Hygiene</i> , <b>2016</b> , 60, 318-33		25
113	Biomarkers of internal dose for the assessment of environmental exposure to benzene. <i>Journal of Environmental Monitoring</i> , <b>2011</b> , 13, 2921-8		25
112	Urinary carcinogenic 4-6 ring polycyclic aromatic hydrocarbons in coke oven workers and in subjects belonging to the general population: role of occupational and environmental exposure. <i>International Journal of Hygiene and Environmental Health</i> , <b>2014</b> , 217, 231-8	6.9	24
111	Albumin and hemoglobin adducts as biomarkers of exposure to styrene in fiberglass-reinforced-plastics workers. <i>International Archives of Occupational and Environmental Health</i> , <b>1998</b> , 71, 35-41	3.2	24
110	High-throughput determination of cortisol, cortisone, and melatonin in oral fluid by on-line turbulent flow liquid chromatography interfaced with liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2013</b> , 27, 1450-60	2.2	23
109	Environmental and lifestyle factors affect benzene uptake biomonitoring of residents near a petrochemical plant. <i>Environment International</i> , <b>2012</b> , 39, 2-7	12.9	23
108	A quantitative approach to evaluate urinary benzene and S-phenylmercapturic acid as biomarkers of low benzene exposure. <i>Biomarkers</i> , <b>2011</b> , 16, 334-45	2.6	23
107	Reference values for ethylenethiourea in urine in Northern Italy: results of a pilot study. <i>Toxicology Letters</i> , <b>2006</b> , 162, 153-7	4.4	23
106	Evaluation of exposure to PAHs in asphalt workers by environmental and biological monitoring. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1076, 405-20	6.5	23
105	Glutathione transferases and glutathionylated hemoglobin in workers exposed to low doses of 1,3-butadiene. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3004-12	4	22
104	Unmetabolized Polycyclic Aromatic Hydrocarbons in Urine as Biomarkers of Low Exposure in Asphalt Workers. <i>Journal of Occupational and Environmental Hygiene</i> , <b>2007</b> , 4, 100-110	2.9	22
103	The use of S-phenylmercapturic acid as a biomarker in molecular epidemiology studies of benzene. <i>Chemico-Biological Interactions</i> , <b>2005</b> , 153-154, 97-102	5	22
102	Stereoselective synthesis of cyclic dinucleotide phosphorothioates. <i>Tetrahedron</i> , <b>1993</b> , 49, 1115-1132	2.4	22
101	An LC-MS/MS method to profile urinary mercapturic acids, metabolites of electrophilic intermediates of occupational and environmental toxicants. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2019</b> , 1117, 66-76	3.2	20
100	Comparison between urinary o-cresol and toluene as biomarkers of toluene exposure. <i>Journal of Occupational and Environmental Hygiene</i> , <b>2007</b> , 4, 1-9	2.9	20
99	A Validated Method for Urinary Cotinine Quantification Used to Classify Active and Environmental Tobacco Smoke Exposure. <i>Current Analytical Chemistry</i> , <b>2013</b> , 9, 447-456	1.7	20
98	Determinants of active and environmental exposure to tobacco smoke and upper reference value of urinary cotinine in not exposed individuals. <i>Environmental Research</i> , <b>2016</b> , 148, 154-163	7.9	20

97	X-chromosomal inactivation directly influences the phenotypic manifestation of X-linked protoporphyria. <i>Clinical Genetics</i> , <b>2016</b> , 89, 20-6	4	20
96	In postmenopausal female subjects with type 2 diabetes mellitus, vertebral fractures are independently associated with cortisol secretion and sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1417-25	5.6	19
95	A novel headspace solid-phase microextraction method using in situ derivatization and a diethoxydiphenylsilane fibre for the gas chromatography-mass spectrometry determination of urinary hydroxy polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 5634-9	4.5	19
94	Fast liquid chromatographic determination of urinary trans,trans-muconic acid. <i>Biomedical Applications</i> , <b>1996</b> , 677, 257-63		19
93	Annual, seasonal, and morning rush hour Land Use Regression models for black carbon in a school catchment area of Milan, Italy. <i>Environmental Research</i> , <b>2019</b> , 176, 108520	7.9	18
92	Environmental and biological monitoring of PAHs exposure in coke-oven workers at the Taranto plant compared to two groups from the general population of Apulia, Italy. <i>Medicina Del Lavoro</i> , <b>2012</b> , 103, 347-60	1.9	18
91	Methodological issues in the biological monitoring of urinary benzene and S-phenylmercapturic acid at low exposure levels. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2010</b> , 878, 2534-40	3.2	17
90	Biomonitoring short- and long-term exposure to the herbicide terbuthylazine in agriculture workers and in the general population using urine and hair specimens. <i>Environment International</i> , <b>2013</b> , 60, 42-7	12.9	16
89	Human biomonitoring of polycyclic aromatic hydrocarbons and metals in the general population residing near the municipal solid waste incinerator of Modena, Italy. <i>Chemosphere</i> , <b>2017</b> , 186, 546-557	8.4	16
88	Urinary methyl tert-butyl ether and benzene as biomarkers of exposure to urban traffic. <i>Environment International</i> , <b>2011</b> , 37, 404-11	12.9	16
87	Toxicological evaluation of the immune function of pesticide workers, a European wide assessment. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 701-7	3.4	16
86	Asthmatic symptoms after exposure to ethylenebisdithiocarbamates and other pesticides in the Europit field studies. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 721-7	3.4	16
85	Determination of low level methyl tert-butyl ether, ethyl tert-butyl ether and methyl tert-amyl ether in human urine by HS-SPME gas chromatography/mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2007</b> , 581, 53-62	6.6	16
84	An efficient and stereoselective synthesis of 2S5Soligo-(SP)-thioadenylates. <i>Tetrahedron</i> , <b>1992</b> , 48, 3209-3226	3.4	16
83	Long-term occupational and environmental exposure to penconazole and tebuconazole by hair biomonitoring. <i>Toxicology Letters</i> , <b>2018</b> , 298, 19-24	4.4	16
82	Influence of metabolic genotypes on biomarkers of exposure to 1,3-butadiene in humans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2002</b> , 11, 1082-90	4	16
81	Urinary biomonitoring of subjects with different smoking habits. Part I: Profiling mercapturic acids. <i>Toxicology Letters</i> , <b>2020</b> , 327, 48-57	4.4	15
80	Urinary chromium is associated with changes in leukocyte miRNA expression in obese subjects. <i>European Journal of Clinical Nutrition</i> , <b>2017</b> , 71, 142-148	5.2	15

79	Cortisol Secretion, Sensitivity, and Activity Are Associated With Hypertension in Postmenopausal Eucortisolemic Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 4441-4448	5.6	14
78	Epigenetic and Transcriptional Modifications in Repetitive Elements in Petrol Station Workers Exposed to Benzene and MTBE. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	14
77	Assay of urinary alpha-fluoro-beta-alanine by gas chromatography-mass spectrometry for the biological monitoring of occupational exposure to 5-fluorouracil in oncology nurses and pharmacy technicians. <i>Biomedical Chromatography</i> , <b>2006</b> , 20, 257-66	1.7	14
76	Determination of urinary ortho- and meta-cresol in humans by headspace SPME gas chromatography/mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 817, 309-17	3.2	14
75	Analysis of potential influence factors on background urinary benzene concentration among a non-smoking, non-occupationally exposed general population sample. <i>International Archives of Occupational and Environmental Health</i> , <b>2014</b> , 87, 793-9	3.2	13
74	Changes in serum markers indicative of health effects in vineyard workers following exposure to the fungicide mancozeb: an Italian study. <i>Biomarkers</i> , <b>2007</b> , 12, 574-88	2.6	13
73	Assessment of penconazole exposure in winegrowers using urinary biomarkers. <i>Environmental Research</i> , <b>2019</b> , 168, 54-61	7.9	13
72	Immunosuppressive drugs in whole blood: validation of a commercially available liquid chromatography/tandem mass spectrometry kit and comparison with immunochemical assays. <i>Rapid Communications in Mass Spectrometry</i> , <b>2017</b> , 31, 1111-1120	2.2	12
71	Biological monitoring and questionnaire for assessing exposure to ethylenebisdithiocarbamates in a multicenter European field study. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 681-91	3.4	12
70	Assessment of Exposure to Polycyclic Aromatic Hydrocarbons (PAH) in Italian Asphalt Workers. <i>Journal of Occupational and Environmental Hygiene</i> , <b>2007</b> , 4, 87-99	2.9	12
69	Hemoglobin adducts as biomarkers of 1,3-butadiene in occupationally low exposed Italian workers and a few diesel-exposed miners. <i>Chemico-Biological Interactions</i> , <b>2001</b> , 135-136, 675-8	5	12
68	Biological Monitoring of Occupational Exposure to Polycyclic Aromatic Hydrocarbons at an Electric Steel Foundry in Tunisia. <i>Annals of Occupational Hygiene</i> , <b>2016</b> , 60, 700-16		12
67	Minding the gap between cortisol levels measured with second-generation assays and current diagnostic thresholds for the diagnosis of adrenal insufficiency: a single-center experience. <i>Hormones</i> , <b>2020</b> , 19, 425-431	3.1	11
66	Identification of Metabolites of the Fungicide Penconazole in Human Urine. <i>Chemical Research in Toxicology</i> , <b>2016</b> , 29, 1179-86	4	11
65	Testing a cumulative and aggregate exposure model using biomonitoring studies and dietary records for Italian vineyard spray operators. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 79, 45-53	4.7	11
64	Matrix interferences in the analysis of benzene in urine. <i>Biomedical Applications</i> , <b>1999</b> , 724, 257-64		11
63	Is a Land Use Regression Model Capable of Predicting the Cleanest Route to School?. <i>Environments - MDPI</i> , <b>2019</b> , 6, 90	3.2	10
62	Hydroquinone induces DNA hypomethylation-independent overexpression of retroelements in human leukemia and hematopoietic stem cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2016</b> , 474, 691-695	3.4	10



61	Determination of tebuconazole and penconazole fungicides in rat and human hair by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2018</b> , 32, 1243-1249	2.2	10
60	Terbutylazine in hair as a biomarker of exposure. <i>Toxicology Letters</i> , <b>2012</b> , 210, 169-73	4.4	10
59	Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry. <i>Biomedical Applications</i> , <b>2001</b> , 751, 305-13		10
58	Biological monitoring of low-level exposure to benzene. <i>Medicina Del Lavoro</i> , <b>2012</b> , 103, 338-46	1.9	10
57	Blood lead levels following consumption of game meat in Italy. <i>Environmental Research</i> , <b>2017</b> , 155, 36-41	7.9	9
56	A systematic review on biomonitoring of individuals living near or working at solid waste incinerator plants. <i>Critical Reviews in Toxicology</i> , <b>2019</b> , 49, 479-519	5.7	9
55	Assessing variability and comparing short-term biomarkers of styrene exposure using a repeated measurements approach. <i>Toxicology Letters</i> , <b>2010</b> , 192, 40-4	4.4	9
54	Dermal exposure and risk assessment of tebuconazole applicators in vineyards. <i>Medicina Del Lavoro</i> , <b>2015</b> , 106, 294-315	1.9	9
53	Development of a method to profile 2- to 4-ring polycyclic aromatic hydrocarbons in saliva samples from smokers and non-smokers by headspace-solid-phase microextraction-gas chromatography-triple quadrupole tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2020</b> , 1152, 122273	3.2	8
52	Inflammatory involvement into phototoxic reaction in erythropoietic protoporphyria (EPP) patients. <i>Immunologic Research</i> , <b>2019</b> , 67, 382-389	4.3	8
51	Prediction of hypertension, diabetes and fractures in eucortisolemic women by measuring parameters of cortisol milieu. <i>Endocrine</i> , <b>2020</b> , 68, 411-419	4	7
50	Influence of some detoxification enzyme polymorphisms on cytogenetic biomarkers between individuals exposed to very low doses of 1,3-butadiene. <i>Journal of Occupational and Environmental Medicine</i> , <b>2009</b> , 51, 811-21	2	7
49	Association of pesticide exposure, vaccination response, and interleukin-1 gene polymorphisms. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 709-13	3.4	7
48	High Stereoselectivity in the Formation of the Inter-Ribonucleotidic Phosphorothioate Bond. <i>Nucleosides &amp; Nucleotides</i> , <b>1991</b> , 10, 723-725		7
47	In vitro hydroquinone-induced instauration of histone bivalent mark on human retroelements (LINE-1) in HL60 cells. <i>Toxicology in Vitro</i> , <b>2017</b> , 40, 1-10	3.6	6
46	Biological Monitoring of Occupational Exposure to Metals in Electric Steel Foundry Workers and Its Contribution to 8-Oxo-7,8-Dihydro-2SDeoxyguanosine Levels. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	6
45	Development and validation of a liquid chromatography/tandem mass spectrometry method to quantify metabolites of phthalates, including di-2-ethylhexyl terephthalate (DEHTP) and bisphenol A, in human urine. <i>Rapid Communications in Mass Spectrometry</i> , <b>2020</b> , 34, e8796	2.2	6
44	Self-collected urine sampling to study the kinetics of urinary toluene (and o-cresol) and define the best sampling time for biomonitoring. <i>International Archives of Occupational and Environmental Health</i> , <b>2009</b> , 82, 703-13	3.2	6

43	Plasma Metabolomic Profiling in 1391 Subjects with Overweight and Obesity from the SPHERE Study. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	6
42	Environmental and biological monitoring of personal exposure to air pollutants of adult people living in a metropolitan area. <i>Science of the Total Environment</i> , <b>2021</b> , 767, 144916	10.2	6
41	The activity of 11 $\beta$ hydroxysteroid dehydrogenase type 2 enzyme and cortisol secretion in patients with adrenal incidentalomas. <i>Endocrine</i> , <b>2016</b> , 53, 809-15	4	6
40	Hair as a matrix to evaluate cumulative and aggregate exposure to pesticides in winegrowers. <i>Science of the Total Environment</i> , <b>2019</b> , 687, 808-816	10.2	5
39	Determination of terbuthylazine and desethylterbuthylazine in human urine and hair samples by electrospray ionization-liquid chromatography/triple quadrupole mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 875-86	4.4	5
38	Preparation and validation of exposure and risk profiles for pesticide use in greenhouses. <i>Toxicology Letters</i> , <b>2008</b> , 180, S26	4.4	5
37	An integrated approach to biomonitoring exposure to styrene and styrene-(7,8)-oxide using a repeated measurements sampling design. <i>Biomarkers</i> , <b>2008</b> , 13, 560-78	2.6	5
36	Clinical and molecular epidemiology of erythropoietic protoporphyria in Italy. <i>European Journal of Dermatology</i> , <b>2020</b> , 30, 532-540	0.8	5
35	Personal exposure to equivalent black carbon in children in Milan, Italy: Time-activity patterns and predictors by season. <i>Environmental Pollution</i> , <b>2021</b> , 274, 116530	9.3	5
34	Laboratory Diagnosis of Porphyria. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	5
33	Associations between Urinary and Dietary Selenium and Blood Metabolic Parameters in a Healthy Northern Italy Population. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	5
32	Association of Urinary and Dietary Selenium and of Serum Selenium Species with Serum Alanine Aminotransferase in a Healthy Italian Population. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	5
31	Urinary 8-Oxo-7,8-Dihydro-2SDeoxyguanosine in Tunisian Electric Steel Foundry Workers Exposed to Polycyclic Aromatic Hydrocarbons. <i>Annals of Work Exposures and Health</i> , <b>2017</b> , 61, 333-343	2.4	4
30	Application of ultraviolet spectrophotometry to estimate occupational exposure to airborne polyaromatic compounds in asphalt pavers. <i>Journal of Occupational and Environmental Hygiene</i> , <b>2007</b> , 4, 412-9	2.9	4
29	Gas chromatography-electron-capture detection of urinary methylhippuric acid isomers as biomarkers of environmental exposure to xylene. <i>Biomedical Applications</i> , <b>1999</b> , 723, 95-104		4
28	Occupational exposure to arsenic and cadmium in thin-film solar cell production. <i>Annals of Occupational Hygiene</i> , <b>2015</b> , 59, 572-85		3
27	Urinary biomonitoring of subjects with different smoking habits. Part II: an untargeted metabolomic approach and the comparison with the targeted measurement of mercapturic acids. <i>Toxicology Letters</i> , <b>2020</b> , 329, 56-66	4.4	3
26	Urinary Mercapturic Acids to Assess Exposure to Benzene and Other Volatile Organic Compounds in Coke Oven Workers. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	3



25	Occupational exposure to ethylenebisdithiocarbamates in agriculture and allergy: results from the EUROPIT field study. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 715-20	3.4	3
24	Simultaneous Quantification of Bisphenol A, Its Glucuronide Metabolite, and Commercial Alternatives by LC-MS/MS for Skin Absorption Evaluation. <i>Chemical Research in Toxicology</i> , <b>2020</b> , 33, 2390-2400	4	3
23	Toxicity of Metals Released from Implanted Medical Devices <b>2015</b> , 113-122		2
22	Oral Vitamin D supplementation impacts gene expression in granulosa cells in women undergoing IVF. <i>Human Reproduction</i> , <b>2021</b> , 36, 130-144	5.7	2
21	Dermal exposure to the fungicide tebuconazole during application in vineyards. <i>Toxicology Letters</i> , <b>2012</b> , 211, S172	4.4	2
20	Immune effects and exposure to ethylenebisdithiocarbamate pesticides in re-entry workers in the Netherlands. <i>Human and Experimental Toxicology</i> , <b>2008</b> , 27, 693-9	3.4	2
19	Associations of urinary and dietary cadmium with urinary 8-oxo-7,8-dihydro-2Sdeoxyguanosine and blood biochemical parameters.. <i>Environmental Research</i> , <b>2022</b> , 210, 112912	7.9	2
18	Benzene and leukemia: from scientific evidence to regulations. A historical example. <i>Medicina Del Lavoro</i> , <b>2019</b> , 110, 234-240	1.9	2
17	Hyperandrogenism by Liquid Chromatography Tandem Mass Spectrometry in PCOS: Focus on Testosterone and Androstenedione. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 10,	5.1	2
16	Cumulative Pesticides Exposure of Children and Their Parents Living near Vineyards by Hair Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
15	Alternative Pathway Involvement in Protoporphyrin Patients Related to Sun Exposure. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 615620	8.4	2
14	Digital PCR (dPCR) analysis reveals that the homozygous c.315-48T>C variant in the FECH gene might cause erythropoietic protoporphyria (EPP). <i>Molecular Genetics and Metabolism</i> , <b>2018</b> , 124, 287-296 <sup>2.7</sup>		2
13	Commuting by car, public transport, and bike: Exposure assessment and estimation of the inhaled dose of multiple airborne pollutants. <i>Atmospheric Environment</i> , <b>2021</b> , 262, 118613	5.3	2
12	Urinary Ethylenethiourea as a Biomarker of Exposure to Ethylenebisdithiocarbamates <b>2006</b> , 79-89		1
11	A liquid chromatography tandem mass spectrometry method to assess 41 pesticides in human hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2020</b> , 1159, 122389	3.2	1
10	The contribution of the Clinica del Lavoro of Milan to the development of industrial hygiene and toxicology in the twentieth century. <i>Archives of Environmental and Occupational Health</i> , <b>2019</b> , 74, 30-41 <sup>2</sup>		1
9	ETS Exposure and PAH Body Burden in Nonsmoking Italian Adults. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	1
8	Air pollution and neurodevelopmental skills in preschool- and school-aged children: A systematic review.. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2022</b> , 136, 104623	9	1

7	Development and validation of an LC-MS/MS method for the quantitation of 30 legacy and emerging per- and polyfluoroalkyl substances (PFASs) in human plasma, including HFPO-DA, DONA, and cC6O4.. <i>Analytical and Bioanalytical Chemistry</i> , <b>2021</b> , 414, 1259	4.4	1
6	Exposure and Management of the Health Risk for the Use of Formaldehyde and Xylene in a Large Pathology Laboratory. <i>Annals of Work Exposures and Health</i> , <b>2021</b> , 65, 805-818	2.4	0
5	Biological Monitoring of Exposure to Industrial Chemicals1-62		0
4	Smoking habit in parents and exposure to environmental tobacco smoke in elementary school children of Milan. <i>Science of the Total Environment</i> , <b>2021</b> , 796, 148891	10.2	0
3	Effect of letrozole on follicular fluid steroids concentrations in cancer patients undergoing oocytes cryopreservation.. <i>Journal of Assisted Reproduction and Genetics</i> , <b>2022</b> , 1	3.4	0
2	Comparison of FAB and FD Mass Spectrometry in the Analysis of Unusually Linked Nucleotides. <i>Nucleosides &amp; Nucleotides</i> , <b>1990</b> , 9, 431-434		
1	Biomonitoring pesticide exposure in nonconventional specimens <b>2021</b> , 245-281		