

Gregor Jansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2532926/publications.pdf>

Version: 2024-02-01

22
papers

1,353
citations

623734

14
h-index

794594

19
g-index

22
all docs

22
docs citations

22
times ranked

2425
citing authors

#	ARTICLE	IF	CITATIONS
1	Cystic Fibrosis: Proteostatic correctors of CFTR trafficking and alternative therapeutic targets.. Expert Opinion on Therapeutic Targets, 2019, 23, 711-724.	3.4	7
2	Control of anterior <scp>GR</scp> adient 2 (<scp>AGR</scp> 2) dimerization links endoplasmic reticulum proteostasis to inflammation. EMBO Molecular Medicine, 2019, 11, .	6.9	48
3	A Covalent Cysteineâ€Targeting Kinase Inhibitor of Ire1 Permits Allosteric Control of Endoribonuclease Activity. ChemBioChem, 2016, 17, 843-851.	2.6	13
4	SRYTH: A New Yeast Two-Hybrid Method. Methods in Molecular Biology, 2016, 1356, 31-41.	0.9	6
5	Chaperones in the Endoplasmic Reticulum (ER): Function and Interaction Network. , 2014, , 235-271.		0
6	An Interaction Map of Endoplasmic Reticulum Chaperones and Foldases. Molecular and Cellular Proteomics, 2012, 11, 710-723.	3.8	86
7	Reverse Genetics in Candida albicans Predicts ARF Cycling Is Essential for Drug Resistance and Virulence. PLoS Pathogens, 2010, 6, e1000753.	4.7	51
8	Binding the Atypical RA Domain of Ste50p to the Unfolded Opy2p Cytoplasmic Tail Is Essential for the High-Osmolarity Glycerol Pathway. Molecular Biology of the Cell, 2009, 20, 5117-5126.	2.1	34
9	Chemogenomic profiling predicts antifungal synergies. Molecular Systems Biology, 2009, 5, 338.	7.2	71
10	ERdj5 Is Required as a Disulfide Reductase for Degradation of Misfolded Proteins in the ER. Science, 2008, 321, 569-572.	12.6	353
11	Adaptor protein Ste50p links the Ste11p MEKK to the HOG pathway through plasma membrane association. Genes and Development, 2006, 20, 734-746.	5.9	85
12	PCR-based unidirectional deletion method for creation of comprehensive cDNA libraries. Biochimica Et Biophysica Acta - General Subjects, 2005, 1723, 265-269.	2.4	1
13	Drag&Drop cloning in yeast. Gene, 2005, 344, 43-51.	2.2	165
14	Specific interaction of ERp57 and calnexin determined by NMR spectroscopy and an ER two-hybrid system. EMBO Journal, 2004, 23, 1020-1029.	7.8	114
15	Cold Adaptation in Budding Yeast. Molecular Biology of the Cell, 2004, 15, 5492-5502.	2.1	157
16	Bright stable luminescent yeast using bacterial luciferase as a sensor. Biochemical and Biophysical Research Communications, 2003, 309, 66-70.	2.1	14
17	Phosphorylation of the MAPKKK Regulator Ste50p in Saccharomyces cerevisiae : a Casein Kinase I Phosphorylation Site Is Required for Proper Mating Function. Eukaryotic Cell, 2003, 2, 949-961.	3.4	53
18	Negative Regulation of MAPKK by Phosphorylation of a Conserved Serine Residue Equivalent to Ser212 of MEK1. Journal of Biological Chemistry, 2003, 278, 8118-8125.	3.4	33

#	ARTICLE	IF	CITATIONS
19	Use of Dominant Negative Mutations in Analysis of G Protein Function in <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2002, 344, 82-91.	1.0	3
20	Analysis of the DNA Sequence of a 34â€%038â€%bp Region on the Left Arm of Yeast Chromosome XV. , 1997, 13, 281-286.		4
21	Ste50p sustains mating pheromone-induced signal transduction in the yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1996, 20, 773-783.	2.5	55
22	Yeast Two-hybrid Technologies. , 0, , 261-272.		0